

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX090419\
 Data File : VX012056.D
 Acq On : 04 Sep 2019 17:12
 Operator : SY/SP
 Sample : K4546-20
 Misc : 3.95g/5.0mL/MSVOA X/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 T3-S-B4-(2.5)

Quant Time: Sep 05 05:38:54 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X090319S.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 03 15:26:48 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.65	168	159706	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.85	114	282124	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	244583	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.07	152	104818	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.05	65	108123	49.07	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.14%	
35) Dibromofluoromethane	5.48	113	84313	48.60	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.20%	
50) Toluene-d8	8.71	98	332826	52.28	ug/l	0.00
Spiked Amount 50.000			Recovery	=	104.56%	
62) 4-Bromofluorobenzene	11.13	95	132484	44.75	ug/l	0.00
Spiked Amount 50.000			Recovery	=	89.50%	
Target Compounds						
29) Tetrahydrofuran	5.12	42	3200	7.922	ug/l	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX090419\
Data File : VX012056.D
Acq On : 04 Sep 2019 17:12
Operator : SY/SP
Sample : K4546-20
Misc : 3.95a/5.0mL/MSVOA X/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
T3-S-B4-(2.5)

Quant Time: Sep 05 05:38:54 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X090319S.M
Quant Title : SW846 8260
QLast Update : Tue Sep 03 15:26:48 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.65 min Scan# 781

Delta R.T. -0.00 min

Lab File: VX012056.D

Acq: 04 Sep 2019 17:12

Instrument :

MSVOA_X

ClientSampleId :


T3-S-B4-(2.5)

Tot Ion:168 Resp: 159706

Ion Ratio Lower Upper




168 100

99 71.8 37.6 56.4#



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#29

Tetrahydrofuran

Concen: 7.922 ug/l

RT: 5.12 min Scan# 695

Delta R.T. 0.01 min

Lab File: VX012056.D

Acq: 04 Sep 2019 17:12


Tgt Ion: 42 Resp: 3200

Ion Ratio Lower Upper

42 100

72 41.9 37.0 55.4



71 42.8 33.8 50.8




Abundance Ion 42.00 (41.70 to 42.70): VX0

Ion 72.00 (71.70 to 72.70): VX0

Ion 71.00 (70.70 to 71.70): VX0









#33
 1,2-Dichloroethane-d4
 Concen: 49.066 ug/l
 RT: 6.05 min Scan# 847
 Delta R.T. -0.00 min
 Lab File: VX012056.D
 Acq: 04 Sep 2019 17:12




Instrument :
 MSVOA_X
 ClientSampleId :
 T3-S-B4-(2.5)


Tot Ion: 65 Resp: 108123
 Ion Ratio Lower Upper
 65 100
 67 50.6 0.0 102.0



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.85 min Scan# 978
 Delta R.T. -0.00 min
 Lab File: VX012056.D
 Acq: 04 Sep 2019 17:12

Tgt Ion: 114 Resp: 282124
 Ion Ratio Lower Upper
 114 100
 63 22.1 0.0 37.4
 88 17.6 0.0 29.6





#35

Dibromofluoromethane

Concen: 48.596 ug/l

RT: 5.48 min Scan# 754

Delta R.T. -0.00 min

Lab File: VX012056.D

Acq: 04 Sep 2019 17:12

Instrument :

MSVOA_X

ClientSampleId :

T3-S-B4-(2.5)


Tot Ion:113 Resp: 84313

Ion Ratio Lower Upper

113 100

111 100.9 81.7 122.5




192 17.1 22.5 33.7#



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 52.277 ug/l

RT: 8.71 min Scan# 1283

Delta R.T. -0.00 min

Lab File: VX012056.D


Acq: 04 Sep 2019 17:12

Tgt Ion: 98 Resp: 332826

Ion Ratio Lower Upper



98 100


100 66.6 53.3 79.9



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): VX0









#62
4-Bromofluorobenzene
Concen: 44.745 ug/l
RT: 11.13 min Scan# 1680
Delta R.T. -0.01 min
Lab File: VX012056.D
Acq: 04 Sep 2019 17:12




Instrument :
MSVOA_X
ClientSampled :
T3-S-B4-(2.5)


Tot Ion: 95 Resp: 132484
Ion Ratio Lower Upper
95 100
174 62.1 0.0 205.4
176 59.3 0.0 201.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.11 min Scan# 1513
Delta R.T. -0.00 min
Lab File: VX012056.D
Acq: 04 Sep 2019 17:12

Tgt Ion: 117 Resp: 244583
Ion Ratio Lower Upper
117 100
82 58.7 39.4 59.0
119 32.8 26.1 39.1





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.07 min Scan# 1835

Delta R.T. -0.00 min

Lab File: VX012056.D


Acq: 04 Sep 2019 17:12

Instrument :

MSVOA_X

ClientSampleId :

T3-S-B4-(2.5)




Tot Ion:152 Resp: 104818

Ion Ratio Lower Upper

152 100

115 67.4 36.4 109.3

150 154.1 0.0 341.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

