

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX090419\
 Data File : VX012074.D
 Acq On : 05 Sep 2019 02:25
 Operator : SY/SP
 Sample : K4545-06
 Misc : 4.92g/5.0mL/MSVOA X/SOIL
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 T16-17-E3-(2.25)

Quant Time: Sep 05 06:08:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X090319S.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 03 15:26:48 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.65	168	154033	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.85	114	265804	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	190995	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.07	152	49067	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.05	65	103205	48.56	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.12%	
35) Dibromofluoromethane	5.48	113	79172	48.43	ug/l	0.00
Spiked Amount 50.000			Recovery	=	96.86%	
50) Toluene-d8	8.71	98	300019	50.02	ug/l	0.00
Spiked Amount 50.000			Recovery	=	100.04%	
62) 4-Bromofluorobenzene	11.14	95	82747	29.66	ug/l	0.00
Spiked Amount 50.000			Recovery	=	59.32%	
Target Compounds						
29) Tetrahydrofuran	5.12	42	3218	8.260	ug/l	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX090419\
Data File : VX012074.D
Acq On : 05 Sep 2019 02:25
Operator : SY/SP
Sample : K4545-06
Misc : 4.92g/5.0mL/MSVOA X/SOIL
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
T16-17-E3-(2.25)

Quant Time: Sep 05 06:08:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X090319S.M
Quant Title : SW846 8260
QLast Update : Tue Sep 03 15:26:48 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.65 min Scan# 781

Delta R.T. -0.00 min

Lab File: VX012074.D

Acq: 05 Sep 2019 02:25

Instrument :

MSVOA_X

ClientSampleId :


T16-17-E3-(2.25)

Tot Ion:168 Resp: 154033

Ion Ratio Lower Upper

168 100

99 68.4 37.6 56.4#



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.65

60000

50000

40000

30000



20000

10000

0

Time-->

5.50 5.60 5.70 5.80



#29

Tetrahydrofuran

Concen: 8.260 ug/l

RT: 5.12 min Scan# 695

Delta R.T. 0.01 min

Lab File: VX012074.D

Acq: 05 Sep 2019 02:25


Tgt Ion: 42 Resp: 3218

Ion Ratio Lower Upper

42 100

72 42.0 37.0 55.4

71 44.6 33.8 50.8



Abundance Ion 42.00 (41.70 to 42.70): VX0

Ion 72.00 (71.70 to 72.70): VX0

Ion 71.00 (70.70 to 71.70): VX0

1500


1000


500

0

Time-->

5.05 5.10 5.15 5.20









#33
 1,2-Dichloroethane-d4
 Concen: 48.559 ug/l
 RT: 6.05 min Scan# 847
 Delta R.T. -0.00 min
 Lab File: VX012074.D
 Acq: 05 Sep 2019 02:25




Instrument :
 MSVOA_X
 ClientSampleId :
 T16-17-E3-(2.25)


Tot Ion: 65 Resp: 103205
 Ion Ratio Lower Upper
 65 100
 67 49.6 0.0 102.0



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.85 min Scan# 978
 Delta R.T. -0.00 min
 Lab File: VX012074.D
 Acq: 05 Sep 2019 02:25

Tgt Ion: 114 Resp: 265804
 Ion Ratio Lower Upper
 114 100
 63 21.3 0.0 37.4
 88 17.0 0.0 29.6









#35
 Dibromofluoromethane
 Concen: 48.435 ug/l
 RT: 5.48 min Scan# 754
 Delta R.T. 0.00 min
 Lab File: VX012074.D
 Acq: 05 Sep 2019 02:25

Instrument :
 MSVOA_X
 ClientSampleId :
 T16-17-E3-(2.25)

Tot Ion:113 Resp: 79172
 Ion Ratio Lower Upper
 113 100
 111 106.1 81.7 122.5
 192 17.3 22.5 33.7#




Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V






#50
 Toluene-d8
 Concen: 50.017 ug/l
 RT: 8.71 min Scan# 1283
 Delta R.T. -0.00 min
 Lab File: VX012074.D
 Acq: 05 Sep 2019 02:25

Tgt Ion: 98 Resp: 300019
 Ion Ratio Lower Upper
 98 100
 100 67.8 53.3 79.9



Abundance Ion 98.00 (97.70 to 98.70): VX0
 Ion 100.00 (99.70 to 100.70): V





#62

4-Bromofluorobenzene

Concen: 29.663 ug/l

RT: 11.14 min Scan# 1681

Delta R.T. -0.00 min

Lab File: VX012074.D

Acq: 05 Sep 2019 02:25

Instrument :

MSVOA_X

ClientSampleId :

T16-17-E3-(2.25)


Tot Ion: 95 Resp: 82747

Ion Ratio Lower Upper




95 100

174 63.0 0.0 205.4

176 59.5 0.0 201.8



Abundance Ion 94.90 (94.60 to 95.60): VX012074.D (-1632) (-)



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.11 min Scan# 1513

Delta R.T. 0.00 min

Lab File: VX012074.D

Acq: 05 Sep 2019 02:25


Tgt Ion: 117 Resp: 190995

Ion Ratio Lower Upper



117 100


82 60.5 39.4 59.0#

119 32.1 26.1 39.1



Abundance Ion 116.90 (116.60 to 117.60): VX012074.D (-1464) (-)





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.07 min Scan# 1835

Delta R.T. -0.00 min

Lab File: VX012074.D


Acq: 05 Sep 2019 02:25

Instrument :

MSVOA_X

ClientSampleId :

T16-17-E3-(2.25)



Tot Ion:152 Resp: 49067

Ion Ratio Lower Upper

152 100

115 67.3 36.4 109.3

150 163.5 0.0 341.2

