

Data Path : Z:\VOASRV\HPCHEM1\MSVOA\_X\DATA\WX090820\  
 Data File : VX018291.D  
 Acq On : 08 Sep 2020 21:43  
 Operator : JC/SP  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 31 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Sep 09 02:52:12 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X082120W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Aug 21 03:03:56 2020  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount  | Calc.   | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|---------|---------|-------|-------|----------|
| 1 I   | Pentafluorobenzene          | 50.000  | 50.000  | 0.0   | 69    | 0.00     |
| 2 T   | Dichlorodifluoromethane     | 50.000  | 48.827  | 2.3   | 64    | 0.00     |
| 3 P   | Chloromethane               | 50.000  | 43.497  | 13.0  | 61    | 0.00     |
| 4 C   | Vinyl Chloride              | 50.000  | 45.962  | 8.1#  | 63    | 0.00     |
| 5 T   | Bromomethane                | 50.000  | 58.089  | -16.2 | 78    | 0.00     |
| 6 T   | Chloroethane                | 50.000  | 50.787  | -1.6  | 69    | 0.00     |
| 7 T   | Trichlorofluoromethane      | 50.000  | 57.848  | -15.7 | 79    | 0.00     |
| 8 T   | Diethyl Ether               | 50.000  | 53.082  | -6.2  | 73    | 0.00     |
| 9 T   | 1,1,2-Trichlorotrifluoroeth | 50.000  | 53.704  | -7.4  | 75    | 0.00     |
| 10 T  | Methyl Iodide               | 50.000  | 51.740  | -3.5  | 76    | 0.00     |
| 11 T  | Tert butyl alcohol          | 250.000 | 246.409 | 1.4   | 69    | 0.00     |
| 12 CM | 1,1-Dichloroethene          | 50.000  | 50.400  | -0.8# | 71    | 0.00     |
| 13 T  | Acrolein                    | 250.000 | 212.297 | 15.1  | 60    | 0.00     |
| 14 T  | Allyl chloride              | 50.000  | 49.391  | 1.2   | 67    | 0.00     |
| 15 T  | Acrylonitrile               | 250.000 | 248.645 | 0.5   | 69    | 0.00     |
| 16 T  | Acetone                     | 250.000 | 254.415 | -1.8  | 74    | 0.00     |
| 17 T  | Carbon Disulfide            | 50.000  | 44.913  | 10.2  | 65    | 0.00     |
| 18 T  | Methyl Acetate              | 50.000  | 56.771  | -13.5 | 79    | 0.00     |
| 19 T  | Methyl tert-butyl Ether     | 50.000  | 53.715  | -7.4  | 73    | 0.00     |
| 20 T  | Methylene Chloride          | 50.000  | 51.091  | -2.2  | 69    | 0.00     |
| 21 T  | trans-1,2-Dichloroethene    | 50.000  | 49.843  | 0.3   | 71    | 0.00     |
| 22 T  | Diisopropyl ether           | 50.000  | 52.173  | -4.3  | 71    | 0.00     |
| 23 T  | Vinyl Acetate               | 250.000 | 257.798 | -3.1  | 68    | 0.00     |
| 24 P  | 1,1-Dichloroethane          | 50.000  | 51.682  | -3.4  | 71    | 0.00     |
| 25 T  | 2-Butanone                  | 250.000 | 240.107 | 4.0   | 67    | 0.00     |
| 26 T  | 2,2-Dichloropropane         | 50.000  | 49.576  | 0.8   | 70    | 0.00     |
| 27 T  | cis-1,2-Dichloroethene      | 50.000  | 48.816  | 2.4   | 70    | 0.00     |
| 28 T  | Bromochloromethane          | 50.000  | 47.868  | 4.3   | 68    | 0.00     |
| 29 T  | Tetrahydrofuran             | 250.000 | 241.231 | 3.5   | 65    | 0.00     |
| 30 C  | Chloroform                  | 50.000  | 53.282  | -6.6# | 74    | 0.00     |
| 31 T  | Cyclohexane                 | 50.000  | 47.896  | 4.2   | 66    | 0.00     |
| 32 T  | 1,1,1-Trichloroethane       | 50.000  | 53.531  | -7.1  | 74    | 0.00     |
| 33 S  | 1,2-Dichloroethane-d4       | 50.000  | 53.580  | -7.2  | 77    | 0.00     |
| 34 I  | 1,4-Difluorobenzene         | 50.000  | 50.000  | 0.0   | 66    | 0.00     |
| 35 S  | Dibromofluoromethane        | 50.000  | 55.113  | -10.2 | 74    | 0.00     |
| 36 T  | 1,1-Dichloropropene         | 50.000  | 53.041  | -6.1  | 69    | 0.00     |
| 37 T  | Ethyl Acetate               | 50.000  | 50.598  | -1.2  | 67    | 0.00     |
| 38 T  | Carbon Tetrachloride        | 50.000  | 57.763  | -15.5 | 75    | 0.00     |
| 39 T  | Methylcyclohexane           | 50.000  | 51.097  | -2.2  | 65    | 0.00     |
| 40 TM | Benzene                     | 50.000  | 51.938  | -3.9  | 69    | 0.00     |
| 41 T  | Methacrylonitrile           | 50.000  | 50.120  | -0.2  | 67    | 0.00     |
| 42 TM | 1,2-Dichloroethane          | 50.000  | 57.530  | -15.1 | 76    | 0.00     |
| 43 T  | Isopropyl Acetate           | 50.000  | 51.987  | -4.0  | 67    | 0.00     |
| 44 TM | Trichloroethene             | 50.000  | 52.181  | -4.4  | 69    | 0.00     |
| 45 C  | 1,2-Dichloropropane         | 50.000  | 52.873  | -5.7# | 69    | 0.00     |

Data Path : Z:\VOASRV\HPCHEM1\MSVOA\_X\DATA\WX090820\  
 Data File : VX018291.D  
 Acq On : 08 Sep 2020 21:43  
 Operator : JC/SP  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 31 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 LabSampleId :  
 VSTDCCC050

Quant Time: Sep 09 02:52:12 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X082120W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Aug 21 03:03:56 2020  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|       | Compound                    | Amount   | Calc.   | %Dev  | Area% | Dev(min) |
|-------|-----------------------------|----------|---------|-------|-------|----------|
| 46 T  | Dibromomethane              | 50.000   | 53.171  | -6.3  | 71    | 0.00     |
| 47 T  | Bromodichloromethane        | 50.000   | 55.729  | -11.5 | 72    | 0.00     |
| 48 T  | Methyl methacrylate         | 50.000   | 52.084  | -4.2  | 68    | 0.00     |
| 49 T  | 1,4-Dioxane                 | 1000.000 | 990.732 | 0.9   | 61    | 0.00     |
| 50 S  | Toluene-d8                  | 50.000   | 51.484  | -3.0  | 69    | 0.00     |
| 51 T  | 4-Methyl-2-Pentanone        | 250.000  | 263.733 | -5.5  | 67    | 0.00     |
| 52 CM | Toluene                     | 50.000   | 52.613  | -5.2# | 68    | 0.00     |
| 53 T  | t-1,3-Dichloropropene       | 50.000   | 53.612  | -7.2  | 69    | 0.00     |
| 54 T  | cis-1,3-Dichloropropene     | 50.000   | 53.204  | -6.4  | 69    | 0.00     |
| 55 T  | 1,1,2-Trichloroethane       | 50.000   | 53.496  | -7.0  | 70    | 0.00     |
| 56 T  | Ethyl methacrylate          | 50.000   | 53.233  | -6.5  | 68    | 0.00     |
| 57 T  | 1,3-Dichloropropane         | 50.000   | 52.778  | -5.6  | 69    | 0.00     |
| 58 T  | 2-Chloroethyl Vinyl ether   | 250.000  | 200.523 | 19.8  | 52    | 0.00     |
| 59 T  | 2-Hexanone                  | 250.000  | 268.684 | -7.5  | 67    | 0.00     |
| 60 T  | Dibromochloromethane        | 50.000   | 56.442  | -12.9 | 73    | 0.00     |
| 61 T  | 1,2-Dibromoethane           | 50.000   | 52.729  | -5.5  | 69    | 0.00     |
| 62 S  | 4-Bromofluorobenzene        | 50.000   | 52.792  | -5.6  | 70    | 0.00     |
| 63 I  | Chlorobenzene-d5            | 50.000   | 50.000  | 0.0   | 66    | 0.00     |
| 64 T  | Tetrachloroethene           | 50.000   | 50.663  | -1.3  | 67    | 0.00     |
| 65 PM | Chlorobenzene               | 50.000   | 51.746  | -3.5  | 68    | 0.00     |
| 66 T  | 1,1,1,2-Tetrachloroethane   | 50.000   | 54.378  | -8.8  | 71    | 0.00     |
| 67 C  | Ethyl Benzene               | 50.000   | 53.410  | -6.8# | 68    | 0.00     |
| 68 T  | m/p-Xylenes                 | 100.000  | 109.673 | -9.7  | 69    | 0.00     |
| 69 T  | o-Xylene                    | 50.000   | 54.600  | -9.2  | 70    | 0.00     |
| 70 T  | Styrene                     | 50.000   | 55.274  | -10.5 | 69    | 0.00     |
| 71 P  | Bromoform                   | 50.000   | 57.570  | -15.1 | 74    | 0.00     |
| 72 I  | 1,4-Dichlorobenzene-d4      | 50.000   | 50.000  | 0.0   | 73    | 0.00     |
| 73 T  | Isopropylbenzene            | 50.000   | 50.163  | -0.3  | 70    | 0.00     |
| 74 T  | N-amyl acetate              | 50.000   | 48.221  | 3.6   | 66    | 0.00     |
| 75 P  | 1,1,2,2-Tetrachloroethane   | 50.000   | 47.849  | 4.3   | 72    | 0.00     |
| 76 T  | 1,2,3-Trichloropropane      | 50.000   | 47.242  | 5.5   | 70    | 0.00     |
| 77 T  | Bromobenzene                | 50.000   | 49.164  | 1.7   | 73    | 0.00     |
| 78 T  | n-propylbenzene             | 50.000   | 51.384  | -2.8  | 73    | 0.00     |
| 79 T  | 2-Chlorotoluene             | 50.000   | 50.396  | -0.8  | 72    | 0.00     |
| 80 T  | 1,3,5-Trimethylbenzene      | 50.000   | 53.034  | -6.1  | 73    | 0.00     |
| 81 T  | trans-1,4-Dichloro-2-butene | 50.000   | 45.433  | 9.1   | 66    | 0.00     |
| 82 T  | 4-Chlorotoluene             | 50.000   | 51.187  | -2.4  | 73    | 0.00     |
| 83 T  | tert-Butylbenzene           | 50.000   | 52.336  | -4.7  | 74    | 0.00     |
| 84 T  | 1,2,4-Trimethylbenzene      | 50.000   | 53.619  | -7.2  | 74    | 0.00     |
| 85 T  | sec-Butylbenzene            | 50.000   | 52.975  | -6.0  | 73    | 0.00     |
| 86 T  | p-Isopropyltoluene          | 50.000   | 54.855  | -9.7  | 75    | 0.00     |
| 87 T  | 1,3-Dichlorobenzene         | 50.000   | 49.920  | 0.2   | 75    | 0.00     |
| 88 T  | 1,4-Dichlorobenzene         | 50.000   | 50.033  | -0.1  | 75    | 0.00     |
| 89 T  | n-Butylbenzene              | 50.000   | 52.258  | -4.5  | 74    | 0.00     |

Data Path : Z:\VOASRV\HPCHEM1\MSVOA\_X\DATA\VX090820\  
Data File : VX018291.D  
Acq On : 08 Sep 2020 21:43  
Operator : JC/SP  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 31 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
LabSampleId :  
VSTDCCC050

Quant Time: Sep 09 02:52:12 2020  
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X082120W.M  
Quant Title : SW846 8260  
QLast Update : Fri Aug 21 03:03:56 2020  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound                    | Amount | Calc.  | %Dev  | Area% | Dev(min) |
|------|-----------------------------|--------|--------|-------|-------|----------|
| 90 T | Hexachloroethane            | 50.000 | 55.519 | -11.0 | 78    | 0.00     |
| 91 T | 1,2-Dichlorobenzene         | 50.000 | 49.873 | 0.3   | 72    | 0.00     |
| 92 T | 1,2-Dibromo-3-Chloropropane | 50.000 | 49.014 | 2.0   | 74    | 0.00     |
| 93 T | 1,2,4-Trichlorobenzene      | 50.000 | 51.051 | -2.1  | 74    | 0.00     |
| 94 T | Hexachlorobutadiene         | 50.000 | 54.228 | -8.5  | 81    | 0.00     |
| 95 T | Naphthalene                 | 50.000 | 50.017 | -0.0  | 70    | 0.00     |
| 96 T | 1,2,3-Trichlorobenzene      | 50.000 | 51.184 | -2.4  | 76    | 0.00     |

(#) = Out of Range

SPCC's out = 0 CCC's out = 6