

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX091219\
 Data File : VX012371.D
 Acq On : 13 Sep 2019 02:20
 Operator : SY/SP
 Sample : K4806-01
 Misc : 4.51g/5.0mL/MSVOA X/SOIL
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 DRUM-COMP

Quant Time: Sep 13 04:20:07 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X091019S.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 10 12:55:26 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.65	168	133590	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.85	114	208373	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.11	117	132866	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.07	152	35861	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.05	65	82163	43.50	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.00%	
35) Dibromofluoromethane	5.48	113	66435	49.74	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.48%	
50) Toluene-d8	8.71	98	236654	50.51	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.02%	
62) 4-Bromofluorobenzene	11.14	95	52066	23.97	ug/l	0.00
Spiked Amount	50.000		Recovery	=	47.94%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX091219\
Data File : VX012371.D
Acq On : 13 Sep 2019 02:20
Operator : SY/SP
Sample : K4806-01
Misc : 4.51g/5.0mL/MSVOA X/SOIL
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
DRUM-COMP

Quant Time: Sep 13 04:20:07 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X091019S.M
Quant Title : SW846 8260
QLast Update : Tue Sep 10 12:55:26 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.65 min Scan# 781

Delta R.T. -0.00 min

Lab File: VX012371.D

Acq: 13 Sep 2019 02:20

Instrument :

MSVOA_X

ClientSampleId :


DRUM-COMP

Tot Ion:168 Resp: 133590

Ion Ratio Lower Upper




168 100

99 65.3 55.8 83.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#33

1,2-Dichloroethane-d4

Concen: 43.502 ug/l

RT: 6.05 min Scan# 847

Delta R.T. -0.00 min

Lab File: VX012371.D


Acq: 13 Sep 2019 02:20

Tgt Ion: 65 Resp: 82163

Ion Ratio Lower Upper



65 100


67 49.3 0.0 99.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.85 min Scan# 978

Delta R.T. -0.00 min

Lab File: VX012371.D

Acq: 13 Sep 2019 02:20

Instrument :

MSVOA_X

ClientSampleId :

DRUM-COMP


Tot Ion:114 Resp: 208373

Ion Ratio Lower Upper

114 100

63 22.0 0.0 45.2




88 17.8 0.0 34.8



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 49.735 ug/l

RT: 5.48 min Scan# 754

Delta R.T. -0.00 min

Lab File: VX012371.D

Acq: 13 Sep 2019 02:20


Tgt Ion:113 Resp: 66435

Ion Ratio Lower Upper

113 100

111 104.0 83.0 124.6



192 17.7 14.3 21.5




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 50.513 ug/l
RT: 8.71 min Scan# 1283
Delta R.T. -0.00 min
Lab File: VX012371.D
Acq: 13 Sep 2019 02:20




Instrument :
MSVOA_X
ClientSampleId :
DRUM-COMP


Tot Ion: 98 Resp: 236654
Ion Ratio Lower Upper
98 100
100 66.5 54.1 81.1



#62
4-Bromofluorobenzene
Concen: 23.972 ug/l
RT: 11.14 min Scan# 1681
Delta R.T. 0.01 min
Lab File: VX012371.D
Acq: 13 Sep 2019 02:20

Tgt Ion: 95 Resp: 52066
Ion Ratio Lower Upper
95 100
174 67.7 0.0 127.0
176 65.5 0.0 125.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.11 min Scan# 1513
Delta R.T. -0.00 min
Lab File: VX012371.D
Acq: 13 Sep 2019 02:20

Instrument :
MSVOA_X
ClientSampleId :
DRUM-COMP

Tot Ion	Ratio	Lower	Upper
117	100		
82	56.9	46.4	69.6
119	29.8	26.6	39.8




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.07 min Scan# 1835
Delta R.T. -0.00 min
Lab File: VX012371.D
Acq: 13 Sep 2019 02:20

Tgt Ion	Ratio	Lower	Upper
152	100		
115	64.4	45.5	136.4
150	154.0	0.0	346.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

