

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX091420\
 Data File : VX018375.D
 Acq On : 14 Sep 2020 10:34
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 15 05:15:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082120W.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 21 03:03:56 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	69	0.00
2 T	Dichlorodifluoromethane	0.609	0.574	5.7	62	0.00
3 P	Chloromethane	0.642	0.533	17.0	58	0.00
4 C	Vinyl Chloride	0.639	0.562	12.1#	60	0.00
5 T	Bromomethane	0.308	0.349	-13.3	77	0.00
6 T	Chloroethane	0.343	0.336	2.0	66	0.00
7 T	Trichlorofluoromethane	0.871	0.979	-12.4	77	0.00
8 T	Diethyl Ether	0.295	0.304	-3.1	71	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.471	0.505	-7.2	74	0.00
10 T	Methyl Iodide	0.438	0.534	-21.9	78	0.00
11 T	Tert butyl alcohol	0.135	0.122	9.6	63	0.00
12 CM	1,1-Dichloroethene	0.489	0.462	5.5#	66	0.00
13 T	Acrolein	0.056	0.072	-28.6#	90	0.00
14 T	Allyl chloride	0.878	0.843	4.0	65	0.00
15 T	Acrylonitrile	0.306	0.277	9.5	63	0.00
16 T	Acetone	0.270	0.262	3.0	70	0.00
17 T	Carbon Disulfide	1.477	1.220	17.4	60	0.00
18 T	Methyl Acetate	0.653	0.711	-8.9	75	0.00
19 T	Methyl tert-butyl Ether	1.676	1.733	-3.4	71	0.00
20 T	Methylene Chloride	0.613	0.545	11.1	66	0.00
21 T	trans-1,2-Dichloroethene	0.541	0.512	5.4	67	0.00
22 T	Diisopropyl ether	1.733	1.715	1.0	67	0.00
23 T	Vinyl Acetate	1.542	1.494	3.1	64	0.00
24 P	1,1-Dichloroethane	0.986	0.975	1.1	68	0.00
25 T	2-Butanone	0.445	0.396	11.0	62	-0.01
26 T	2,2-Dichloropropane	0.803	0.926	-15.3	81	0.00
27 T	cis-1,2-Dichloroethene	0.624	0.580	7.1	67	0.00
28 T	Bromochloromethane	0.476	0.450	5.5	67	0.00
29 T	Tetrahydrofuran	0.283	0.246	13.1	59	0.00
30 C	Chloroform	1.021	1.057	-3.5#	72	0.00
31 T	Cyclohexane	0.831	0.764	8.1	63	0.00
32 T	1,1,1-Trichloroethane	0.937	0.982	-4.8	73	-0.01
33 S	1,2-Dichloroethane-d4	0.694	0.697	-0.4	72	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	64	0.00
35 S	Dibromofluoromethane	0.341	0.359	-5.3	69	-0.01
36 T	1,1-Dichloropropene	0.461	0.481	-4.3	66	0.00
37 T	Ethyl Acetate	0.536	0.509	5.0	62	-0.01
38 T	Carbon Tetrachloride	0.520	0.615	-18.3	75	0.00
39 T	Methylcyclohexane	0.504	0.518	-2.8	64	0.00
40 TM	Benzene	1.355	1.379	-1.8	66	0.00
41 T	Methacrylonitrile	0.294	0.285	3.1	63	0.00
42 TM	1,2-Dichloroethane	0.519	0.589	-13.5	73	0.00
43 T	Isopropyl Acetate	0.865	0.837	3.2	61	0.00
44 TM	Trichloroethene	0.383	0.405	-5.7	68	0.00
45 C	1,2-Dichloropropane	0.365	0.377	-3.3#	65	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX091420\
 Data File : VX018375.D
 Acq On : 14 Sep 2020 10:34
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 15 05:15:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082120W.M
 Quant Title : SW846 8260
 QLast Update : Fri Aug 21 03:03:56 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.257	0.269	-4.7	68	0.00
47 T	Bromodichloromethane	0.513	0.576	-12.3	71	0.00
48 T	Methyl methacrylate	0.431	0.428	0.7	63	0.00
49 T	1,4-Dioxane	0.008	0.008	0.0	64	0.00
50 S	Toluene-d8	1.268	1.269	-0.1	65	0.00
51 T	4-Methyl-2-Pentanone	0.534	0.528	1.1	61	0.00
52 CM	Toluene	0.859	0.900	-4.8#	66	0.00
53 T	t-1,3-Dichloropropene	0.568	0.620	-9.2	68	0.00
54 T	cis-1,3-Dichloropropene	0.602	0.647	-7.5	68	0.00
55 T	1,1,2-Trichloroethane	0.366	0.383	-4.6	67	0.00
56 T	Ethyl methacrylate	0.545	0.557	-2.2	63	0.00
57 T	1,3-Dichloropropane	0.604	0.623	-3.1	66	0.00
58 T	2-Chloroethyl Vinyl ether	0.245	0.275	-12.2	71	0.00
59 T	2-Hexanone	0.406	0.403	0.7	60	0.00
60 T	Dibromochloromethane	0.430	0.492	-14.4	72	0.00
61 T	1,2-Dibromoethane	0.398	0.412	-3.5	66	0.00
62 S	4-Bromofluorobenzene	0.499	0.514	-3.0	67	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	64	0.00
64 T	Tetrachloroethene	0.367	0.403	-9.8	69	0.00
65 PM	Chlorobenzene	0.999	1.040	-4.1	65	0.00
66 T	1,1,1,2-Tetrachloroethane	0.394	0.435	-10.4	69	0.00
67 C	Ethyl Benzene	1.698	1.840	-8.4#	66	0.00
68 T	m/p-Xylenes	0.634	0.712	-12.3	67	0.00
69 T	o-Xylene	0.614	0.670	-9.1	67	0.00
70 T	Styrene	1.046	1.184	-13.2	67	0.00
71 P	Bromoform	0.336	0.380	-13.1	69	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	72	0.00
73 T	Isopropylbenzene	3.298	3.321	-0.7	69	0.00
74 T	N-amyl acetate	1.565	1.400	10.5	60	0.00
75 P	1,1,2,2-Tetrachloroethane	1.163	1.039	10.7	66	0.00
76 T	1,2,3-Trichloropropane	1.112	1.014	8.8	66	0.00
77 T	Bromobenzene	0.912	0.891	2.3	71	0.00
78 T	n-propylbenzene	3.745	3.836	-2.4	71	0.00
79 T	2-Chlorotoluene	2.314	2.340	-1.1	70	0.00
80 T	1,3,5-Trimethylbenzene	2.710	2.895	-6.8	71	0.00
81 T	trans-1,4-Dichloro-2-butene	0.412	0.390	5.3	67	0.00
82 T	4-Chlorotoluene	2.750	2.796	-1.7	71	0.00
83 T	tert-Butylbenzene	2.675	2.836	-6.0	73	0.00
84 T	1,2,4-Trimethylbenzene	2.771	2.952	-6.5	72	0.00
85 T	sec-Butylbenzene	3.042	3.307	-8.7	73	0.00
86 T	p-Isopropyltoluene	2.794	3.155	-12.9	75	0.00
87 T	1,3-Dichlorobenzene	1.601	1.611	-0.6	74	0.00
88 T	1,4-Dichlorobenzene	1.603	1.638	-2.2	74	0.00
89 T	n-Butylbenzene	2.550	2.738	-7.4	74	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX091420\
Data File : VX018375.D
Acq On : 14 Sep 2020 10:34
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Sep 15 05:15:35 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X082120W.M
Quant Title : SW846 8260
QLast Update : Fri Aug 21 03:03:56 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.550	0.621	-12.9	77	0.00
91 T	1,2-Dichlorobenzene	1.507	1.540	-2.2	72	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.291	0.269	7.6	68	0.00
93 T	1,2,4-Trichlorobenzene	1.005	1.076	-7.1	76	0.00
94 T	Hexachlorobutadiene	0.396	0.439	-10.9	80	0.00
95 T	Naphthalene	3.306	3.248	1.8	67	0.00
96 T	1,2,3-Trichlorobenzene	0.993	1.024	-3.1	75	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6