

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX091518\  
 Data File : VX004583.D  
 Acq On : 15 Sep 2018 14:40  
 Operator : JC/MD  
 Sample : J4925-16  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 S13-0244

Quant Time: Sep 17 09:57:19 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X091118W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Sep 12 02:17:23 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 244141   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 341027   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.12 | 117  | 328578   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 205848   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |        |      |
|-----------------------------|--------|-----|----------|-------|--------|------|
| 33) 1,2-Dichloroethane-d4   | 6.07   | 65  | 147915   | 46.99 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 93.98% |      |
| 35) Dibromofluoromethane    | 5.50   | 113 | 143517   | 45.99 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 91.98% |      |
| 50) Toluene-d8              | 8.72   | 98  | 485057   | 46.35 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 92.70% |      |
| 62) 4-Bromofluorobenzene    | 11.14  | 95  | 171881   | 46.01 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 92.02% |      |


| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX091518\  
Data File : VX004583.D  
Acq On : 15 Sep 2018 14:40  
Operator : JC/MD  
Sample : J4925-16  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
S13-0244

Quant Time: Sep 17 09:57:19 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X091118W.M  
Quant Title : SW846 8260  
QLast Update : Wed Sep 12 02:17:23 2018  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.67 min Scan# 741

Delta R.T. 0.01 min

Lab File: VX004583.D

Acq: 15 Sep 2018 14:40

Instrument :

MSVOA\_X

ClientSampleId :


S13-0244

Tot Ion:168 Resp: 244141

Ion Ratio Lower Upper

168 100

99 47.4 39.9 59.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

80000



60000

40000

20000

0

Time--> 5.50 5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 46.99 ug/l

RT: 6.07 min Scan# 806

Delta R.T. 0.00 min

Lab File: VX004583.D


Acq: 15 Sep 2018 14:40

Tgt Ion: 65 Resp: 147915

Ion Ratio Lower Upper

65 100

67 55.3 0.0 106.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.07


60000


40000

20000

0

Time--> 5.90 6.00 6.10 6.20





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 6.86 min Scan# 936

Delta R.T. 0.00 min

Lab File: VX004583.D

Acq: 15 Sep 2018 14:40

Instrument :

MSVOA\_X

ClientSampleId :

S13-0244


Tot Ion:114 Resp: 341027

Ion Ratio Lower Upper

114 100

63 18.9 0.0 39.0




88 18.5 0.0 30.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 45.99 ug/l

RT: 5.50 min Scan# 713

Delta R.T. 0.00 min

Lab File: VX004583.D

Acq: 15 Sep 2018 14:40


Tgt Ion:113 Resp: 143517

Ion Ratio Lower Upper

113 100

111 104.1 82.4 123.6



192 24.1 19.4 29.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50  
Toluene-d8  
Concen: 46.35 ug/l  
RT: 8.72 min Scan# 1241  
Delta R.T. 0.00 min  
Lab File: VX004583.D  
Acq: 15 Sep 2018 14:40




Instrument :  
MSVOA\_X  
ClientSampleId :  
S13-0244


Tot Ion: 98 Resp: 485057  
Ion Ratio Lower Upper  
98 100  
100 64.3 52.9 79.3



#62  
4-Bromofluorobenzene  
Concen: 46.01 ug/l  
RT: 11.14 min Scan# 1638  
Delta R.T. 0.00 min  
Lab File: VX004583.D  
Acq: 15 Sep 2018 14:40

Tgt Ion: 95 Resp: 171881  
Ion Ratio Lower Upper  
95 100  
174 93.6 0.0 185.2  
176 90.2 0.0 178.6









#63  
Chlorobenzene-d5  
Concen: 50.00 ug/l  
RT: 10.12 min Scan# 1470  
Delta R.T. 0.00 min  
Lab File: VX004583.D  
Acq: 15 Sep 2018 14:40

Instrument :  
MSVOA\_X  
ClientSampleId :  
S13-0244

Tot Ion:117 Resp: 328578  
Ion Ratio Lower Upper  
117 100  
82 52.5 47.8 71.6  
119 32.0 29.3 43.9




Abundance Ion 116.90 (116.60 to 117.60): V  
Ion 82.00 (81.70 to 82.70): VX0  
Ion 118.90 (118.60 to 119.60): V



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.00 ug/l  
RT: 12.08 min Scan# 1792  
Delta R.T. 0.00 min  
Lab File: VX004583.D  
Acq: 15 Sep 2018 14:40

Tgt Ion:152 Resp: 205848  
Ion Ratio Lower Upper  
152 100  
115 54.4 39.0 117.0  
150 162.3 0.0 351.0



Abundance Ion 151.90 (151.60 to 152.60): V  
Ion 114.90 (114.60 to 115.60): V  
Ion 149.90 (149.60 to 150.60): V

