

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX091718\  
 Data File : VX004622.D  
 Acq On : 17 Sep 2018 16:41  
 Operator : JC/MD  
 Sample : VX0917WBL01  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0917WBL01

Quant Time: Sep 18 01:13:38 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X091118W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Sep 12 02:17:23 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 228955   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 319632   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.12 | 117  | 302423   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 167797   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.06   | 65  | 152776   | 51.75 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 103.50% |      |
| 35) Dibromofluoromethane    | 5.50   | 113 | 133195   | 45.54 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 91.08%  |      |
| 50) Toluene-d8              | 8.71   | 98  | 448379   | 45.71 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 91.42%  |      |
| 62) 4-Bromofluorobenzene    | 11.14  | 95  | 156584   | 44.72 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 89.44%  |      |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX091718\  
Data File : VX004622.D  
Acq On : 17 Sep 2018 16:41  
Operator : JC/MD  
Sample : VX0917WBL01  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0917WBL01

Quant Time: Sep 18 01:13:38 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X091118W.M  
Quant Title : SW846 8260  
QLast Update : Wed Sep 12 02:17:23 2018  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.67 min Scan# 740

Delta R.T. 0.00 min

Lab File: VX004622.D

Acq: 17 Sep 2018 16:41

Instrument :

MSVOA\_X

ClientSampleId :


VX0917WBL01

Tot Ion:168 Resp: 228955

Ion Ratio Lower Upper




168 100

99 46.9 39.9 59.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#33

1,2-Dichloroethane-d4

Concen: 51.75 ug/l

RT: 6.06 min Scan# 805

Delta R.T. -0.01 min

Lab File: VX004622.D


Acq: 17 Sep 2018 16:41

Tgt Ion: 65 Resp: 152776

Ion Ratio Lower Upper



65 100


67 53.5 0.0 106.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0









#34  
 1,4-Difluorobenzene  
 Concen: 50.00 ug/l  
 RT: 6.86 min Scan# 936  
 Delta R.T. 0.00 min  
 Lab File: VX004622.D  
 Acq: 17 Sep 2018 16:41

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX0917WBL01

Tot Ion:114 Resp: 319632  
 Ion Ratio Lower Upper  
 114 100  
 63 19.2 0.0 39.0  
 88 15.4 0.0 30.4




Abundance Ion 113.90 (113.60 to 114.60): V  
 Ion 63.00 (62.70 to 63.70): VX0  
 Ion 87.90 (87.60 to 88.60): VX0






#35  
 Dibromofluoromethane  
 Concen: 45.54 ug/l  
 RT: 5.50 min Scan# 713  
 Delta R.T. 0.00 min  
 Lab File: VX004622.D  
 Acq: 17 Sep 2018 16:41

Tgt Ion:113 Resp: 133195  
 Ion Ratio Lower Upper  
 113 100  
 111 103.1 82.4 123.6  
 192 24.1 19.4 29.2



Abundance Ion 112.80 (112.50 to 113.50): V  
 Ion 110.80 (110.50 to 111.50): V  
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 45.71 ug/l

RT: 8.71 min Scan# 1240

Delta R.T. -0.01 min

Lab File: VX004622.D

Acq: 17 Sep 2018 16:41

Instrument :

MSVOA\_X

ClientSampleId :


VX0917WBL01

Tot Ion: 98 Resp: 448379

Ion Ratio Lower Upper




98 100

100 64.1 52.9 79.3



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): V



#62

4-Bromofluorobenzene

Concen: 44.72 ug/l

RT: 11.14 min Scan# 1638

Delta R.T. 0.00 min

Lab File: VX004622.D

Acq: 17 Sep 2018 16:41


Tgt Ion: 95 Resp: 156584

Ion Ratio Lower Upper

95 100

174 95.3 0.0 185.2



176 91.9 0.0 178.6




Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63  
Chlorobenzene-d5  
Concen: 50.00 ug/l  
RT: 10.12 min Scan# 1470  
Delta R.T. 0.00 min  
Lab File: VX004622.D  
Acq: 17 Sep 2018 16:41

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX0917WBL01

Tot Ion:117 Resp: 302423  
Ion Ratio Lower Upper  
117 100  
82 52.5 47.8 71.6  
119 31.9 29.3 43.9



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.00 ug/l  
RT: 12.08 min Scan# 1792  
Delta R.T. 0.00 min  
Lab File: VX004622.D  
Acq: 17 Sep 2018 16:41

Tgt Ion:152 Resp: 167797  
Ion Ratio Lower Upper  
152 100  
115 54.4 39.0 117.0  
150 156.1 0.0 351.0

