

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX091719\
 Data File : VX012436.D
 Acq On : 17 Sep 2019 16:24
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 18 03:39:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X091719W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 17 15:27:10 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	103	0.00
2 T	Dichlorodifluoromethane	0.302	0.329	-8.9	99	0.00
3 P	Chloromethane	0.275	0.265	3.6	95	0.00
4 C	Vinyl Chloride	0.297	0.288	3.0#	95	0.00
5 T	Bromomethane	0.117	0.108	7.7	101	0.00
6 T	Chloroethane	0.232	0.207	10.8	98	0.00
7 T	Trichlorofluoromethane	0.545	0.556	-2.0	98	0.00
8 T	Diethyl Ether	0.246	0.230	6.5	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.394	0.401	-1.8	102	0.00
10 T	Methyl Iodide	0.301	0.288	4.3	90	0.00
11 T	Tert butyl alcohol	0.193	0.155	19.7	86	0.00
12 CM	1,1-Dichloroethene	0.314	0.310	1.3#	97	0.00
13 T	Acrolein	0.069	0.050	27.5#	88	0.00
14 T	Allyl chloride	0.732	0.715	2.3	95	0.00
15 T	Acrylonitrile	0.311	0.284	8.7	90	0.00
16 T	Acetone	0.363	0.304	16.3	90	0.00
17 T	Carbon Disulfide	0.389	0.413	-6.2	95	0.00
18 T	Methyl Acetate	0.747	0.681	8.8	91	0.00
19 T	Methyl tert-butyl Ether	1.714	1.653	3.6	97	0.00
20 T	Methylene Chloride	0.434	0.411	5.3	97	0.00
21 T	trans-1,2-Dichloroethene	0.326	0.322	1.2	97	0.00
22 T	Diisopropyl ether	1.714	1.640	4.3	96	0.00
23 T	Vinyl Acetate	1.410	1.397	0.9	95	0.00
24 P	1,1-Dichloroethane	0.820	0.807	1.6	97	0.00
25 T	2-Butanone	0.497	0.437	12.1	89	0.00
26 T	2,2-Dichloropropane	0.806	0.780	3.2	97	0.00
27 T	cis-1,2-Dichloroethene	0.488	0.476	2.5	98	0.00
28 T	Bromochloromethane	0.423	0.385	9.0	98	0.00
29 T	Tetrahydrofuran	0.275	0.255	7.3	89	0.00
30 C	Chloroform	0.942	0.883	6.3#	96	0.00
31 T	Cyclohexane	0.495	0.507	-2.4	99	0.00
32 T	1,1,1-Trichloroethane	0.787	0.766	2.7	96	0.00
33 S	1,2-Dichloroethane-d4	0.717	0.680	5.2	107	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	101	0.00
35 S	Dibromofluoromethane	0.303	0.299	1.3	107	0.00
36 T	1,1-Dichloropropene	0.304	0.302	0.7	95	0.00
37 T	Ethyl Acetate	0.466	0.465	0.2	91	0.00
38 T	Carbon Tetrachloride	0.378	0.383	-1.3	97	0.00
39 T	Methylcyclohexane	0.295	0.317	-7.5	98	0.00
40 TM	Benzene	0.966	0.971	-0.5	97	0.00
41 T	Methacrylonitrile	0.300	0.281	6.3	92	0.00
42 TM	1,2-Dichloroethane	0.448	0.437	2.5	96	0.00
43 T	Isopropyl Acetate	0.837	0.815	2.6	93	0.00
44 TM	Trichloroethene	0.254	0.260	-2.4	97	0.00
45 C	1,2-Dichloropropane	0.297	0.287	3.4#	95	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX091719\
 Data File : VX012436.D
 Acq On : 17 Sep 2019 16:24
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 18 03:39:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X091719W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 17 15:27:10 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.192	0.188	2.1	96	0.00
47 T	Bromodichloromethane	0.428	0.432	-0.9	96	0.00
48 T	Methyl methacrylate	0.395	0.381	3.5	91	0.00
49 T	1,4-Dioxane	0.010	0.008	20.0	84	0.00
50 S	Toluene-d8	1.120	1.120	0.0	109	0.00
51 T	4-Methyl-2-Pentanone	0.549	0.520	5.3	90	0.00
52 CM	Toluene	0.623	0.637	-2.2#	98	0.00
53 T	t-1,3-Dichloropropene	0.445	0.463	-4.0	97	0.00
54 T	cis-1,3-Dichloropropene	0.460	0.478	-3.9	96	0.00
55 T	1,1,2-Trichloroethane	0.321	0.308	4.0	95	0.00
56 T	Ethyl methacrylate	0.502	0.494	1.6	94	0.00
57 T	1,3-Dichloropropane	0.512	0.501	2.1	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.260	0.264	-1.5	100	0.00
59 T	2-Hexanone	0.428	0.403	5.8	89	0.00
60 T	Dibromochloromethane	0.327	0.343	-4.9	96	0.00
61 T	1,2-Dibromoethane	0.293	0.297	-1.4	94	0.00
62 S	4-Bromofluorobenzene	0.465	0.465	0.0	110	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	100	0.00
64 T	Tetrachloroethene	0.229	0.241	-5.2	99	0.00
65 PM	Chlorobenzene	0.825	0.841	-1.9	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.342	0.355	-3.8	97	0.00
67 C	Ethyl Benzene	1.418	1.460	-3.0#	96	0.00
68 T	m/p-Xylenes	0.516	0.543	-5.2	98	0.00
69 T	o-Xylene	0.531	0.549	-3.4	96	0.00
70 T	Styrene	0.939	0.993	-5.8	97	0.00
71 P	Bromoform	0.256	0.270	-5.5	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	103	0.00
73 T	Isopropylbenzene	3.137	3.147	-0.3	97	0.00
74 T	N-amyl acetate	1.689	1.670	1.1	94	0.00
75 P	1,1,2,2-Tetrachloroethane	1.231	1.172	4.8	93	0.00
76 T	1,2,3-Trichloropropane	1.149	1.124	2.2	93	0.00
77 T	Bromobenzene	0.765	0.758	0.9	97	0.00
78 T	n-propylbenzene	3.497	3.594	-2.8	98	0.00
79 T	2-Chlorotoluene	2.275	2.230	2.0	98	0.00
80 T	1,3,5-Trimethylbenzene	2.676	2.788	-4.2	100	0.00
81 T	trans-1,4-Dichloro-2-butene	0.387	0.376	2.8	91	0.00
82 T	4-Chlorotoluene	2.611	2.654	-1.6	99	0.00
83 T	tert-Butylbenzene	2.867	2.867	0.0	98	0.00
84 T	1,2,4-Trimethylbenzene	2.747	2.802	-2.0	98	0.00
85 T	sec-Butylbenzene	3.159	3.291	-4.2	100	0.00
86 T	p-Isopropyltoluene	2.901	3.074	-6.0	101	0.00
87 T	1,3-Dichlorobenzene	1.439	1.468	-2.0	100	0.00
88 T	1,4-Dichlorobenzene	1.478	1.508	-2.0	101	0.00
89 T	n-Butylbenzene	2.588	2.712	-4.8	100	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX091719\
Data File : VX012436.D
Acq On : 17 Sep 2019 16:24
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Sep 18 03:39:37 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X091719W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 17 15:27:10 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.532	0.560	-5.3	98	0.00
91 T	1,2-Dichlorobenzene	1.504	1.501	0.2	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.319	0.319	0.0	93	0.00
93 T	1,2,4-Trichlorobenzene	0.969	1.027	-6.0	99	0.00
94 T	Hexachlorobutadiene	0.457	0.478	-4.6	103	0.00
95 T	Naphthalene	3.448	3.610	-4.7	95	0.00
96 T	1,2,3-Trichlorobenzene	0.987	1.058	-7.2	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6