

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX092019\
 Data File : VX012545.D
 Acq On : 20 Sep 2019 10:16
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 20 16:22:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X091719W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 17 15:27:10 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	110	0.00
2 T	Dichlorodifluoromethane	0.302	0.310	-2.6	99	0.00
3 P	Chloromethane	0.275	0.269	2.2	102	0.00
4 C	Vinyl Chloride	0.297	0.288	3.0#	100	0.00
5 T	Bromomethane	0.117	0.113	3.4	112	0.00
6 T	Chloroethane	0.232	0.205	11.6	103	0.00
7 T	Trichlorofluoromethane	0.545	0.557	-2.2	104	0.00
8 T	Diethyl Ether	0.246	0.249	-1.2	108	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.394	0.355	9.9	96	0.00
10 T	Methyl Iodide	0.301	0.318	-5.6	105	0.00
11 T	Tert butyl alcohol	0.193	0.163	15.5	95	-0.01
12 CM	1,1-Dichloroethene	0.314	0.280	10.8#	92	0.00
13 T	Acrolein	0.069	0.060	13.0	110	0.00
14 T	Allyl chloride	0.732	0.727	0.7	102	0.00
15 T	Acrylonitrile	0.311	0.310	0.3	105	0.00
16 T	Acetone	0.363	0.356	1.9	112	0.00
17 T	Carbon Disulfide	0.389	0.380	2.3	93	0.00
18 T	Methyl Acetate	0.747	0.737	1.3	105	0.00
19 T	Methyl tert-butyl Ether	1.714	1.752	-2.2	109	0.00
20 T	Methylene Chloride	0.434	0.426	1.8	107	0.00
21 T	trans-1,2-Dichloroethene	0.326	0.325	0.3	103	0.00
22 T	Diisopropyl ether	1.714	1.733	-1.1	108	0.00
23 T	Vinyl Acetate	1.410	1.473	-4.5	106	0.00
24 P	1,1-Dichloroethane	0.820	0.824	-0.5	105	0.00
25 T	2-Butanone	0.497	0.488	1.8	106	0.00
26 T	2,2-Dichloropropane	0.806	0.752	6.7	99	0.00
27 T	cis-1,2-Dichloroethene	0.488	0.495	-1.4	108	0.00
28 T	Bromochloromethane	0.423	0.423	0.0	114	0.00
29 T	Tetrahydrofuran	0.275	0.275	0.0	103	0.00
30 C	Chloroform	0.942	0.909	3.5#	105	-0.01
31 T	Cyclohexane	0.495	0.496	-0.2	103	0.00
32 T	1,1,1-Trichloroethane	0.787	0.770	2.2	103	0.00
33 S	1,2-Dichloroethane-d4	0.717	0.684	4.6	114	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	107	0.00
35 S	Dibromofluoromethane	0.303	0.306	-1.0	116	0.00
36 T	1,1-Dichloropropene	0.304	0.302	0.7	101	0.00
37 T	Ethyl Acetate	0.466	0.495	-6.2	102	0.00
38 T	Carbon Tetrachloride	0.378	0.372	1.6	100	-0.01
39 T	Methylcyclohexane	0.295	0.303	-2.7	99	0.00
40 TM	Benzene	0.966	1.000	-3.5	105	0.00
41 T	Methacrylonitrile	0.300	0.296	1.3	102	0.00
42 TM	1,2-Dichloroethane	0.448	0.459	-2.5	106	0.00
43 T	Isopropyl Acetate	0.837	0.862	-3.0	104	0.00
44 TM	Trichloroethene	0.254	0.268	-5.5	106	0.00
45 C	1,2-Dichloropropane	0.297	0.307	-3.4#	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX092019\
 Data File : VX012545.D
 Acq On : 20 Sep 2019 10:16
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 20 16:22:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X091719W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 17 15:27:10 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.192	0.202	-5.2	108	0.00
47 T	Bromodichloromethane	0.428	0.453	-5.8	106	0.00
48 T	Methyl methacrylate	0.395	0.408	-3.3	103	0.00
49 T	1,4-Dioxane	0.010	0.010	0.0	103	0.00
50 S	Toluene-d8	1.120	1.108	1.1	114	0.00
51 T	4-Methyl-2-Pentanone	0.549	0.558	-1.6	102	0.00
52 CM	Toluene	0.623	0.655	-5.1#	106	0.00
53 T	t-1,3-Dichloropropene	0.445	0.479	-7.6	106	0.00
54 T	cis-1,3-Dichloropropene	0.460	0.511	-11.1	109	0.00
55 T	1,1,2-Trichloroethane	0.321	0.337	-5.0	109	0.00
56 T	Ethyl methacrylate	0.502	0.529	-5.4	106	0.00
57 T	1,3-Dichloropropane	0.512	0.542	-5.9	108	0.00
58 T	2-Chloroethyl Vinyl ether	0.260	0.288	-10.8	115	0.00
59 T	2-Hexanone	0.428	0.435	-1.6	101	0.00
60 T	Dibromochloromethane	0.327	0.355	-8.6	105	0.00
61 T	1,2-Dibromoethane	0.293	0.319	-8.9	107	0.00
62 S	4-Bromofluorobenzene	0.465	0.454	2.4	113	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	107	0.00
64 T	Tetrachloroethene	0.229	0.272	-18.8	120	0.00
65 PM	Chlorobenzene	0.825	0.862	-4.5	108	0.00
66 T	1,1,1,2-Tetrachloroethane	0.342	0.374	-9.4	109	0.00
67 C	Ethyl Benzene	1.418	1.487	-4.9#	104	0.00
68 T	m/p-Xylenes	0.516	0.542	-5.0	104	0.00
69 T	o-Xylene	0.531	0.560	-5.5	105	0.00
70 T	Styrene	0.939	1.012	-7.8	106	0.00
71 P	Bromoform	0.256	0.286	-11.7	107	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	109	0.00
73 T	Isopropylbenzene	3.137	3.170	-1.1	104	0.00
74 T	N-amyl acetate	1.689	1.748	-3.5	104	0.00
75 P	1,1,2,2-Tetrachloroethane	1.231	1.224	0.6	103	0.00
76 T	1,2,3-Trichloropropane	1.149	1.206	-5.0	106	0.00
77 T	Bromobenzene	0.765	0.787	-2.9	107	0.00
78 T	n-propylbenzene	3.497	3.561	-1.8	103	0.00
79 T	2-Chlorotoluene	2.275	2.233	1.8	104	0.00
80 T	1,3,5-Trimethylbenzene	2.676	2.714	-1.4	103	0.00
81 T	trans-1,4-Dichloro-2-butene	0.387	0.388	-0.3	100	0.00
82 T	4-Chlorotoluene	2.611	2.647	-1.4	105	0.00
83 T	tert-Butylbenzene	2.867	2.797	2.4	102	0.00
84 T	1,2,4-Trimethylbenzene	2.747	2.796	-1.8	104	0.00
85 T	sec-Butylbenzene	3.159	3.182	-0.7	102	0.00
86 T	p-Isopropyltoluene	2.901	2.950	-1.7	103	0.00
87 T	1,3-Dichlorobenzene	1.439	1.491	-3.6	108	0.00
88 T	1,4-Dichlorobenzene	1.478	1.521	-2.9	108	0.00
89 T	n-Butylbenzene	2.588	2.577	0.4	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX092019\
Data File : VX012545.D
Acq On : 20 Sep 2019 10:16
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Sep 20 16:22:05 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X091719W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 17 15:27:10 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.532	0.526	1.1	98	0.00
91 T	1,2-Dichlorobenzene	1.504	1.509	-0.3	103	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.319	0.321	-0.6	99	0.00
93 T	1,2,4-Trichlorobenzene	0.969	1.046	-7.9	107	0.00
94 T	Hexachlorobutadiene	0.457	0.439	3.9	100	0.00
95 T	Naphthalene	3.448	3.729	-8.1	104	0.00
96 T	1,2,3-Trichlorobenzene	0.987	1.054	-6.8	106	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6