

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\WX092120\
 Data File : VX018521.D
 Acq On : 22 Sep 2020 11:36
 Operator : JC/SP
 Sample : VX0921WBL01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VBLK403

Quant Time: Sep 23 02:07:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SFAMXLM092120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Sep 23 01:46:10 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.82	114	755143	50.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	693339	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.06	152	318077	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	235103	46.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.72%
7) Chloroethane-d5	1.70	69	175575	46.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.64%
11) 1,1-Dichloroethene-d2	2.34	63	364381	35.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.44%
21) 2-Butanone-d5	4.53	46	328244	98.59	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.59%
24) Chloroform-d	5.14	84	478432	49.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.62%
26) 1,2-Dichloroethane-d4	6.03	65	338206	46.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.56%
32) Benzene-d6	6.05	84	897800	49.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.86%
36) 1,2-Dichloropropane-d6	7.37	67	291104	51.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.98%
41) Toluene-d8	8.70	98	832446	47.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.66%
43) trans-1,3-Dichloropropene-	8.99	79	156521	48.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.34%
47) 2-Hexanone-d5	9.43	63	227271	97.67	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.67%
56) 1,1,2,2-Tetrachloroethane-	11.23	84	356049	47.50	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.00%
66) 1,2-Dichlorobenzene-d4	12.36	152	313154	51.07	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.14%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX092120\
Data File : VX018521.D
Acq On : 22 Sep 2020 11:36
Operator : JC/SP
Sample : VX0921WBL01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VBLK403

Quant Time: Sep 23 02:07:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\SFAMXLM092120WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 23 01:46:10 2020
Response via : Initial Calibration

