

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092122\
 Data File : VX031552.D
 Acq On : 22 Sep 2022 06:06
 Operator : JC/MD
 Sample : N4642-06
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MW-6R

Quant Time: Sep 22 09:22:03 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X091922W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 20 09:45:29 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.556	168	76537	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.763	114	121579	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	115353	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.024	152	64481	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.958	65	77515	55.234	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery = 110.460%			
35) Dibromofluoromethane	5.391	113	65476	52.135	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery = 104.260%			
50) Toluene-d8	8.647	98	254325	52.505	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery = 105.000%			
62) 4-Bromofluorobenzene	11.079	95	87214	53.155	ug/l	0.00
Spiked Amount 50.000	Range 83 - 123		Recovery = 106.320%			
Target Compounds						Qvalue
6) Chloroethane	1.685	64	324	Below Cal	#	5
11) Tert butyl alcohol	2.989	59	7069	Below Cal		95
13) Acrolein	1.965	56	23	Below Cal	#	15
16) Acetone	2.386	43	2048	Below Cal		92
20) Methylene Chloride	2.788	84	44	Below Cal	#	42
25) 2-Butanone	4.580	43	709	0.654	ug/l	94
31) Cyclohexane	5.556	56	2140	1.028	ug/l #	42
36) 1,1-Dichloropropene	5.556	75	5674	2.936	ug/l #	51
38) Carbon Tetrachloride	5.550	117	7585	3.541	ug/l #	18
39) Methylcyclohexane	7.379	83	5624	2.365	ug/l	96
47) Bromodichloromethane	7.909	83	489	0.233	ug/l #	25
48) Methyl methacrylate	7.659	41	879	0.543	ug/l #	68
52) Toluene	8.720	92	35975	9.567	ug/l	100
55) 1,1,2-Trichloroethane	9.104	97	3819	2.465	ug/l #	17
56) Ethyl methacrylate	9.098	69	874	0.397	ug/l #	15
59) 2-Hexanone	9.445	43	1738	1.015	ug/l	91
61) 1,2-Dibromoethane	9.610	107	5241	3.140	ug/l	95
67) Ethyl Benzene	10.195	91	515657	82.101	ug/l	100
68) m/p-Xylenes	10.305	106	227665	90.199	ug/l	98
69) o-Xylene	10.640	106	74696	31.005	ug/l	97
70) Styrene	10.646	104	4771	1.203	ug/l #	1
73) Isopropylbenzene	10.963	105	52777	10.961	ug/l	100
74) N-amyl acetate	10.841	43	659	0.338	ug/l #	37
75) 1,1,2,2-Tetrachloroethane	11.165	83	193	Below Cal	#	21
76) 1,2,3-Trichloropropane	11.378	75	3431	2.384	ug/l #	1
78) n-propylbenzene	11.305	91	128841	23.257	ug/l	100
79) 2-Chlorotoluene	11.378	91	47452	14.391	ug/l #	40
80) 1,3,5-Trimethylbenzene	11.451	105	182051	44.550	ug/l	99
81) trans-1,4-Dichloro-2-b...	11.079	75	49420	110.569	ug/l #	11
82) 4-Chlorotoluene	11.451	91	20482	5.293	ug/l #	44
83) tert-Butylbenzene	11.756	119	92882	23.451	ug/l #	53
84) 1,2,4-Trimethylbenzene	11.756	105	750250	186.423	ug/l	97
85) sec-Butylbenzene	11.756	105	750135	149.658	ug/l #	56
86) p-Isopropyltoluene	11.969	119	11389	2.691	ug/l	98
89) n-Butylbenzene	12.329	91	19387	5.377	ug/l #	21
90) Hexachloroethane	12.646	117	18799	25.848	ug/l #	15

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092122\
Data File : VX031552.D
Acq On : 22 Sep 2022 06:06
Operator : JC/MD
Sample : N4642-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 46 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW-6R

Quant Time: Sep 22 09:22:03 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X091922W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 20 09:45:29 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
92) 1,2-Dibromo-3-Chloropr...	12.963	75	551	1.665	ug/l	# 3
95) Naphthalene	13.780	128	631992	136.720	ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092122\
Data File : VX031552.D
Acq On : 22 Sep 2022 06:06
Operator : JC/MD
Sample : N4642-06
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 46 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Quant Time: Sep 22 09:22:03 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X091922W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 20 09:45:29 2022
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.556 min Scan# 71
Delta R.T. -0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Instrument :
MSVOA_X
ClientSampleId :
MW-6R







Tgt Ion:168 Resp: 76537
Ion Ratio Lower Upper
168 100
99 50.7 48.8 73.2



#6
Chloroethane
Concen: Below Cal
RT: 1.685 min Scan# 98
Delta R.T. -0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 64 Resp: 324
Ion Ratio Lower Upper
64 100
66 83.8 25.0 37.4#









#11
Tert butyl alcohol
Concen: Below Cal
RT: 2.989 min Scan# 312
Delta R.T. 0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion: 59 Resp: 7069
Ion Ratio Lower Upper
59 100
57 8.5 8.2 12.2



#13
Acrolein
Concen: Below Cal
RT: 1.965 min Scan# 144
Delta R.T. -0.274 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 56 Resp: 23
Ion Ratio Lower Upper
56 100
55 0.0 56.0 84.0#









#16
Acetone
Concen: Below Cal
RT: 2.386 min Scan# 213
Delta R.T. -0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion: 43 Resp: 2048
Ion Ratio Lower Upper
43 100
58 25.6 23.8 35.8



#20
Methylene Chloride
Concen: Below Cal
RT: 2.788 min Scan# 279
Delta R.T. -0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 84 Resp: 44
Ion Ratio Lower Upper
84 100
49 212.9 105.9 158.9#
51 0.0 32.2 48.2#
86 88.7 50.8 76.2#









#25
2-Butanone
Concen: 0.654 ug/l
RT: 4.580 min Scan# 51
Delta R.T. 0.018 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion: 43 Resp: 709
Ion Ratio Lower Upper
43 100
72 23.5 21.1 31.7



#31
Cyclohexane
Concen: 1.028 ug/l
RT: 5.556 min Scan# 733
Delta R.T. 0.085 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 56 Resp: 2140
Ion Ratio Lower Upper
56 100
69 130.5 25.1 37.7#
84 74.5 70.2 105.4









#33
 1,2-Dichloroethane-d4
 Concen: 55.234 ug/l
 RT: 5.958 min Scan# 799
 Delta R.T. 0.000 min
 Lab File: VX031552.D
 Acq: 22 Sep 2022 06:06




Instrument :
 MSVOA_X
 ClientSampleId :
 MW-6R


Tgt Ion: 65 Resp: 77515
 Ion Ratio Lower Upper
 65 100
 67 51.7 0.0 102.4



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.763 min Scan# 931
 Delta R.T. -0.000 min
 Lab File: VX031552.D
 Acq: 22 Sep 2022 06:06

Tgt Ion: 114 Resp: 121579
 Ion Ratio Lower Upper
 114 100
 63 18.3 0.0 42.6
 88 14.3 0.0 33.0









#35
Dibromofluoromethane
Concen: 52.135 ug/l
RT: 5.391 min Scan# 706
Delta R.T. 0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion:113 Resp: 65476
Ion Ratio Lower Upper
113 100
111 102.1 82.4 123.6
192 19.1 14.1 21.1



#36
1,1-Dichloropropene
Concen: 2.936 ug/l
RT: 5.556 min Scan# 733
Delta R.T. -0.134 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 75 Resp: 5674
Ion Ratio Lower Upper
75 100
110 10.5 17.5 52.5#
77 0.0 24.9 37.3#









#38
Carbon Tetrachloride
Concen: 3.541 ug/l
RT: 5.550 min Scan# 71
Delta R.T. -0.128 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion:117 Resp: 7585
Ion Ratio Lower Upper
117 100
119 6.2 74.6 112.0#
121 0.0 25.3 37.9#



#39
Methylcyclohexane
Concen: 2.365 ug/l
RT: 7.379 min Scan# 1032
Delta R.T. -0.006 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 83 Resp: 5624
Ion Ratio Lower Upper
83 100
55 72.8 61.0 91.4
98 50.5 37.7 56.5









#47
Bromodichloromethane
Concen: 0.233 ug/l
RT: 7.909 min Scan# 1119
Delta R.T. 0.085 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion: 83 Resp: 489
Ion Ratio Lower Upper
83 100
85 0.0 51.0 76.6#
127 0.0 7.0 10.6#



#48
Methyl methacrylate
Concen: 0.543 ug/l
RT: 7.659 min Scan# 1078
Delta R.T. -0.037 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 41 Resp: 879
Ion Ratio Lower Upper
41 100
69 123.9 64.6 96.8#
39 55.9 51.4 77.0





#50

Toluene-d8

Concen: 52.505 ug/l

RT: 8.647 min Scan# 11

Delta R.T. -0.006 min

Lab File: VX031552.D

Acq: 22 Sep 2022 06:06

Instrument :

MSVOA_X

ClientSampleId :





MW-6R

Tgt Ion: 98 Resp: 254325

Ion Ratio Lower Upper

98 100

100 65.3 52.5 78.7



#52

Toluene

Concen: 9.567 ug/l

RT: 8.720 min Scan# 1252

Delta R.T. -0.000 min

Lab File: VX031552.D




Acq: 22 Sep 2022 06:06


Tgt Ion: 92 Resp: 35975

Ion Ratio Lower Upper

92 100

91 171.8 137.1 205.7









#55
1,1,2-Trichloroethane
Concen: 2.465 ug/l
RT: 9.104 min Scan# 1315
Delta R.T. -0.049 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Instrument :
MSVOA_X
ClientSampleId :
MW-6R

Tgt Ion: 97 Resp: 3819




Ion	Ratio	Lower	Upper
97	100		
83	4.7	69.0	103.6#
85	0.0	44.1	66.1#
99	0.0	51.3	76.9#




#56
Ethyl methacrylate
Concen: 0.397 ug/l
RT: 9.098 min Scan# 1314
Delta R.T. -0.018 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 69 Resp: 874

Ion	Ratio	Lower	Upper
69	100		
41	139.2	54.2	81.4#
39	92.4	34.2	51.2#





#59

2-Hexanone

Concen: 1.015 ug/l

RT: 9.445 min Scan# 11

Delta R.T. 0.012 min

Lab File: VX031552.D

Acq: 22 Sep 2022 06:06

Instrument :

MSVOA_X

ClientSampleId :





MW-6R

Tgt Ion: 43 Resp: 1738

Ion Ratio Lower Upper

43 100

58 46.5 26.7 80.0



#61

1,2-Dibromoethane

Concen: 3.140 ug/l

RT: 9.610 min Scan# 1398

Delta R.T. -0.000 min

Lab File: VX031552.D




Acq: 22 Sep 2022 06:06


Tgt Ion: 107 Resp: 5241

Ion Ratio Lower Upper

107 100

109 97.4 74.2 111.4









#62
4-Bromofluorobenzene
Concen: 53.155 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion: 95 Resp: 87214
Ion Ratio Lower Upper
95 100
174 89.1 0.0 153.2
176 87.8 0.0 144.0



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.055 min Scan# 1471
Delta R.T. -0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 117 Resp: 115353
Ion Ratio Lower Upper
117 100
82 51.8 46.8 70.2
119 31.9 26.4 39.6









#67
Ethyl Benzene
Concen: 82.101 ug/l
RT: 10.195 min Scan# 1494
Delta R.T. 0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion: 91 Resp: 515657
Ion Ratio Lower Upper
91 100
106 31.6 25.2 37.8



#68
m/p-Xylenes
Concen: 90.199 ug/l
RT: 10.305 min Scan# 1512
Delta R.T. -0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 106 Resp: 227665
Ion Ratio Lower Upper
106 100
91 198.7 161.0 241.4









#69
o-Xylene
Concen: 31.005 ug/l
RT: 10.640 min Scan# 11
Delta R.T. -0.006 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion:106 Resp: 74696
Ion Ratio Lower Upper
106 100
91 209.2 107.2 321.6



#70
Styrene
Concen: 1.203 ug/l
RT: 10.646 min Scan# 1568
Delta R.T. -0.013 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion:104 Resp: 4771
Ion Ratio Lower Upper
104 100
78 246.7 41.4 62.2#
103 225.7 43.8 65.8#





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.024 min Scan# 1

Delta R.T. 0.000 min

Lab File: VX031552.D

Acq: 22 Sep 2022 06:06

Instrument :

MSVOA_X

ClientSampleId :

MW-6R





Tgt Ion:152 Resp: 64481

Ion Ratio Lower Upper

152 100

115 56.0 43.4 130.1

150 156.5 0.0 346.8



#73

Isopropylbenzene

Concen: 10.961 ug/l

RT: 10.963 min Scan# 1620

Delta R.T. 0.000 min

Lab File: VX031552.D




Acq: 22 Sep 2022 06:06


Tgt Ion:105 Resp: 52777

Ion Ratio Lower Upper

105 100

120 27.4 13.7 41.0









#74
N-amy1 acetate
Concen: 0.338 ug/l
RT: 10.841 min Scan# 1
Delta R.T. -0.001 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Instrument :
MSVOA_X
ClientSampleId :
MW-6R

Tgt Ion: 43 Resp: 659




Ion	Ratio	Lower	Upper
43	100		
70	35.4	33.4	50.2
55	106.4	18.2	27.2#
61	0.0	19.3	28.9#




#75
1,1,2,2-Tetrachloroethane
Concen: Below Cal
RT: 11.165 min Scan# 1653
Delta R.T. -0.048 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 83 Resp: 193

Ion	Ratio	Lower	Upper
83	100		
131	0.0	5.1	15.4#
85	133.7	32.6	97.8#









#76
1,2,3-Trichloropropane
Concen: 2.384 ug/l
RT: 11.378 min Scan# 1688
Delta R.T. 0.140 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion: 75 Resp: 3431
Ion Ratio Lower Upper
75 100
77 1283.7 20.3 60.9#



#78
n-propylbenzene
Concen: 23.257 ug/l
RT: 11.305 min Scan# 1676
Delta R.T. -0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 91 Resp: 128841
Ion Ratio Lower Upper
91 100
120 23.4 11.8 35.4









#79
2-Chlorotoluene
Concen: 14.391 ug/l
RT: 11.378 min Scan# 1
Delta R.T. 0.012 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion: 91 Resp: 47452
Ion Ratio Lower Upper
91 100
126 0.1 17.4 52.3#



#80
1,3,5-Trimethylbenzene
Concen: 44.550 ug/l
RT: 11.451 min Scan# 1700
Delta R.T. 0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 105 Resp: 182051
Ion Ratio Lower Upper
105 100
120 50.0 24.5 73.5









#81
trans-1,4-Dichloro-2-butene
Concen: 110.569 ug/l
RT: 11.079 min Scan# 1
Delta R.T. 0.061 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion: 75 Resp: 49420
Ion Ratio Lower Upper
75 100
53 0.2 77.6 116.4#
89 0.0 37.4 56.0#



#82
4-Chlorotoluene
Concen: 5.293 ug/l
RT: 11.451 min Scan# 1700
Delta R.T. -0.006 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion: 91 Resp: 20482
Ion Ratio Lower Upper
91 100
126 0.0 15.1 45.3#









#83
tert-Butylbenzene
Concen: 23.451 ug/l
RT: 11.756 min Scan# 1750
Delta R.T. 0.037 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion:119 Resp: 92882
Ion Ratio Lower Upper
119 100
91 93.1 29.2 87.6#
134 0.0 11.6 34.8#



#84
1,2,4-Trimethylbenzene
Concen: 186.423 ug/l
RT: 11.756 min Scan# 1750
Delta R.T. -0.000 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion:105 Resp: 750250
Ion Ratio Lower Upper
105 100
120 46.9 22.6 67.8









#85
sec-Butylbenzene
Concen: 149.658 ug/l
RT: 11.756 min Scan# 1750
Delta R.T. -0.134 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06




Instrument :
MSVOA_X
ClientSampleId :
MW-6R


Tgt Ion:105 Resp: 750135
Ion Ratio Lower Upper
105 100
134 0.0 10.4 31.1#



#86
p-Isopropyltoluene
Concen: 2.691 ug/l
RT: 11.969 min Scan# 1785
Delta R.T. -0.043 min
Lab File: VX031552.D
Acq: 22 Sep 2022 06:06

Tgt Ion:119 Resp: 11389
Ion Ratio Lower Upper
119 100
134 28.7 13.4 40.2
91 25.3 12.4 37.2





#89

n-Butylbenzene

Concen: 5.377 ug/l

RT: 12.329 min Scan# 1844

Delta R.T. -0.006 min

Lab File: VX031552.D

Acq: 22 Sep 2022 06:06

Instrument :

MSVOA_X

ClientSampleId :

MW-6R





Tgt Ion: 91 Resp: 19387

Ion Ratio Lower Upper

91 100

92 31.5 27.0 81.0

134 117.5 13.3 39.9#



#90

Hexachloroethane

Concen: 25.848 ug/l

RT: 12.646 min Scan# 1896

Delta R.T. 0.104 min

Lab File: VX031552.D




Acq: 22 Sep 2022 06:06


Tgt Ion: 117 Resp: 18799

Ion Ratio Lower Upper

117 100

201 0.0 34.8 104.4#





#92

1,2-Dibromo-3-Chloropropane

Concen: 1.665 ug/l

RT: 12.963 min Scan# 1945

Delta R.T. 0.018 min

Lab File: VX031552.D

Acq: 22 Sep 2022 06:06

Instrument :

MSVOA_X

ClientSampleId :

MW-6R





Tgt Ion: 75 Resp: 551

Ion Ratio Lower Upper

75 100

155 0.0 40.3 120.8#

157 0.0 51.5 154.5#



#95

Napthalene

Concen: 136.720 ug/l

RT: 13.780 min Scan# 2082

Delta R.T. 0.006 min

Lab File: VX031552.D

Acq: 22 Sep 2022 06:06

Tgt Ion:128 Resp: 631992

Ion Ratio Lower Upper

128 100

127 13.1 10.4 15.6

129 11.1 8.8 13.2

