

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092222\
 Data File : VX031580.D
 Acq On : 22 Sep 2022 19:04
 Operator : JC/MD
 Sample : N4614-07
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MW-10R

Quant Time: Sep 23 01:50:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X091922W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 20 09:45:29 2022
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards							
1) Pentafluorobenzene		5.556	168	69163	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene		6.763	114	110302	50.000	ug/l	0.00
63) Chlorobenzene-d5		10.055	117	103337	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4		12.024	152	47364	50.000	ug/l	0.00
System Monitoring Compounds							
33) 1,2-Dichloroethane-d4		5.958	65	71931	56.750	ug/l	0.00
Spiked Amount 50.000		Range	74 - 125	Recovery	=	113.500%	
35) Dibromofluoromethane		5.391	113	60276	52.912	ug/l	0.00
Spiked Amount 50.000		Range	75 - 124	Recovery	=	105.820%	
50) Toluene-d8		8.653	98	237387	54.019	ug/l	0.00
Spiked Amount 50.000		Range	86 - 113	Recovery	=	108.040%	
62) 4-Bromofluorobenzene		11.079	95	73875	49.629	ug/l	0.00
Spiked Amount 50.000		Range	83 - 123	Recovery	=	99.260%	
Target Compounds							
							Qvalue
6) Chloroethane		1.660	64	241	Below Cal	#	46
11) Tert butyl alcohol		2.983	59	10092	6.411	ug/l	98
13) Acrolein		2.172	56	25	Below Cal	#	1
15) Acrylonitrile		3.123	53	311	0.466	ug/l	# 13
16) Acetone		2.386	43	2042	Below Cal		94
18) Methyl Acetate		2.776	43	531	0.280	ug/l	# 52
19) Methyl tert-butyl Ether		3.117	73	26313	6.758	ug/l	99
20) Methylene Chloride		2.800	84	23	Below Cal	#	4
22) Diisopropyl ether		3.770	45	1280	0.337	ug/l	# 71
23) Vinyl Acetate		3.764	43	816	0.251	ug/l	# 71
25) 2-Butanone		4.580	43	497	0.508	ug/l	95
29) Tetrahydrofuran		5.019	42	647	1.013	ug/l	# 59
31) Cyclohexane		5.464	56	996	0.529	ug/l	98
36) 1,1-Dichloropropene		5.550	75	5096	2.907	ug/l	# 50
38) Carbon Tetrachloride		5.556	117	6515	3.352	ug/l	# 19
39) Methylcyclohexane		7.385	83	809	0.375	ug/l	# 83
40) Benzene		6.044	78	55299	10.572	ug/l	97
41) Methacrylonitrile		5.032	41	255	0.245	ug/l	# 43
52) Toluene		8.720	92	905	0.265	ug/l	# 74
59) 2-Hexanone		9.452	43	538	0.346	ug/l	92
67) Ethyl Benzene		10.195	91	14815	2.633	ug/l	99
68) m/p-Xylenes		10.305	106	3691	1.632	ug/l	90
69) o-Xylene		10.640	106	435	0.202	ug/l	91
73) Isopropylbenzene		10.963	105	11216	3.171	ug/l	100
75) 1,1,2,2-Tetrachloroethane		11.079	83	149	Below Cal	#	17
76) 1,2,3-Trichloropropane		11.079	75	43380	41.036	ug/l	# 36
78) n-propylbenzene		11.305	91	20580	5.058	ug/l	98
79) 2-Chlorotoluene		11.305	91	20580	8.497	ug/l	# 40
80) 1,3,5-Trimethylbenzene		11.451	105	715	0.238	ug/l	86
81) trans-1,4-Dichloro-2-b...		11.079	75	43380	132.131	ug/l	# 11
82) 4-Chlorotoluene		11.305	91	20580	7.240	ug/l	# 44
83) tert-Butylbenzene		11.756	119	1654	0.569	ug/l	# 67
84) 1,2,4-Trimethylbenzene		11.750	105	12117	4.099	ug/l	98
85) sec-Butylbenzene		11.890	105	1551	0.421	ug/l	97
89) n-Butylbenzene		12.335	91	1314	0.496	ug/l	# 54
90) Hexachloroethane		12.646	117	3218	6.024	ug/l	# 15

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092222\
Data File : VX031580.D
Acq On : 22 Sep 2022 19:04
Operator : JC/MD
Sample : N4614-07
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW-10R

Quant Time: Sep 23 01:50:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X091922W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 20 09:45:29 2022
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
92) 1,2-Dibromo-3-Chloropr...	12.914	75	51	0.210	ug/l #	3
95) Naphthalene	13.780	128	15498	4.564	ug/l	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092222\
Data File : VX031580.D
Acq On : 22 Sep 2022 19:04
Operator : JC/MD
Sample : N4614-07
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW-10R

Quant Time: Sep 23 01:50:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X091922W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 20 09:45:29 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.556 min Scan# 71
Delta R.T. -0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion:168 Resp: 69163
Ion Ratio Lower Upper
168 100
99 47.1 48.8 73.2#



#6
Chloroethane
Concen: Below Cal
RT: 1.660 min Scan# 94
Delta R.T. -0.025 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 64 Resp: 241
Ion Ratio Lower Upper
64 100
66 60.7 25.0 37.4#









#11
Tert butyl alcohol
Concen: 6.411 ug/l
RT: 2.983 min Scan# 311
Delta R.T. -0.006 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion: 59 Resp: 10092
Ion Ratio Lower Upper
59 100
57 9.4 8.2 12.2



#13
Acrolein
Concen: Below Cal
RT: 2.172 min Scan# 178
Delta R.T. -0.067 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 56 Resp: 25
Ion Ratio Lower Upper
56 100
55 1580.0 56.0 84.0#





#15

Acrylonitrile

Concen: 0.466 ug/l

RT: 3.123 min Scan# 31

Delta R.T. 0.054 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04

Instrument :

MSVOA_X

ClientSampleId :

MW-10R





Tgt Ion: 53 Resp: 311

Ion Ratio Lower Upper

53 100

52 0.0 66.9 100.3#

51 83.3 30.0 45.0#



#16

Acetone

Concen: Below Cal

RT: 2.386 min Scan# 213

Delta R.T. -0.000 min

Lab File: VX031580.D




Acq: 22 Sep 2022 19:04


Tgt Ion: 43 Resp: 2042

Ion Ratio Lower Upper

43 100

58 26.6 23.8 35.8









#18
Methyl Acetate
Concen: 0.280 ug/l
RT: 2.776 min Scan# 21
Delta R.T. 0.067 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion: 43 Resp: 531
Ion Ratio Lower Upper
43 100
74 0.0 18.6 27.8#



#19
Methyl tert-butyl Ether
Concen: 6.758 ug/l
RT: 3.117 min Scan# 333
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 73 Resp: 26313
Ion Ratio Lower Upper
73 100
57 21.2 17.2 25.8





#20

Methylene Chloride

Concen: Below Cal

RT: 2.800 min Scan# 21

Delta R.T. 0.012 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04

Instrument :

MSVOA_X

ClientSampleId :

MW-10R

Tgt Ion: 84 Resp: 23


Ion Ratio Lower Upper

84 100




49 0.0 105.9 158.9#

51 0.0 32.2 48.2#

86 0.0 50.8 76.2#



Abundance



#22

Diisopropyl ether

Concen: 0.337 ug/l

RT: 3.770 min Scan# 440

Delta R.T. 0.006 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04

Tgt Ion: 45 Resp: 1280


Ion Ratio Lower Upper

45 100



43 41.5 59.0 88.6#


87 27.2 22.6 33.8

59 23.8 8.8 13.2#



Abundance









#23
 Vinyl Acetate
 Concen: 0.251 ug/l
 RT: 3.764 min Scan# 41
 Delta R.T. 0.037 min
 Lab File: VX031580.D
 Acq: 22 Sep 2022 19:04




Instrument :
 MSVOA_X
 ClientSampleId :
 MW-10R


Tgt Ion: 43 Resp: 816
 Ion Ratio Lower Upper
 43 100
 86 0.0 8.7 13.1#



#25
 2-Butanone
 Concen: 0.508 ug/l
 RT: 4.580 min Scan# 573
 Delta R.T. 0.018 min
 Lab File: VX031580.D
 Acq: 22 Sep 2022 19:04

Tgt Ion: 43 Resp: 497
 Ion Ratio Lower Upper
 43 100
 72 23.8 21.1 31.7





#29

Tetrahydrofuran

Concen: 1.013 ug/l

RT: 5.019 min Scan# 644

Delta R.T. 0.006 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04

Instrument :

MSVOA_X

ClientSampleId :

MW-10R





Tgt Ion: 42 Resp: 647

Ion Ratio Lower Upper

42 100

72 21.0 36.4 54.6#

71 13.1 33.5 50.3#



#31

Cyclohexane

Concen: 0.529 ug/l

RT: 5.464 min Scan# 718

Delta R.T. -0.007 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04




Tgt Ion: 56 Resp: 996


Ion Ratio Lower Upper

56 100

69 31.5 25.1 37.7

84 90.2 70.2 105.4





#33

1,2-Dichloroethane-d4

Concen: 56.750 ug/l

RT: 5.958 min Scan# 799

Delta R.T. 0.000 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04

Instrument :

MSVOA_X

ClientSampleId :





MW-10R

Tgt Ion: 65 Resp: 71931

Ion Ratio Lower Upper

65 100

67 51.3 0.0 102.4



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.763 min Scan# 931

Delta R.T. -0.000 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04




Tgt Ion: 114 Resp: 110302


Ion Ratio Lower Upper

114 100

63 18.6 0.0 42.6

88 12.8 0.0 33.0









#35
Dibromofluoromethane
Concen: 52.912 ug/l
RT: 5.391 min Scan# 706
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion:113 Resp: 60276
Ion Ratio Lower Upper
113 100
111 104.0 82.4 123.6
192 19.4 14.1 21.1



#36
1,1-Dichloropropene
Concen: 2.907 ug/l
RT: 5.550 min Scan# 732
Delta R.T. -0.140 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 75 Resp: 5096
Ion Ratio Lower Upper
75 100
110 8.8 17.5 52.5#
77 0.0 24.9 37.3#









#38
Carbon Tetrachloride
Concen: 3.352 ug/l
RT: 5.556 min Scan# 71
Delta R.T. -0.122 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion:117 Resp: 6515
Ion Ratio Lower Upper
117 100
119 7.1 74.6 112.0#
121 0.0 25.3 37.9#



#39
Methylcyclohexane
Concen: 0.375 ug/l
RT: 7.385 min Scan# 1033
Delta R.T. -0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 83 Resp: 809
Ion Ratio Lower Upper
83 100
55 91.0 61.0 91.4
98 36.2 37.7 56.5#









#40
Benzene
Concen: 10.572 ug/l
RT: 6.044 min Scan# 813
Delta R.T. -0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion: 78 Resp: 55299
Ion Ratio Lower Upper
78 100
77 24.8 18.7 28.1



#41
Methacrylonitrile
Concen: 0.245 ug/l
RT: 5.032 min Scan# 647
Delta R.T. 0.104 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 41 Resp: 255
Ion Ratio Lower Upper
41 100
39 70.2 45.0 67.6#
67 0.0 58.2 87.4#
52 0.0 25.0 37.6#





#50

Toluene-d8

Concen: 54.019 ug/l

RT: 8.653 min Scan# 1241

Delta R.T. -0.000 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04

Instrument :

MSVOA_X

ClientSampleId :





MW-10R

Tgt Ion: 98 Resp: 237387

Ion Ratio Lower Upper

98 100

100 64.2 52.5 78.7



#52

Toluene

Concen: 0.265 ug/l

RT: 8.720 min Scan# 1252

Delta R.T. -0.000 min

Lab File: VX031580.D




Acq: 22 Sep 2022 19:04


Tgt Ion: 92 Resp: 905

Ion Ratio Lower Upper

92 100

91 207.2 137.1 205.7#





#59

2-Hexanone

Concen: 0.346 ug/l

RT: 9.452 min Scan# 11

Delta R.T. 0.019 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04

Instrument :

MSVOA_X

ClientSampleId :





MW-10R

Tgt Ion: 43 Resp: 538

Ion Ratio Lower Upper

43 100

58 47.6 26.7 80.0



#62

4-Bromofluorobenzene

Concen: 49.629 ug/l

RT: 11.079 min Scan# 1639

Delta R.T. 0.000 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04




Tgt Ion: 95 Resp: 73875


Ion Ratio Lower Upper

95 100

174 93.6 0.0 153.2

176 91.0 0.0 144.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.055 min Scan# 1471
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion:117 Resp: 103337
Ion Ratio Lower Upper
117 100
82 51.0 46.8 70.2
119 33.5 26.4 39.6



#67
Ethyl Benzene
Concen: 2.633 ug/l
RT: 10.195 min Scan# 1494
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 91 Resp: 14815
Ion Ratio Lower Upper
91 100
106 30.9 25.2 37.8









#68
m/p-Xylenes
Concen: 1.632 ug/l
RT: 10.305 min Scan# 1512
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion:106 Resp: 3691
Ion Ratio Lower Upper
106 100
91 185.3 161.0 241.4



#69
o-Xylene
Concen: 0.202 ug/l
RT: 10.640 min Scan# 1567
Delta R.T. -0.006 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion:106 Resp: 435
Ion Ratio Lower Upper
106 100
91 200.9 107.2 321.6









#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.024 min Scan# 1794
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion:152 Resp: 47364
Ion Ratio Lower Upper
152 100
115 56.3 43.4 130.1
150 160.1 0.0 346.8



#73
Isopropylbenzene
Concen: 3.171 ug/l
RT: 10.963 min Scan# 1620
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion:105 Resp: 11216
Ion Ratio Lower Upper
105 100
120 27.4 13.7 41.0









#75
1,1,2,2-Tetrachloroethane
Concen: Below Cal
RT: 11.079 min Scan# 1639
Delta R.T. -0.134 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion: 83 Resp: 149
Ion Ratio Lower Upper
83 100
131 42.3 5.1 15.4#
85 0.0 32.6 97.8#



#76
1,2,3-Trichloropropane
Concen: 41.036 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. -0.159 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 75 Resp: 43380
Ion Ratio Lower Upper
75 100
77 0.9 20.3 60.9#









#78
n-propylbenzene
Concen: 5.058 ug/l
RT: 11.305 min Scan# 1676
Delta R.T. -0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion: 91 Resp: 20580
Ion Ratio Lower Upper
91 100
120 22.7 11.8 35.4



#79
2-Chlorotoluene
Concen: 8.497 ug/l
RT: 11.305 min Scan# 1676
Delta R.T. -0.061 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 91 Resp: 20580
Ion Ratio Lower Upper
91 100
126 0.0 17.4 52.3#









#80
1,3,5-Trimethylbenzene
Concen: 0.238 ug/l
RT: 11.451 min Scan# 11
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion:105 Resp: 715
Ion Ratio Lower Upper
105 100
120 39.2 24.5 73.5



#81
trans-1,4-Dichloro-2-butene
Concen: 132.131 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.061 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 75 Resp: 43380
Ion Ratio Lower Upper
75 100
53 0.0 77.6 116.4#
89 0.1 37.4 56.0#









#82
4-Chlorotoluene
Concen: 7.240 ug/l
RT: 11.305 min Scan# 1701
Delta R.T. -0.152 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion: 91 Resp: 20580
Ion Ratio Lower Upper
91 100
126 0.0 15.1 45.3#



#83
tert-Butylbenzene
Concen: 0.569 ug/l
RT: 11.756 min Scan# 1750
Delta R.T. 0.037 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 119 Resp: 1654
Ion Ratio Lower Upper
119 100
91 79.1 29.2 87.6
134 0.0 11.6 34.8#









#84
1,2,4-Trimethylbenzene
Concen: 4.099 ug/l
RT: 11.750 min Scan# 1749
Delta R.T. -0.006 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion:105 Resp: 12117
Ion Ratio Lower Upper
105 100
120 46.6 22.6 67.8



#85
sec-Butylbenzene
Concen: 0.421 ug/l
RT: 11.890 min Scan# 1772
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion:105 Resp: 1551
Ion Ratio Lower Upper
105 100
134 19.5 10.4 31.1









#89
n-Butylbenzene
Concen: 0.496 ug/l
RT: 12.335 min Scan# 1845
Delta R.T. 0.000 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04




Instrument :
MSVOA_X
ClientSampleId :
MW-10R


Tgt Ion: 91 Resp: 1314
Ion Ratio Lower Upper
91 100
92 44.0 27.0 81.0
134 83.8 13.3 39.9#



#90
Hexachloroethane
Concen: 6.024 ug/l
RT: 12.646 min Scan# 1896
Delta R.T. 0.104 min
Lab File: VX031580.D
Acq: 22 Sep 2022 19:04

Tgt Ion: 117 Resp: 3218
Ion Ratio Lower Upper
117 100
201 0.0 34.8 104.4#





#92

1,2-Dibromo-3-Chloropropane

Concen: 0.210 ug/l

RT: 12.914 min Scan# 1945

Delta R.T. -0.031 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04

Instrument :

MSVOA_X

ClientSampleId :

MW-10R





Tgt Ion: 75 Resp: 51

Ion Ratio Lower Upper

75 100

155 0.0 40.3 120.8#

157 0.0 51.5 154.5#



#95

Napthalene

Concen: 4.564 ug/l

RT: 13.780 min Scan# 2082

Delta R.T. 0.006 min

Lab File: VX031580.D

Acq: 22 Sep 2022 19:04

Tgt Ion: 128 Resp: 15498

Ion Ratio Lower Upper

128 100

127 12.8 10.4 15.6

129 11.2 8.8 13.2

