

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092424\
 Data File : VX043134.D
 Acq On : 24 Sep 2024 19:40
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 25 01:36:46 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092324W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 24 03:13:52 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	50.000	52.161	-4.3	96	0.00
3 P	Chloromethane	50.000	48.495	3.0	93	0.00
4 C	Vinyl Chloride	50.000	51.421	-2.8#	96	0.00
5 T	Bromomethane	50.000	51.899	-3.8	81	0.00
6 T	Chloroethane	50.000	52.152	-4.3	98	0.00
7 T	Trichlorofluoromethane	50.000	50.891	-1.8	95	0.00
8 T	Diethyl Ether	50.000	52.878	-5.8	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	53.429	-6.9	100	0.00
10 T	Methyl Iodide	50.000	52.997	-6.0	96	0.00
11 T	Tert butyl alcohol	250.000	257.049	-2.8	96	0.00
12 CM	1,1-Dichloroethene	50.000	53.396	-6.8#	100	0.00
13 T	Acrolein	250.000	179.837	28.1#	102	0.00
14 T	Allyl chloride	50.000	50.366	-0.7	98	0.00
15 T	Acrylonitrile	250.000	264.017	-5.6	99	0.00
16 T	Acetone	250.000	197.609	21.0	70	0.00
17 T	Carbon Disulfide	50.000	48.834	2.3	94	0.00
18 T	Methyl Acetate	50.000	57.724	-15.4	102	0.00
19 T	Methyl tert-butyl Ether	50.000	53.447	-6.9	100	0.00
20 T	Methylene Chloride	50.000	50.419	-0.8	99	0.00
21 T	trans-1,2-Dichloroethene	50.000	51.428	-2.9	99	0.00
22 T	Diisopropyl ether	50.000	52.926	-5.9	101	0.00
23 T	Vinyl Acetate	250.000	264.271	-5.7	100	0.00
24 P	1,1-Dichloroethane	50.000	52.902	-5.8	99	0.00
25 T	2-Butanone	250.000	245.934	1.6	91	0.00
26 T	2,2-Dichloropropane	50.000	47.499	5.0	91	0.00
27 T	cis-1,2-Dichloroethene	50.000	52.254	-4.5	99	0.00
28 T	Bromochloromethane	50.000	54.060	-8.1	106	0.00
29 T	Tetrahydrofuran	250.000	256.508	-2.6	98	0.00
30 C	Chloroform	50.000	52.406	-4.8#	100	0.00
31 T	Cyclohexane	50.000	51.270	-2.5	96	0.00
32 T	1,1,1-Trichloroethane	50.000	50.998	-2.0	97	0.00
33 S	1,2-Dichloroethane-d4	50.000	53.797	-7.6	101	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	94	0.00
35 S	Dibromofluoromethane	50.000	52.853	-5.7	101	0.00
36 T	1,1-Dichloropropene	50.000	50.179	-0.4	100	0.00
37 T	Ethyl Acetate	50.000	47.827	4.3	99	0.00
38 T	Carbon Tetrachloride	50.000	48.072	3.9	96	0.00
39 T	Methylcyclohexane	50.000	47.989	4.0	96	0.00
40 TM	Benzene	50.000	50.517	-1.0	99	0.00
41 T	Methacrylonitrile	50.000	53.854	-7.7	100	0.00
42 TM	1,2-Dichloroethane	50.000	50.668	-1.3	100	0.00
43 T	Isopropyl Acetate	50.000	50.372	-0.7	99	0.00
44 TM	Trichloroethene	50.000	51.105	-2.2	100	0.00
45 C	1,2-Dichloropropane	50.000	51.109	-2.2#	99	0.00
46 T	Dibromomethane	50.000	50.324	-0.6	100	0.00
47 T	Bromodichloromethane	50.000	51.159	-2.3	99	0.00
48 T	Methyl methacrylate	50.000	49.797	0.4	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092424\
 Data File : VX043134.D
 Acq On : 24 Sep 2024 19:40
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 25 01:36:46 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092324W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 24 03:13:52 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1016.956	-1.7	96	0.00
50 S	Toluene-d8	50.000	52.644	-5.3	101	0.00
51 T	4-Methyl-2-Pentanone	250.000	249.458	0.2	98	0.00
52 CM	Toluene	50.000	50.659	-1.3#	98	0.00
53 T	t-1,3-Dichloropropene	50.000	49.851	0.3	96	0.00
54 T	cis-1,3-Dichloropropene	50.000	49.602	0.8	96	0.00
55 T	1,1,2-Trichloroethane	50.000	50.821	-1.6	99	0.00
56 T	Ethyl methacrylate	50.000	51.203	-2.4	99	0.00
57 T	1,3-Dichloropropane	50.000	50.147	-0.3	100	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	277.616	-11.0	103	0.00
59 T	2-Hexanone	250.000	247.172	1.1	94	0.00
60 T	Dibromochloromethane	50.000	49.625	0.8	97	0.00
61 T	1,2-Dibromoethane	50.000	50.276	-0.6	99	0.00
62 S	4-Bromofluorobenzene	50.000	53.424	-6.8	102	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	95	0.00
64 T	Tetrachloroethene	50.000	46.938	6.1	94	0.00
65 PM	Chlorobenzene	50.000	48.443	3.1	98	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	49.154	1.7	98	0.00
67 C	Ethyl Benzene	50.000	49.159	1.7#	97	0.00
68 T	m/p-Xylenes	100.000	98.971	1.0	97	0.00
69 T	o-Xylene	50.000	49.179	1.6	99	0.00
70 T	Styrene	50.000	50.504	-1.0	98	0.00
71 P	Bromoform	50.000	48.985	2.0	95	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	95	0.00
73 T	Isopropylbenzene	50.000	47.871	4.3	97	0.00
74 T	N-ethyl acetate	50.000	49.750	0.5	99	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	48.254	3.5	98	0.00
76 T	1,2,3-Trichloropropane	50.000	48.191	3.6	96	0.00
77 T	Bromobenzene	50.000	48.490	3.0	97	0.00
78 T	n-propylbenzene	50.000	48.236	3.5	97	0.00
79 T	2-Chlorotoluene	50.000	47.103	5.8	97	0.00
80 T	1,3,5-Trimethylbenzene	50.000	48.171	3.7	96	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	47.297	5.4	95	0.00
82 T	4-Chlorotoluene	50.000	48.496	3.0	97	0.00
83 T	tert-Butylbenzene	50.000	47.361	5.3	97	0.00
84 T	1,2,4-Trimethylbenzene	50.000	48.192	3.6	96	0.00
85 T	sec-Butylbenzene	50.000	47.239	5.5	95	0.00
86 T	p-Isopropyltoluene	50.000	47.898	4.2	96	0.00
87 T	1,3-Dichlorobenzene	50.000	49.195	1.6	99	0.00
88 T	1,4-Dichlorobenzene	50.000	49.013	2.0	100	0.00
89 T	n-Butylbenzene	50.000	48.909	2.2	95	0.00
90 T	Hexachloroethane	50.000	48.626	2.7	95	0.00
91 T	1,2-Dichlorobenzene	50.000	48.240	3.5	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.647	4.7	97	0.00
93 T	1,2,4-Trichlorobenzene	50.000	48.064	3.9	96	0.00
94 T	Hexachlorobutadiene	50.000	41.357	17.3	83	0.00
95 T	Naphthalene	50.000	51.670	-3.3	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092424\
Data File : VX043134.D
Acq On : 24 Sep 2024 19:40
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Sep 25 01:36:46 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092324W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 24 03:13:52 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	48.374	3.3	97	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6