

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX092524\
 Data File : VX043136.D
 Acq On : 25 Sep 2024 08:32
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 26 01:26:58 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092324W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 24 03:13:52 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	105	0.00
2 T	Dichlorodifluoromethane	50.000	49.807	0.4	107	0.00
3 P	Chloromethane	50.000	46.364	7.3	104	0.00
4 C	Vinyl Chloride	50.000	48.608	2.8#	106	0.00
5 T	Bromomethane	50.000	49.747	0.5	90	0.00
6 T	Chloroethane	50.000	47.815	4.4	105	0.00
7 T	Trichlorofluoromethane	50.000	49.092	1.8	107	0.00
8 T	Diethyl Ether	50.000	49.777	0.4	108	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	51.478	-3.0	113	0.00
10 T	Methyl Iodide	50.000	50.206	-0.4	106	0.00
11 T	Tert butyl alcohol	250.000	223.893	10.4	98	0.00
12 CM	1,1-Dichloroethene	50.000	49.473	1.1#	109	0.00
13 T	Acrolein	250.000	142.266	43.1#	94	0.00
14 T	Allyl chloride	50.000	47.758	4.5	108	0.00
15 T	Acrylonitrile	250.000	243.147	2.7	107	0.00
16 T	Acetone	250.000	223.871	10.5	93	0.00
17 T	Carbon Disulfide	50.000	46.345	7.3	104	0.00
18 T	Methyl Acetate	50.000	51.668	-3.3	106	0.00
19 T	Methyl tert-butyl Ether	50.000	49.540	0.9	108	0.00
20 T	Methylene Chloride	50.000	47.249	5.5	108	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.871	2.3	110	0.00
22 T	Diisopropyl ether	50.000	49.040	1.9	109	0.00
23 T	Vinyl Acetate	250.000	244.435	2.2	108	0.00
24 P	1,1-Dichloroethane	50.000	49.934	0.1	110	0.00
25 T	2-Butanone	250.000	230.832	7.7	99	0.00
26 T	2,2-Dichloropropane	50.000	48.661	2.7	109	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.977	2.0	108	0.00
28 T	Bromochloromethane	50.000	43.541	12.9	99	0.00
29 T	Tetrahydrofuran	250.000	229.670	8.1	103	0.00
30 C	Chloroform	50.000	48.492	3.0#	108	0.00
31 T	Cyclohexane	50.000	49.350	1.3	108	0.00
32 T	1,1,1-Trichloroethane	50.000	47.947	4.1	106	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.039	3.9	105	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	103	0.00
35 S	Dibromofluoromethane	50.000	51.525	-3.0	108	0.00
36 T	1,1-Dichloropropene	50.000	50.334	-0.7	110	0.00
37 T	Ethyl Acetate	50.000	46.846	6.3	106	0.00
38 T	Carbon Tetrachloride	50.000	47.856	4.3	105	0.00
39 T	Methylcyclohexane	50.000	49.218	1.6	107	0.00
40 TM	Benzene	50.000	49.769	0.5	107	0.00
41 T	Methacrylonitrile	50.000	52.733	-5.5	107	0.00
42 TM	1,2-Dichloroethane	50.000	48.959	2.1	105	0.00
43 T	Isopropyl Acetate	50.000	48.952	2.1	106	0.00
44 TM	Trichloroethene	50.000	50.061	-0.1	108	0.00
45 C	1,2-Dichloropropane	50.000	50.418	-0.8#	107	0.00
46 T	Dibromomethane	50.000	49.463	1.1	108	0.00
47 T	Bromodichloromethane	50.000	49.699	0.6	105	0.00
48 T	Methyl methacrylate	50.000	47.618	4.8	106	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092524\
 Data File : VX043136.D
 Acq On : 25 Sep 2024 08:32
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 26 01:26:58 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092324W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 24 03:13:52 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1000.697	-0.1	103	0.00
50 S	Toluene-d8	50.000	50.845	-1.7	107	0.00
51 T	4-Methyl-2-Pentanone	250.000	239.371	4.3	103	0.00
52 CM	Toluene	50.000	49.641	0.7#	105	0.00
53 T	t-1,3-Dichloropropene	50.000	49.424	1.2	105	0.00
54 T	cis-1,3-Dichloropropene	50.000	50.441	-0.9	107	0.00
55 T	1,1,2-Trichloroethane	50.000	50.007	-0.0	107	0.00
56 T	Ethyl methacrylate	50.000	49.835	0.3	106	0.00
57 T	1,3-Dichloropropane	50.000	48.978	2.0	107	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	257.956	-3.2	105	0.00
59 T	2-Hexanone	250.000	238.848	4.5	99	0.00
60 T	Dibromochloromethane	50.000	48.839	2.3	105	0.00
61 T	1,2-Dibromoethane	50.000	48.979	2.0	106	0.00
62 S	4-Bromofluorobenzene	50.000	51.228	-2.5	107	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	101	0.00
64 T	Tetrachloroethene	50.000	47.749	4.5	101	0.00
65 PM	Chlorobenzene	50.000	49.657	0.7	106	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	49.208	1.6	104	0.00
67 C	Ethyl Benzene	50.000	50.194	-0.4#	105	0.00
68 T	m/p-Xylenes	100.000	100.487	-0.5	105	0.00
69 T	o-Xylene	50.000	49.302	1.4	106	0.00
70 T	Styrene	50.000	51.614	-3.2	106	0.00
71 P	Bromoform	50.000	49.650	0.7	102	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	99	0.00
73 T	Isopropylbenzene	50.000	50.198	-0.4	106	0.00
74 T	N-amyl acetate	50.000	49.916	0.2	103	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	49.051	1.9	103	0.00
76 T	1,2,3-Trichloropropane	50.000	50.584	-1.2	105	0.00
77 T	Bromobenzene	50.000	50.592	-1.2	105	0.00
78 T	n-propylbenzene	50.000	51.531	-3.1	107	0.00
79 T	2-Chlorotoluene	50.000	49.110	1.8	104	0.00
80 T	1,3,5-Trimethylbenzene	50.000	49.903	0.2	104	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	49.949	0.1	104	0.00
82 T	4-Chlorotoluene	50.000	50.852	-1.7	105	0.00
83 T	tert-Butylbenzene	50.000	49.882	0.2	106	0.00
84 T	1,2,4-Trimethylbenzene	50.000	50.595	-1.2	104	0.00
85 T	sec-Butylbenzene	50.000	50.383	-0.8	106	0.00
86 T	p-Isopropyltoluene	50.000	50.613	-1.2	105	0.00
87 T	1,3-Dichlorobenzene	50.000	51.442	-2.9	107	0.00
88 T	1,4-Dichlorobenzene	50.000	51.117	-2.2	108	0.00
89 T	n-Butylbenzene	50.000	53.406	-6.8	108	0.00
90 T	Hexachloroethane	50.000	51.052	-2.1	103	0.00
91 T	1,2-Dichlorobenzene	50.000	49.822	0.4	105	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	46.496	7.0	98	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.869	-5.7	109	0.00
94 T	Hexachlorobutadiene	50.000	47.168	5.7	99	0.00
95 T	Naphthalene	50.000	49.857	0.3	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092524\
Data File : VX043136.D
Acq On : 25 Sep 2024 08:32
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Sep 26 01:26:58 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092324W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 24 03:13:52 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	51.050	-2.1	106	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6