

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX092618\
 Data File : VX004732.D
 Acq On : 26 Sep 2018 17:54
 Operator : JC/MD
 Sample : J5060-01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 STORAGE-BLANK-SOIL-REF-6

Quant Time: Sep 27 09:05:13 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092618W.M
 Quant Title : SW846 8260
 QLast Update : Wed Sep 26 14:17:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.66	168	243942	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.86	114	365161	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	347013	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	193591	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	184112	52.83	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.66%	
35) Dibromofluoromethane	5.51	113	155613	50.28	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.56%	
50) Toluene-d8	8.72	98	521080	50.65	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.30%	
62) 4-Bromofluorobenzene	11.14	95	184425	49.76	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.52%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX092618\
Data File : VX004732.D
Acq On : 26 Sep 2018 17:54
Operator : JC/MD
Sample : J5060-01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6

Quant Time: Sep 27 09:05:13 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X092618W.M
Quant Title : SW846 8260
QLast Update : Wed Sep 26 14:17:02 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.66 min Scan# 739

Delta R.T. -0.00 min

Lab File: VX004732.D

Acq: 26 Sep 2018 17:54

Instrument :

MSVOA_X

ClientSampleId :


STORAGE-BLANK-SOIL-REF-6

Tot Ion:168 Resp: 243942

Ion Ratio Lower Upper

168 100

99 47.5 39.9 59.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.66

80000



60000

40000

20000

0

Time--> 5.50 5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 52.834 ug/l

RT: 6.07 min Scan# 807

Delta R.T. 0.01 min

Lab File: VX004732.D


Acq: 26 Sep 2018 17:54

Tgt Ion: 65 Resp: 184112

Ion Ratio Lower Upper

65 100

67 53.8 0.0 106.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.07

80000


60000


40000

20000

0

Time--> 5.90 6.00 6.10 6.20









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.86 min Scan# 936
 Delta R.T. -0.00 min
 Lab File: VX004732.D
 Acq: 26 Sep 2018 17:54

Instrument :
 MSVOA_X
 ClientSampleId :
 STORAGE-BLANK-SOIL-REF-6

Tot Ion:114 Resp: 365161
 Ion Ratio Lower Upper
 114 100
 63 21.7 0.0 39.0
 88 16.4 0.0 30.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VX0
 Ion 87.90 (87.60 to 88.60): VX0






#35
 Dibromofluoromethane
 Concen: 50.282 ug/l
 RT: 5.51 min Scan# 714
 Delta R.T. 0.01 min
 Lab File: VX004732.D
 Acq: 26 Sep 2018 17:54

Tgt Ion:113 Resp: 155613
 Ion Ratio Lower Upper
 113 100
 111 99.3 82.4 123.6
 192 23.8 19.4 29.2



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 50.646 ug/l

RT: 8.72 min Scan# 1241

Delta R.T. -0.00 min

Lab File: VX004732.D

Acq: 26 Sep 2018 17:54

Instrument :

MSVOA_X

ClientSampleId :


STORAGE-BLANK-SOIL-REF-6

Tot Ion: 98 Resp: 521080

Ion Ratio Lower Upper

98 100

100 63.5 52.9 79.3



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): V>

8.72



300000

200000

100000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 49.757 ug/l

RT: 11.14 min Scan# 1638

Delta R.T. -0.00 min

Lab File: VX004732.D

Acq: 26 Sep 2018 17:54


Tgt Ion: 95 Resp: 184425

Ion Ratio Lower Upper

95 100

174 92.2 0.0 185.2

176 88.3 0.0 178.6



Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V

11.14


150000


100000

50000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.12 min Scan# 1470
Delta R.T. -0.00 min
Lab File: VX004732.D
Acq: 26 Sep 2018 17:54

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6

Tot Ion:117 Resp: 347013
Ion Ratio Lower Upper
117 100
82 53.8 47.8 71.6
119 31.6 29.3 43.9



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.08 min Scan# 1792
Delta R.T. -0.00 min
Lab File: VX004732.D
Acq: 26 Sep 2018 17:54

Tgt Ion:152 Resp: 193591
Ion Ratio Lower Upper
152 100
115 56.1 39.0 117.0
150 154.9 0.0 351.0

