

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX092719\
 Data File : VX012693.D
 Acq On : 27 Sep 2019 14:18
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 28 04:23:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092319W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 23 12:27:01 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	96	0.00
2 T	Dichlorodifluoromethane	0.562	0.544	3.2	99	0.00
3 P	Chloromethane	0.646	0.578	10.5	91	0.00
4 C	Vinyl Chloride	0.642	0.619	3.6#	97	0.00
5 T	Bromomethane	0.252	0.239	5.2	104	0.00
6 T	Chloroethane	0.433	0.389	10.2	96	0.00
7 T	Trichlorofluoromethane	0.901	0.888	1.4	101	0.00
8 T	Diethyl Ether	0.369	0.363	1.6	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.549	0.524	4.6	96	0.00
10 T	Methyl Iodide	0.517	0.519	-0.4	94	0.00
11 T	Tert butyl alcohol	0.182	0.158	13.2	85	-0.01
12 CM	1,1-Dichloroethene	0.538	0.497	7.6#	89	0.00
13 T	Acrolein	0.094	0.025	73.4#	24#	0.00
14 T	Allyl chloride	1.067	1.030	3.5	95	0.00
15 T	Acrylonitrile	0.369	0.342	7.3	91	0.00
16 T	Acetone	0.386	0.351	9.1	88	0.00
17 T	Carbon Disulfide	1.507	1.371	9.0	91	0.00
18 T	Methyl Acetate	0.908	0.824	9.3	92	0.00
19 T	Methyl tert-butyl Ether	2.035	1.986	2.4	96	0.00
20 T	Methylene Chloride	0.652	0.618	5.2	97	0.00
21 T	trans-1,2-Dichloroethene	0.596	0.577	3.2	97	0.00
22 T	Diisopropyl ether	2.061	2.003	2.8	97	0.00
23 T	Vinyl Acetate	1.807	1.764	2.4	94	0.00
24 P	1,1-Dichloroethane	1.120	1.088	2.9	96	0.00
25 T	2-Butanone	0.553	0.510	7.8	90	-0.01
26 T	2,2-Dichloropropane	0.996	0.979	1.7	98	0.00
27 T	cis-1,2-Dichloroethene	0.691	0.671	2.9	97	0.00
28 T	Bromochloromethane	0.407	0.455	-11.8	110	0.00
29 T	Tetrahydrofuran	0.337	0.304	9.8	87	0.00
30 C	Chloroform	1.146	1.104	3.7#	98	-0.01
31 T	Cyclohexane	1.013	0.995	1.8	98	0.00
32 T	1,1,1-Trichloroethane	1.016	0.985	3.1	96	0.00
33 S	1,2-Dichloroethane-d4	0.728	0.721	1.0	99	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.298	0.317	-6.4	101	-0.01
36 T	1,1-Dichloropropene	0.482	0.481	0.2	99	0.00
37 T	Ethyl Acetate	0.563	0.537	4.6	90	0.00
38 T	Carbon Tetrachloride	0.490	0.489	0.2	95	0.00
39 T	Methylcyclohexane	0.580	0.591	-1.9	100	0.00
40 TM	Benzene	1.418	1.415	0.2	96	0.00
41 T	Methacrylonitrile	0.316	0.301	4.7	91	0.00
42 TM	1,2-Dichloroethane	0.538	0.528	1.9	94	0.00
43 T	Isopropyl Acetate	0.942	0.897	4.8	92	0.00
44 TM	Trichloroethene	0.363	0.365	-0.6	98	0.00
45 C	1,2-Dichloropropane	0.363	0.363	0.0	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX092719\
 Data File : VX012693.D
 Acq On : 27 Sep 2019 14:18
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 28 04:23:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092319W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 23 12:27:01 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.247	0.242	2.0	95	0.00
47 T	Bromodichloromethane	0.494	0.499	-1.0	95	0.00
48 T	Methyl methacrylate	0.452	0.438	3.1	91	0.00
49 T	1,4-Dioxane	0.010	0.010	0.0	88	0.00
50 S	Toluene-d8	1.147	1.204	-5.0	101	0.00
51 T	4-Methyl-2-Pentanone	0.582	0.547	6.0	90	0.00
52 CM	Toluene	0.891	0.897	-0.7#	97	0.00
53 T	t-1,3-Dichloropropene	0.547	0.566	-3.5	97	0.00
54 T	cis-1,3-Dichloropropene	0.597	0.613	-2.7	96	0.00
55 T	1,1,2-Trichloroethane	0.354	0.358	-1.1	97	0.00
56 T	Ethyl methacrylate	0.595	0.598	-0.5	94	0.00
57 T	1,3-Dichloropropane	0.620	0.622	-0.3	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.267	0.279	-4.5	93	0.00
59 T	2-Hexanone	0.445	0.424	4.7	88	0.00
60 T	Dibromochloromethane	0.359	0.376	-4.7	96	0.00
61 T	1,2-Dibromoethane	0.369	0.378	-2.4	97	0.00
62 S	4-Bromofluorobenzene	0.451	0.484	-7.3	104	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.349	0.365	-4.6	101	0.00
65 PM	Chlorobenzene	1.053	1.056	-0.3	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.381	0.391	-2.6	97	0.00
67 C	Ethyl Benzene	1.910	1.980	-3.7#	98	0.00
68 T	m/p-Xylenes	0.715	0.743	-3.9	98	0.00
69 T	o-Xylene	0.692	0.712	-2.9	98	0.00
70 T	Styrene	1.160	1.244	-7.2	99	0.00
71 P	Bromoform	0.266	0.281	-5.6	96	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	4.072	4.047	0.6	99	0.00
74 T	N-amyl acetate	1.943	1.884	3.0	93	0.00
75 P	1,1,2,2-Tetrachloroethane	1.349	1.285	4.7	94	0.00
76 T	1,2,3-Trichloropropane	1.323	1.109	16.2	81	0.00
77 T	Bromobenzene	0.922	0.900	2.4	97	0.00
78 T	n-propylbenzene	4.585	4.711	-2.7	102	0.00
79 T	2-Chlorotoluene	2.860	2.783	2.7	98	0.00
80 T	1,3,5-Trimethylbenzene	3.415	3.425	-0.3	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.462	0.451	2.4	93	0.00
82 T	4-Chlorotoluene	3.260	3.201	1.8	97	0.00
83 T	tert-Butylbenzene	3.294	3.275	0.6	99	0.00
84 T	1,2,4-Trimethylbenzene	3.445	3.456	-0.3	99	0.00
85 T	sec-Butylbenzene	3.832	3.918	-2.2	100	0.00
86 T	p-Isopropyltoluene	3.457	3.628	-4.9	101	0.00
87 T	1,3-Dichlorobenzene	1.659	1.697	-2.3	101	0.00
88 T	1,4-Dichlorobenzene	1.676	1.698	-1.3	100	0.00
89 T	n-Butylbenzene	3.047	3.214	-5.5	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX092719\
Data File : VX012693.D
Acq On : 27 Sep 2019 14:18
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Sep 28 04:23:43 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092319W.M
Quant Title : SW846 8260
QLast Update : Mon Sep 23 12:27:01 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.616	0.618	-0.3	98	0.00
91 T	1,2-Dichlorobenzene	1.661	1.660	0.1	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.337	0.319	5.3	87	0.00
93 T	1,2,4-Trichlorobenzene	1.013	1.082	-6.8	103	0.00
94 T	Hexachlorobutadiene	0.436	0.488	-11.9	110	0.00
95 T	Naphthalene	3.664	3.792	-3.5	95	0.00
96 T	1,2,3-Trichlorobenzene	1.014	1.097	-8.2	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5