

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VO092920\
 Data File : VX018688.D
 Acq On : 30 Sep 2020 10:15
 Operator : JC/SP
 Sample : L4143-18DL 5X
 Misc : 25.0mL/MSVOA X/WATER
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 BG0F8DL

Quant Time: Oct 01 01:24:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR092820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Oct 01 01:06:26 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	250254	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	234837	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	12.06	152	106482	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	45966	3.51	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.20%
7) Chloroethane-d5	1.70	69	43130	3.91	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.20%
11) 1,1-Dichloroethene-d2	2.34	63	94342	3.26	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.20%
20) 2-Butanone-d5	4.57	46	168526	50.47	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.94%
24) Chloroform-d	5.14	84	126522	4.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.60%
26) 1,2-Dichloroethane-d4	6.03	65	75267	4.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.20%
32) Benzene-d6	6.04	84	229000	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.60%
36) 1,2-Dichloropropane-d6	7.37	67	73338	4.44	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.80%
41) Toluene-d8	8.70	98	196500	3.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	72.80%
45) trans-1,3-Dichloropropene-	8.99	79	30131	4.10	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.00%
48) 2-Hexanone-d5	9.43	63	126333	48.02	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.04%
59) 1,1,2,2-Tetrachloroethane-	11.23	84	56956	4.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.60%
65) 1,2-Dichlorobenzene-d4	12.36	152	76655	4.41	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	88.20%

Target Compounds				Ovalue
22) cis-1,2-Dichloroethene	4.56	96	162692	12.768 ug/L # 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX092920\
Data File : VX018688.D
Acq On : 30 Sep 2020 10:15
Operator : JC/SP
Sample : L4143-18DL 5X
Misc : 25.0mL/MSVOA X/WATER
ALS Vial : 49 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
BG0F8DL

Quant Time: Oct 01 01:24:38 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR092820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Oct 01 01:06:26 2020
Response via : Initial Calibration

