

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VO092920\
 Data File : VX018658.D
 Acq On : 29 Sep 2020 15:26
 Operator : JC/SP
 Sample : L4143-03
 Misc : 25.0mL/MSVOA X/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 BG0G5

Quant Time: Sep 30 06:29:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR092820WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Sep 30 04:47:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	249188	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	238361	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	12.06	152	107283	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	55452	4.25	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	85.00%
7) Chloroethane-d5	1.70	69	50106	4.56	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.20%
11) 1,1-Dichloroethene-d2	2.34	63	100204	3.48	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.60%
20) 2-Butanone-d5	4.55	46	162483	48.87	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	97.74%
24) Chloroform-d	5.14	84	139427	4.51	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.20%
26) 1,2-Dichloroethane-d4	6.03	65	78859	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.60%
32) Benzene-d6	6.05	84	256048	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.20%
36) 1,2-Dichloropropane-d6	7.37	67	78244	4.67	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.40%
41) Toluene-d8	8.70	98	231308	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.60%
45) trans-1,3-Dichloropropene-	8.99	79	29118	3.90	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.00%
48) 2-Hexanone-d5	9.43	63	123836	46.38	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.76%
59) 1,1,2,2-Tetrachloroethane-	11.23	84	59225	4.74	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.80%
65) 1,2-Dichlorobenzene-d4	12.36	152	85228	4.86	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.20%


Target Compounds					Ovalue
13) Acetone	2.45	43	6698	3.639 ug/L	84
42) Toluene	8.77	91	6233	0.126 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX092920\
Data File : VX018658.D
Acq On : 29 Sep 2020 15:26
Operator : JC/SP
Sample : L4143-03
Misc : 25.0mL/MSVOA X/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
BG0G5

Quant Time: Sep 30 06:29:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR092820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Sep 30 04:47:32 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.639 ug/L

RT: 2.45 min Scan# 223

Delta R.T. 0.01 min

Lab File: VX018658.D

Acq: 29 Sep 2020 15:26

Instrument :

MSVOA_X

ClientSampleId :


BG0G5

Tot Ion: 43 Resp: 6698

Ion Ratio Lower Upper

43 100

58 21.9 0.0 61.6



Abundance Ion 43.05 (42.75 to 43.75): VX0

Ion 58.05 (57.75 to 58.75): VX0

2500

2000

1500



1000

500

0

2.35 2.40 2.45 2.50 2.55

Time-->



#42

Toluene

Concen: 0.126 ug/L

RT: 8.77 min Scan# 1260

Delta R.T. 0.01 min

Lab File: VX018658.D


Acq: 29 Sep 2020 15:26

Tgt Ion: 91 Resp: 6233

Ion Ratio Lower Upper

91 100

92 54.9 41.1 76.3



Abundance Ion 91.15 (90.85 to 91.85): VX0

Ion 92.15 (91.85 to 92.85): VX0

4000

3000

2000

1000

0

8.70 8.75 8.80

Time-->

