

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX100118\  
 Data File : VX004891.D  
 Acq On : 02 Oct 2018 01:17  
 Operator : JC/MD  
 Sample : J5155-06  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 36 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 QNWP8-EQUIP-BLANK

Quant Time: Oct 03 13:18:48 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X092618W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Sep 26 14:17:02 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 212302   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 345837   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.12 | 117  | 338575   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 180787   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.07   | 65  | 167546   | 55.25 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 110.50% |      |
| 35) Dibromofluoromethane    | 5.51   | 113 | 141361   | 48.23 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 96.46%  |      |
| 50) Toluene-d8              | 8.72   | 98  | 507930   | 52.13 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 104.26% |      |
| 62) 4-Bromofluorobenzene    | 11.14  | 95  | 175104   | 49.88 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 99.76%  |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX100118\  
Data File : VX004891.D  
Acq On : 02 Oct 2018 01:17  
Operator : JC/MD  
Sample : J5155-06  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 36 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
QNWP8-EQUIP-BLANK

Quant Time: Oct 03 13:18:48 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X092618W.M  
Quant Title : SW846 8260  
QLast Update : Wed Sep 26 14:17:02 2018  
Response via : Initial Calibration

