

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\WX100220\
 Data File : VX018751.D
 Acq On : 02 Oct 2020 16:40
 Operator : JC/SP
 Sample : L4135-21
 Misc : 25.0mL/MSVOA X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK01

Quant Time: Oct 03 06:46:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR100220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Oct 02 14:11:08 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	197737	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	186634	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	12.06	152	92871	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	56701	4.91	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.20%
7) Chloroethane-d5	1.70	69	43487	4.81	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.20%
11) 1,1-Dichloroethene-d2	2.34	63	101207	3.88	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.60%
20) 2-Butanone-d5	4.56	46	151312	49.94	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.88%
24) Chloroform-d	5.14	84	133420	4.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.40%
26) 1,2-Dichloroethane-d4	6.03	65	85799	5.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.60%
32) Benzene-d6	6.05	84	235087	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.40%
36) 1,2-Dichloropropane-d6	7.37	67	66679	4.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.40%
41) Toluene-d8	8.70	98	224946	4.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.40%
45) trans-1,3-Dichloropropene-	8.99	79	36157	5.01	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	100.20%
48) 2-Hexanone-d5	9.43	63	128177	53.02	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.04%
59) 1,1,2,2-Tetrachloroethane-	11.23	84	52588	4.82	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.40%
65) 1,2-Dichlorobenzene-d4	12.36	152	89674	5.23	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.60%

Target Compounds


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
16) Methylene chloride	2.84	84	3569	0.299	ug/L #	72
69) 1,2,4-trichlorobenzene	13.63	180	1173	0.081	ug/L #	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX100220\
Data File : VX018751.D
Acq On : 02 Oct 2020 16:40
Operator : JC/SP
Sample : L4135-21
Misc : 25.0mL/MSVOA X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampled :
VHBLK01

Quant Time: Oct 03 06:46:22 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR100220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Oct 02 14:11:08 2020
Response via : Initial Calibration









#16
Methvlene chloride
Concen: 0.299 ug/L
RT: 2.84 min Scan# 288
Delta R.T. 0.01 min
Lab File: VX018751.D
Acq: 02 Oct 2020 16:40

Instrument :
MSVOA_X
ClientSampleId :
VHBLK01

Tot Ion: 84 Resp: 3569
Ion Ratio Lower Upper
84 100
86 44.3 45.6 84.8#
49 90.5 85.8 159.3




Abundance Ion 84.05 (83.75 to 84.75): VX0
Ion 86.00 (85.70 to 86.70): VX0
Ion 49.10 (48.80 to 49.80): VX0



#69
1,2,4-trichlorobenzene
Concen: 0.081 ug/L
RT: 13.63 min Scan# 2057
Delta R.T. 0.00 min
Lab File: VX018751.D
Acq: 02 Oct 2020 16:40

Tgt Ion:180 Resp: 1173
Ion Ratio Lower Upper
180 100
182 116.0 80.2 120.4
145 43.7 25.2 37.8#



Abundance Ion 179.90 (179.60 to 180.60): V
Ion 182.00 (181.70 to 182.70): V
Ion 144.95 (144.65 to 145.65): V

