

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX100224\  
 Data File : VX043223.D  
 Acq On : 02 Oct 2024 11:57  
 Operator : JC/MD  
 Sample : PB163826ZHE#02  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 PB163826ZHE#02

Quant Time: Oct 02 23:00:24 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X100124W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Oct 02 16:50:57 2024  
 Response via : Initial Calibration

| Compound                    | R.T.           | QIon | Response            | Conc   | Units | Dev(Min) |
|-----------------------------|----------------|------|---------------------|--------|-------|----------|
| -----                       |                |      |                     |        |       |          |
| Internal Standards          |                |      |                     |        |       |          |
| 1) Pentafluorobenzene       | 5.550          | 168  | 85304               | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.757          | 114  | 166239              | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5        | 10.055         | 117  | 145164              | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.024         | 152  | 63939               | 50.000 | ug/l  | 0.00     |
|                             |                |      |                     |        |       |          |
| System Monitoring Compounds |                |      |                     |        |       |          |
| 33) 1,2-Dichloroethane-d4   | 5.952          | 65   | 75037               | 53.862 | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 74 - 125 |      | Recovery = 107.720% |        |       |          |
| 35) Dibromofluoromethane    | 5.385          | 113  | 55388               | 48.313 | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 75 - 124 |      | Recovery = 96.620%  |        |       |          |
| 50) Toluene-d8              | 8.647          | 98   | 200832              | 50.549 | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 86 - 113 |      | Recovery = 101.100% |        |       |          |
| 62) 4-Bromofluorobenzene    | 11.079         | 95   | 71598               | 49.605 | ug/l  | 0.00     |
| Spiked Amount 50.000        | Range 77 - 121 |      | Recovery = 99.220%  |        |       |          |
|                             |                |      |                     |        |       |          |
| Target Compounds            |                |      |                     |        |       |          |
| 16) Acetone                 | 2.386          | 43   | 25365               | 43.598 | ug/l  | 94       |
| 18) Methyl Acetate          | 2.709          | 43   | 1555                | 1.065  | ug/l  | 91       |
| 20) Methylene Chloride      | 2.788          | 84   | 3646                | 3.399  | ug/l  | 95       |
| 43) Isopropyl Acetate       | 6.342          | 43   | 89195               | 31.048 | ug/l  | 100      |
| -----                       |                |      |                     |        |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX100224\  
Data File : VX043223.D  
Acq On : 02 Oct 2024 11:57  
Operator : JC/MD  
Sample : PB163826ZHE#02  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
PB163826ZHE#02

Quant Time: Oct 02 23:00:24 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X100124W.M  
Quant Title : SW846 8260  
QLast Update : Wed Oct 02 16:50:57 2024  
Response via : Initial Calibration

