

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX100319\  
 Data File : VX012791.D  
 Acq On : 03 Oct 2019 18:10  
 Operator : JC/SP  
 Sample : K5189-07  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 17 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 SA-MW127S-20190930

Quant Time: Oct 04 07:36:20 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X092319W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Sep 23 12:27:01 2019  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 1) Pentafluorobenzene       | 5.65  | 168  | 169074   | 50.00 | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.85  | 114  | 294213   | 50.00 | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 10.11 | 117  | 255623   | 50.00 | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.07 | 152  | 101950   | 50.00 | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |       |         |          |
| 33) 1,2-Dichloroethane-d4   | 6.05  | 65   | 119689   | 48.61 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 97.22%  |          |
| 35) Dibromofluoromethane    | 5.49  | 113  | 89792    | 51.25 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 102.50% |          |
| 50) Toluene-d8              | 8.71  | 98   | 350531   | 51.95 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 103.90% |          |
| 62) 4-Bromofluorobenzene    | 11.14 | 95   | 119084   | 44.88 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 89.76%  |          |
| Target Compounds            |       |      |          |       |         |          |
| 3) Chloromethane            | 1.32  | 50   | 1414     | 0.647 | ug/l    | 94       |
| 16) Acetone                 | 2.43  | 43   | 8830     | 6.771 | ug/l    | 96       |
| 86) p-Isopropyltoluene      | 12.06 | 119  | 4975     | 0.706 | ug/l    | 90       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX100319\  
Data File : VX012791.D  
Acq On : 03 Oct 2019 18:10  
Operator : JC/SP  
Sample : K5189-07  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 17 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
SA-MW127S-20190930

Quant Time: Oct 04 07:36:20 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X092319W.M  
Quant Title : SW846 8260  
QLast Update : Mon Sep 23 12:27:01 2019  
Response via : Initial Calibration

