

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX100419\
 Data File : VX012802.D
 Acq On : 04 Oct 2019 11:06
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 05 04:31:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092319W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 23 12:27:01 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	82	0.00
2 T	Dichlorodifluoromethane	0.562	0.486	13.5	76	0.00
3 P	Chloromethane	0.646	0.528	18.3	71	0.00
4 C	Vinyl Chloride	0.642	0.562	12.5#	75	0.00
5 T	Bromomethane	0.252	0.218	13.5	81	0.00
6 T	Chloroethane	0.433	0.365	15.7	77	0.00
7 T	Trichlorofluoromethane	0.901	0.851	5.5	82	0.00
8 T	Diethyl Ether	0.369	0.343	7.0	81	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.549	0.560	-2.0	88	0.00
10 T	Methyl Iodide	0.517	0.521	-0.8	80	0.00
11 T	Tert butyl alcohol	0.182	0.152	16.5	70	0.00
12 CM	1,1-Dichloroethene	0.538	0.529	1.7#	81	0.00
13 T	Acrolein	0.094	0.093	1.1	78	0.00
14 T	Allyl chloride	1.067	0.958	10.2	75	0.00
15 T	Acrylonitrile	0.369	0.335	9.2	76	0.00
16 T	Acetone	0.386	0.368	4.7	79	0.00
17 T	Carbon Disulfide	1.507	1.313	12.9	75	0.00
18 T	Methyl Acetate	0.908	0.821	9.6	78	0.00
19 T	Methyl tert-butyl Ether	2.035	1.974	3.0	82	0.00
20 T	Methylene Chloride	0.652	0.617	5.4	83	0.00
21 T	trans-1,2-Dichloroethene	0.596	0.582	2.3	83	0.00
22 T	Diisopropyl ether	2.061	1.941	5.8	80	0.00
23 T	Vinyl Acetate	1.807	1.675	7.3	76	0.00
24 P	1,1-Dichloroethane	1.120	1.072	4.3	81	0.00
25 T	2-Butanone	0.553	0.488	11.8	74	0.00
26 T	2,2-Dichloropropane	0.996	0.957	3.9	82	0.00
27 T	cis-1,2-Dichloroethene	0.691	0.678	1.9	83	0.00
28 T	Bromochloromethane	0.407	0.375	7.9	78	0.00
29 T	Tetrahydrofuran	0.337	0.292	13.4	71	0.00
30 C	Chloroform	1.146	1.095	4.5#	83	0.00
31 T	Cyclohexane	1.013	0.958	5.4	80	0.00
32 T	1,1,1-Trichloroethane	1.016	0.970	4.5	81	0.00
33 S	1,2-Dichloroethane-d4	0.728	0.672	7.7	79	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	76	0.00
35 S	Dibromofluoromethane	0.298	0.318	-6.7	84	-0.01
36 T	1,1-Dichloropropene	0.482	0.493	-2.3	83	0.00
37 T	Ethyl Acetate	0.563	0.534	5.2	74	0.00
38 T	Carbon Tetrachloride	0.490	0.496	-1.2	79	0.00
39 T	Methylcyclohexane	0.580	0.610	-5.2	85	0.00
40 TM	Benzene	1.418	1.472	-3.8	83	0.00
41 T	Methacrylonitrile	0.316	0.293	7.3	73	0.00
42 TM	1,2-Dichloroethane	0.538	0.542	-0.7	80	0.00
43 T	Isopropyl Acetate	0.942	0.885	6.1	75	0.00
44 TM	Trichloroethene	0.363	0.384	-5.8	85	0.00
45 C	1,2-Dichloropropane	0.363	0.377	-3.9#	83	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX100419\
 Data File : VX012802.D
 Acq On : 04 Oct 2019 11:06
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 05 04:31:37 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092319W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 23 12:27:01 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.247	0.254	-2.8	82	0.00
47 T	Bromodichloromethane	0.494	0.517	-4.7	82	0.00
48 T	Methyl methacrylate	0.452	0.424	6.2	73	0.00
49 T	1,4-Dioxane	0.010	0.009	10.0	70	0.00
50 S	Toluene-d8	1.147	1.194	-4.1	83	0.00
51 T	4-Methyl-2-Pentanone	0.582	0.544	6.5	73	0.00
52 CM	Toluene	0.891	0.940	-5.5#	83	0.00
53 T	t-1,3-Dichloropropene	0.547	0.579	-5.9	82	0.00
54 T	cis-1,3-Dichloropropene	0.597	0.621	-4.0	81	0.00
55 T	1,1,2-Trichloroethane	0.354	0.381	-7.6	85	0.00
56 T	Ethyl methacrylate	0.595	0.611	-2.7	79	0.00
57 T	1,3-Dichloropropane	0.620	0.640	-3.2	83	0.00
58 T	2-Chloroethyl Vinyl ether	0.267	0.281	-5.2	77	0.00
59 T	2-Hexanone	0.445	0.429	3.6	73	0.00
60 T	Dibromochloromethane	0.359	0.397	-10.6	84	0.00
61 T	1,2-Dibromoethane	0.369	0.394	-6.8	83	0.00
62 S	4-Bromofluorobenzene	0.451	0.484	-7.3	86	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	77	0.00
64 T	Tetrachloroethene	0.349	0.399	-14.3	92	0.00
65 PM	Chlorobenzene	1.053	1.113	-5.7	85	0.00
66 T	1,1,1,2-Tetrachloroethane	0.381	0.406	-6.6	84	0.00
67 C	Ethyl Benzene	1.910	2.046	-7.1#	85	0.00
68 T	m/p-Xylenes	0.715	0.772	-8.0	85	0.00
69 T	o-Xylene	0.692	0.740	-6.9	85	0.00
70 T	Styrene	1.160	1.301	-12.2	86	0.00
71 P	Bromoform	0.266	0.298	-12.0	85	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	80	0.00
73 T	Isopropylbenzene	4.072	4.147	-1.8	86	0.00
74 T	N-amyl acetate	1.943	1.831	5.8	77	0.00
75 P	1,1,2,2-Tetrachloroethane	1.349	1.357	-0.6	84	0.00
76 T	1,2,3-Trichloropropane	1.323	1.135	14.2	70	0.00
77 T	Bromobenzene	0.922	0.962	-4.3	88	0.00
78 T	n-propylbenzene	4.585	4.687	-2.2	86	0.00
79 T	2-Chlorotoluene	2.860	2.819	1.4	84	0.00
80 T	1,3,5-Trimethylbenzene	3.415	3.474	-1.7	85	0.00
81 T	trans-1,4-Dichloro-2-butene	0.462	0.433	6.3	76	0.00
82 T	4-Chlorotoluene	3.260	3.286	-0.8	84	0.00
83 T	tert-Butylbenzene	3.294	3.265	0.9	84	0.00
84 T	1,2,4-Trimethylbenzene	3.445	3.503	-1.7	85	0.00
85 T	sec-Butylbenzene	3.832	4.003	-4.5	87	0.00
86 T	p-Isopropyltoluene	3.457	3.651	-5.6	86	0.00
87 T	1,3-Dichlorobenzene	1.659	1.805	-8.8	91	0.00
88 T	1,4-Dichlorobenzene	1.676	1.787	-6.6	89	0.00
89 T	n-Butylbenzene	3.047	3.306	-8.5	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX100419\
Data File : VX012802.D
Acq On : 04 Oct 2019 11:06
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Oct 05 04:31:37 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092319W.M
Quant Title : SW846 8260
QLast Update : Mon Sep 23 12:27:01 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.616	0.630	-2.3	84	0.00
91 T	1,2-Dichlorobenzene	1.661	1.779	-7.1	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.337	0.317	5.9	73	0.00
93 T	1,2,4-Trichlorobenzene	1.013	1.153	-13.8	93	0.00
94 T	Hexachlorobutadiene	0.436	0.522	-19.7	100	0.00
95 T	Naphthalene	3.664	3.794	-3.5	81	0.00
96 T	1,2,3-Trichlorobenzene	1.014	1.149	-13.3	91	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6