

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX100419\
 Data File : VX012827.D
 Acq On : 04 Oct 2019 21:14
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 05 06:42:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092319W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 23 12:27:01 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	80	0.00
2 T	Dichlorodifluoromethane	0.562	0.443	21.2#	67	0.00
3 P	Chloromethane	0.646	0.512	20.7#	67	0.00
4 C	Vinyl Chloride	0.642	0.546	15.0#	71	0.00
5 T	Bromomethane	0.252	0.214	15.1	77	0.00
6 T	Chloroethane	0.433	0.363	16.2	74	0.00
7 T	Trichlorofluoromethane	0.901	0.799	11.3	75	0.00
8 T	Diethyl Ether	0.369	0.334	9.5	76	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.549	0.511	6.9	77	0.00
10 T	Methyl Iodide	0.517	0.532	-2.9	80	0.00
11 T	Tert butyl alcohol	0.182	0.182	0.0	82	0.00
12 CM	1,1-Dichloroethene	0.538	0.515	4.3#	77	0.00
13 T	Acrolein	0.094	0.094	0.0	76	0.00
14 T	Allyl chloride	1.067	0.952	10.8	73	0.00
15 T	Acrylonitrile	0.369	0.350	5.1	77	0.00
16 T	Acetone	0.386	0.298	22.8#	62	0.00
17 T	Carbon Disulfide	1.507	1.323	12.2	73	0.00
18 T	Methyl Acetate	0.908	0.870	4.2	80	0.00
19 T	Methyl tert-butyl Ether	2.035	1.977	2.9	79	0.00
20 T	Methylene Chloride	0.652	0.608	6.7	79	0.00
21 T	trans-1,2-Dichloroethene	0.596	0.557	6.5	77	0.00
22 T	Diisopropyl ether	2.061	1.936	6.1	77	0.00
23 T	Vinyl Acetate	1.807	1.681	7.0	74	0.00
24 P	1,1-Dichloroethane	1.120	1.067	4.7	78	0.00
25 T	2-Butanone	0.553	0.485	12.3	71	0.00
26 T	2,2-Dichloropropane	0.996	0.769	22.8#	64	0.00
27 T	cis-1,2-Dichloroethene	0.691	0.663	4.1	79	0.00
28 T	Bromochloromethane	0.407	0.404	0.7	81	0.00
29 T	Tetrahydrofuran	0.337	0.310	8.0	74	0.00
30 C	Chloroform	1.146	1.082	5.6#	80	0.00
31 T	Cyclohexane	1.013	0.916	9.6	75	0.00
32 T	1,1,1-Trichloroethane	1.016	0.945	7.0	76	0.00
33 S	1,2-Dichloroethane-d4	0.728	0.671	7.8	76	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	75	0.00
35 S	Dibromofluoromethane	0.298	0.305	-2.3	80	0.00
36 T	1,1-Dichloropropene	0.482	0.461	4.4	78	0.00
37 T	Ethyl Acetate	0.563	0.536	4.8	73	0.00
38 T	Carbon Tetrachloride	0.490	0.466	4.9	74	0.00
39 T	Methylcyclohexane	0.580	0.538	7.2	75	0.00
40 TM	Benzene	1.418	1.402	1.1	78	0.00
41 T	Methacrylonitrile	0.316	0.303	4.1	75	0.00
42 TM	1,2-Dichloroethane	0.538	0.509	5.4	75	0.00
43 T	Isopropyl Acetate	0.942	0.901	4.4	76	0.00
44 TM	Trichloroethene	0.363	0.363	0.0	80	0.00
45 C	1,2-Dichloropropane	0.363	0.371	-2.2#	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX100419\
 Data File : VX012827.D
 Acq On : 04 Oct 2019 21:14
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 05 06:42:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092319W.M
 Quant Title : SW846 8260
 QLast Update : Mon Sep 23 12:27:01 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.247	0.241	2.4	78	0.00
47 T	Bromodichloromethane	0.494	0.498	-0.8	78	0.00
48 T	Methyl methacrylate	0.452	0.434	4.0	74	0.00
49 T	1,4-Dioxane	0.010	0.011	-10.0	79	0.00
50 S	Toluene-d8	1.147	1.148	-0.1	79	0.00
51 T	4-Methyl-2-Pentanone	0.582	0.564	3.1	76	0.00
52 CM	Toluene	0.891	0.889	0.2#	79	0.00
53 T	t-1,3-Dichloropropene	0.547	0.537	1.8	75	0.00
54 T	cis-1,3-Dichloropropene	0.597	0.577	3.4	75	0.00
55 T	1,1,2-Trichloroethane	0.354	0.364	-2.8	81	0.00
56 T	Ethyl methacrylate	0.595	0.609	-2.4	79	0.00
57 T	1,3-Dichloropropane	0.620	0.622	-0.3	80	0.00
58 T	2-Chloroethyl Vinyl ether	0.267	0.278	-4.1	76	0.00
59 T	2-Hexanone	0.445	0.433	2.7	74	0.00
60 T	Dibromochloromethane	0.359	0.380	-5.8	80	0.00
61 T	1,2-Dibromoethane	0.369	0.378	-2.4	80	0.00
62 S	4-Bromofluorobenzene	0.451	0.452	-0.2	80	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	78	0.00
64 T	Tetrachloroethene	0.349	0.360	-3.2	84	0.00
65 PM	Chlorobenzene	1.053	1.041	1.1	80	0.00
66 T	1,1,1,2-Tetrachloroethane	0.381	0.393	-3.1	82	0.00
67 C	Ethyl Benzene	1.910	1.905	0.3#	80	0.00
68 T	m/p-Xylenes	0.715	0.712	0.4	79	0.00
69 T	o-Xylene	0.692	0.698	-0.9	81	0.00
70 T	Styrene	1.160	1.205	-3.9	81	0.00
71 P	Bromoform	0.266	0.293	-10.2	85	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	80	0.00
73 T	Isopropylbenzene	4.072	3.938	3.3	81	0.00
74 T	N-amyl acetate	1.943	1.840	5.3	76	0.00
75 P	1,1,2,2-Tetrachloroethane	1.349	1.306	3.2	80	0.00
76 T	1,2,3-Trichloropropane	1.323	1.244	6.0	77	0.00
77 T	Bromobenzene	0.922	0.895	2.9	81	0.00
78 T	n-propylbenzene	4.585	4.292	6.4	78	0.00
79 T	2-Chlorotoluene	2.860	2.729	4.6	81	0.00
80 T	1,3,5-Trimethylbenzene	3.415	3.318	2.8	80	0.00
81 T	trans-1,4-Dichloro-2-butene	0.462	0.405	12.3	70	0.00
82 T	4-Chlorotoluene	3.260	3.177	2.5	81	0.00
83 T	tert-Butylbenzene	3.294	3.166	3.9	81	0.00
84 T	1,2,4-Trimethylbenzene	3.445	3.372	2.1	81	0.00
85 T	sec-Butylbenzene	3.832	3.721	2.9	80	0.00
86 T	p-Isopropyltoluene	3.457	3.447	0.3	81	0.00
87 T	1,3-Dichlorobenzene	1.659	1.673	-0.8	84	0.00
88 T	1,4-Dichlorobenzene	1.676	1.674	0.1	83	0.00
89 T	n-Butylbenzene	3.047	2.978	2.3	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX100419\
Data File : VX012827.D
Acq On : 04 Oct 2019 21:14
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Oct 05 06:42:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X092319W.M
Quant Title : SW846 8260
QLast Update : Mon Sep 23 12:27:01 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.616	0.590	4.2	78	0.00
91 T	1,2-Dichlorobenzene	1.661	1.680	-1.1	83	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.337	0.331	1.8	76	0.00
93 T	1,2,4-Trichlorobenzene	1.013	1.064	-5.0	85	0.00
94 T	Hexachlorobutadiene	0.436	0.432	0.9	82	0.00
95 T	Naphthalene	3.664	3.740	-2.1	79	0.00
96 T	1,2,3-Trichlorobenzene	1.014	1.064	-4.9	84	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6