

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX100820\
 Data File : VX018844.D
 Acq On : 08 Oct 2020 17:49
 Operator : JC/SP
 Sample : L4239-21
 Misc : 25.0mL/MSVOA X/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK01

Quant Time: Oct 09 06:42:52 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR100220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Oct 09 04:43:33 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	116935	5.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	119425	5.00	ug/L	0.00
61) 1,4-Dichlorobenzene-d4	12.06	152	52538	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	29925	4.38	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	87.60%
7) Chloroethane-d5	1.70	69	30399	5.69	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	113.80%
11) 1,1-Dichloroethene-d2	2.34	63	56872	3.69	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.80%
20) 2-Butanone-d5	4.56	46	141139	78.77	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	157.54%#
24) Chloroform-d	5.13	84	94538	5.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	114.40%
26) 1,2-Dichloroethane-d4	6.03	65	57985	5.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	115.00%
32) Benzene-d6	6.05	84	160013	5.39	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.80%
36) 1,2-Dichloropropane-d6	7.37	67	51489	6.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	120.00%
41) Toluene-d8	8.70	98	139280	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
45) trans-1,3-Dichloropropene-	8.99	79	22685	4.91	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	98.20%
48) 2-Hexanone-d5	9.43	63	109402	70.72	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	141.44%#
59) 1,1,2,2-Tetrachloroethane-	11.23	84	42804	6.13	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	122.60%#
65) 1,2-Dichlorobenzene-d4	12.36	152	61583	6.35	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	127.00%#


Target Compounds					Ovalue
16) Methylene chloride	2.83	84	2247	0.318 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX100820\
Data File : VX018844.D
Acq On : 08 Oct 2020 17:49
Operator : JC/SP
Sample : L4239-21
Misc : 25.0mL/MSVOA X/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VHBLK01

Quant Time: Oct 09 06:42:52 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SOMXTR100220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Oct 09 04:43:33 2020
Response via : Initial Calibration





#16
 Methylene chloride
 Concen: 0.318 ug/L
 RT: 2.83 min Scan# 286
 Delta R.T. -0.00 min
 Lab File: VX018844.D
 Acq: 08 Oct 2020 17:49

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK01

Tot Ion: 84 Resp: 2247
 Ion Ratio Lower Upper
 84 100
 86 63.9 45.6 84.8
 49 112.0 85.8 159.3

