

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX100824\
 Data File : VX043311.D
 Acq On : 08 Oct 2024 09:13
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 09 01:30:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100124W.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 02 16:50:57 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	105	0.00
2 T	Dichlorodifluoromethane	50.000	44.990	10.0	92	0.00
3 P	Chloromethane	50.000	41.599	16.8	87	0.00
4 C	Vinyl Chloride	50.000	43.990	12.0#	92	0.00
5 T	Bromomethane	50.000	44.545	10.9	96	0.00
6 T	Chloroethane	50.000	48.527	2.9	102	0.00
7 T	Trichlorofluoromethane	50.000	44.615	10.8	97	0.00
8 T	Diethyl Ether	50.000	46.082	7.8	99	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	48.117	3.8	102	0.00
10 T	Methyl Iodide	50.000	45.288	9.4	93	0.00
11 T	Tert butyl alcohol	250.000	255.423	-2.2	105	0.00
12 CM	1,1-Dichloroethene	50.000	44.015	12.0#	94	0.00
13 T	Acrolein	250.000	209.217	16.3	88	0.00
14 T	Allyl chloride	50.000	47.098	5.8	99	0.00
15 T	Acrylonitrile	250.000	238.472	4.6	100	0.00
16 T	Acetone	250.000	258.638	-3.5	117	0.00
17 T	Carbon Disulfide	50.000	40.166	19.7	87	0.00
18 T	Methyl Acetate	50.000	53.990	-8.0	109	0.00
19 T	Methyl tert-butyl Ether	50.000	48.135	3.7	101	0.00
20 T	Methylene Chloride	50.000	44.518	11.0	96	0.00
21 T	trans-1,2-Dichloroethene	50.000	46.229	7.5	98	0.00
22 T	Diisopropyl ether	50.000	48.314	3.4	102	0.00
23 T	Vinyl Acetate	250.000	252.310	-0.9	100	0.00
24 P	1,1-Dichloroethane	50.000	47.727	4.5	100	0.00
25 T	2-Butanone	250.000	248.395	0.6	104	0.00
26 T	2,2-Dichloropropane	50.000	49.943	0.1	106	0.00
27 T	cis-1,2-Dichloroethene	50.000	47.392	5.2	101	0.00
28 T	Bromochloromethane	50.000	43.120	13.8	95	0.00
29 T	Tetrahydrofuran	250.000	233.335	6.7	100	0.00
30 C	Chloroform	50.000	47.084	5.8#	101	0.00
31 T	Cyclohexane	50.000	43.582	12.8	94	0.00
32 T	1,1,1-Trichloroethane	50.000	47.196	5.6	99	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.833	0.3	105	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	103	0.00
35 S	Dibromofluoromethane	50.000	51.012	-2.0	106	0.00
36 T	1,1-Dichloropropene	50.000	46.520	7.0	96	0.00
37 T	Ethyl Acetate	50.000	48.272	3.5	100	0.00
38 T	Carbon Tetrachloride	50.000	48.700	2.6	98	0.00
39 T	Methylcyclohexane	50.000	48.021	4.0	99	0.00
40 TM	Benzene	50.000	47.351	5.3	98	0.00
41 T	Methacrylonitrile	50.000	50.902	-1.8	99	0.00
42 TM	1,2-Dichloroethane	50.000	49.294	1.4	100	0.00
43 T	Isopropyl Acetate	50.000	49.491	1.0	99	0.00
44 TM	Trichloroethene	50.000	46.588	6.8	98	0.00
45 C	1,2-Dichloropropane	50.000	48.870	2.3#	99	0.00
46 T	Dibromomethane	50.000	48.481	3.0	99	0.00
47 T	Bromodichloromethane	50.000	49.996	0.0	100	0.00
48 T	Methyl methacrylate	50.000	48.875	2.3	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX100824\
 Data File : VX043311.D
 Acq On : 08 Oct 2024 09:13
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 09 01:30:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100124W.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 02 16:50:57 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1038.477	-3.8	103	0.00
50 S	Toluene-d8	50.000	50.209	-0.4	101	0.00
51 T	4-Methyl-2-Pentanone	250.000	248.235	0.7	99	0.00
52 CM	Toluene	50.000	47.862	4.3#	97	0.00
53 T	t-1,3-Dichloropropene	50.000	51.271	-2.5	99	0.00
54 T	cis-1,3-Dichloropropene	50.000	50.357	-0.7	101	0.00
55 T	1,1,2-Trichloroethane	50.000	48.553	2.9	97	0.00
56 T	Ethyl methacrylate	50.000	50.482	-1.0	96	0.00
57 T	1,3-Dichloropropane	50.000	48.433	3.1	97	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	261.333	-4.5	99	0.00
59 T	2-Hexanone	250.000	254.661	-1.9	101	0.00
60 T	Dibromochloromethane	50.000	49.713	0.6	96	0.00
61 T	1,2-Dibromoethane	50.000	48.477	3.0	97	0.00
62 S	4-Bromofluorobenzene	50.000	51.590	-3.2	102	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	100	0.00
64 T	Tetrachloroethene	50.000	47.922	4.2	97	0.00
65 PM	Chlorobenzene	50.000	47.491	5.0	96	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	49.643	0.7	97	0.00
67 C	Ethyl Benzene	50.000	48.670	2.7#	96	0.00
68 T	m/p-Xylenes	100.000	96.009	4.0	96	0.00
69 T	o-Xylene	50.000	48.075	3.8	97	0.00
70 T	Styrene	50.000	49.954	0.1	97	0.00
71 P	Bromoform	50.000	51.648	-3.3	98	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	101	0.00
73 T	Isopropylbenzene	50.000	47.438	5.1	95	0.00
74 T	N-amyl acetate	50.000	47.251	5.5	96	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	47.848	4.3	98	0.00
76 T	1,2,3-Trichloropropane	50.000	47.698	4.6	100	0.00
77 T	Bromobenzene	50.000	47.153	5.7	97	0.00
78 T	n-propylbenzene	50.000	49.335	1.3	97	0.00
79 T	2-Chlorotoluene	50.000	46.630	6.7	97	0.00
80 T	1,3,5-Trimethylbenzene	50.000	48.258	3.5	98	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	49.840	0.3	103	0.00
82 T	4-Chlorotoluene	50.000	48.087	3.8	99	0.00
83 T	tert-Butylbenzene	50.000	47.770	4.5	98	0.00
84 T	1,2,4-Trimethylbenzene	50.000	48.282	3.4	98	0.00
85 T	sec-Butylbenzene	50.000	49.366	1.3	99	0.00
86 T	p-Isopropyltoluene	50.000	49.725	0.5	100	0.00
87 T	1,3-Dichlorobenzene	50.000	48.809	2.4	101	0.00
88 T	1,4-Dichlorobenzene	50.000	46.567	6.9	99	0.00
89 T	n-Butylbenzene	50.000	51.684	-3.4	101	0.00
90 T	Hexachloroethane	50.000	49.856	0.3	98	0.00
91 T	1,2-Dichlorobenzene	50.000	47.028	5.9	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.210	5.6	95	0.00
93 T	1,2,4-Trichlorobenzene	50.000	50.638	-1.3	100	0.00
94 T	Hexachlorobutadiene	50.000	50.952	-1.9	100	0.00
95 T	Naphthalene	50.000	48.038	3.9	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX100824\
Data File : VX043311.D
Acq On : 08 Oct 2024 09:13
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Oct 09 01:30:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100124W.M
Quant Title : SW846 8260
QLast Update : Wed Oct 02 16:50:57 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	49.293	1.4	99	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6