

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX100824\
 Data File : VX043324.D
 Acq On : 08 Oct 2024 16:55
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 09 01:37:49 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100124W.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 02 16:50:57 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	101	0.00
2 T	Dichlorodifluoromethane	50.000	45.220	9.6	89	0.00
3 P	Chloromethane	50.000	42.220	15.6	85	0.00
4 C	Vinyl Chloride	50.000	44.198	11.6#	89	0.00
5 T	Bromomethane	50.000	42.872	14.3	89	0.00
6 T	Chloroethane	50.000	53.384	-6.8	107	0.00
7 T	Trichlorofluoromethane	50.000	47.013	6.0	98	0.00
8 T	Diethyl Ether	50.000	47.148	5.7	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	48.284	3.4	98	0.00
10 T	Methyl Iodide	50.000	46.588	6.8	92	0.00
11 T	Tert butyl alcohol	250.000	254.338	-1.7	100	0.00
12 CM	1,1-Dichloroethene	50.000	43.507	13.0#	89	0.00
13 T	Acrolein	250.000	220.183	11.9	89	0.00
14 T	Allyl chloride	50.000	46.682	6.6	94	0.00
15 T	Acrylonitrile	250.000	241.561	3.4	97	0.00
16 T	Acetone	250.000	229.301	8.3	100	0.00
17 T	Carbon Disulfide	50.000	37.991	24.0	79	0.00
18 T	Methyl Acetate	50.000	53.512	-7.0	104	0.00
19 T	Methyl tert-butyl Ether	50.000	48.456	3.1	98	0.00
20 T	Methylene Chloride	50.000	44.937	10.1	93	0.00
21 T	trans-1,2-Dichloroethene	50.000	44.473	11.1	90	0.00
22 T	Diisopropyl ether	50.000	48.901	2.2	99	0.00
23 T	Vinyl Acetate	250.000	254.625	-1.8	97	0.00
24 P	1,1-Dichloroethane	50.000	47.883	4.2	97	0.00
25 T	2-Butanone	250.000	241.156	3.5	97	0.00
26 T	2,2-Dichloropropane	50.000	49.479	1.0	101	0.00
27 T	cis-1,2-Dichloroethene	50.000	47.035	5.9	96	0.00
28 T	Bromochloromethane	50.000	46.717	6.6	99	0.00
29 T	Tetrahydrofuran	250.000	231.314	7.5	95	0.00
30 C	Chloroform	50.000	47.342	5.3#	98	0.00
31 T	Cyclohexane	50.000	43.890	12.2	91	0.00
32 T	1,1,1-Trichloroethane	50.000	46.987	6.0	95	0.00
33 S	1,2-Dichloroethane-d4	50.000	51.635	-3.3	105	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	99	0.00
35 S	Dibromofluoromethane	50.000	52.503	-5.0	105	-0.01
36 T	1,1-Dichloropropene	50.000	48.093	3.8	95	0.00
37 T	Ethyl Acetate	50.000	48.471	3.1	96	0.00
38 T	Carbon Tetrachloride	50.000	47.776	4.4	92	0.00
39 T	Methylcyclohexane	50.000	47.816	4.4	94	0.00
40 TM	Benzene	50.000	47.794	4.4	95	0.00
41 T	Methacrylonitrile	50.000	49.750	0.5	92	0.00
42 TM	1,2-Dichloroethane	50.000	48.963	2.1	95	0.00
43 T	Isopropyl Acetate	50.000	49.161	1.7	94	0.00
44 TM	Trichloroethene	50.000	46.646	6.7	94	0.00
45 C	1,2-Dichloropropane	50.000	48.725	2.5#	95	0.00
46 T	Dibromomethane	50.000	49.201	1.6	96	0.00
47 T	Bromodichloromethane	50.000	50.134	-0.3	96	0.00
48 T	Methyl methacrylate	50.000	48.813	2.4	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX100824\
 Data File : VX043324.D
 Acq On : 08 Oct 2024 16:55
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 09 01:37:49 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100124W.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 02 16:50:57 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	987.789	1.2	94	0.00
50 S	Toluene-d8	50.000	51.245	-2.5	99	0.00
51 T	4-Methyl-2-Pentanone	250.000	246.098	1.6	94	0.00
52 CM	Toluene	50.000	47.235	5.5#	91	0.00
53 T	t-1,3-Dichloropropene	50.000	50.584	-1.2	93	0.00
54 T	cis-1,3-Dichloropropene	50.000	48.950	2.1	94	0.00
55 T	1,1,2-Trichloroethane	50.000	49.001	2.0	93	0.00
56 T	Ethyl methacrylate	50.000	50.779	-1.6	93	0.00
57 T	1,3-Dichloropropane	50.000	48.927	2.1	94	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	276.356	-10.5	100	0.00
59 T	2-Hexanone	250.000	247.266	1.1	94	0.00
60 T	Dibromochloromethane	50.000	49.285	1.4	91	0.00
61 T	1,2-Dibromoethane	50.000	49.113	1.8	94	0.00
62 S	4-Bromofluorobenzene	50.000	51.215	-2.4	97	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	95	0.00
64 T	Tetrachloroethene	50.000	47.314	5.4	91	0.00
65 PM	Chlorobenzene	50.000	48.336	3.3	93	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	50.646	-1.3	94	0.00
67 C	Ethyl Benzene	50.000	48.429	3.1#	90	0.00
68 T	m/p-Xylenes	100.000	95.243	4.8	90	0.00
69 T	o-Xylene	50.000	47.717	4.6	91	0.00
70 T	Styrene	50.000	49.855	0.3	92	0.00
71 P	Bromoform	50.000	49.194	1.6	89	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	95	0.00
73 T	Isopropylbenzene	50.000	48.083	3.8	91	0.00
74 T	N-amyl acetate	50.000	47.999	4.0	92	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	48.344	3.3	93	0.00
76 T	1,2,3-Trichloropropane	50.000	48.961	2.1	96	0.00
77 T	Bromobenzene	50.000	47.368	5.3	92	0.00
78 T	n-propylbenzene	50.000	49.670	0.7	92	0.00
79 T	2-Chlorotoluene	50.000	47.254	5.5	92	0.00
80 T	1,3,5-Trimethylbenzene	50.000	49.076	1.8	94	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	48.804	2.4	95	0.00
82 T	4-Chlorotoluene	50.000	48.193	3.6	93	0.00
83 T	tert-Butylbenzene	50.000	47.901	4.2	92	0.00
84 T	1,2,4-Trimethylbenzene	50.000	48.270	3.5	92	0.00
85 T	sec-Butylbenzene	50.000	49.561	0.9	94	0.00
86 T	p-Isopropyltoluene	50.000	49.464	1.1	93	0.00
87 T	1,3-Dichlorobenzene	50.000	48.669	2.7	95	0.00
88 T	1,4-Dichlorobenzene	50.000	46.089	7.8	92	0.00
89 T	n-Butylbenzene	50.000	52.084	-4.2	96	0.00
90 T	Hexachloroethane	50.000	50.425	-0.8	93	0.00
91 T	1,2-Dichlorobenzene	50.000	47.301	5.4	93	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	47.207	5.6	89	0.00
93 T	1,2,4-Trichlorobenzene	50.000	50.357	-0.7	94	0.00
94 T	Hexachlorobutadiene	50.000	51.072	-2.1	94	0.00
95 T	Naphthalene	50.000	46.227	7.5	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX100824\
Data File : VX043324.D
Acq On : 08 Oct 2024 16:55
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Oct 09 01:37:49 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100124W.M
Quant Title : SW846 8260
QLast Update : Wed Oct 02 16:50:57 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	49.107	1.8	93	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6