

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX101222\
 Data File : VX032073.D
 Acq On : 12 Oct 2022 10:09
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 13 09:09:21 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100622W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 06 14:28:46 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	50.000	48.660	2.7	88	0.00
3 P	Chloromethane	50.000	44.906	10.2	89	0.00
4 C	Vinyl Chloride	50.000	43.571	12.9#	84	0.00
5 T	Bromomethane	50.000	53.431	-6.9	97	0.00
6 T	Chloroethane	50.000	45.025	10.0	79	0.00
7 T	Trichlorofluoromethane	50.000	47.380	5.2	92	0.00
8 T	Diethyl Ether	50.000	52.060	-4.1	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	46.208	7.6	89	0.00
10 T	Methyl Iodide	50.000	44.171	11.7	81	0.00
11 T	Tert butyl alcohol	250.000	274.103	-9.6	108	-0.02
12 CM	1,1-Dichloroethene	50.000	45.146	9.7#	85	0.00
13 T	Acrolein	250.000	227.541	9.0	83	0.00
14 T	Allyl chloride	50.000	50.096	-0.2	93	0.00
15 T	Acrylonitrile	250.000	260.224	-4.1	99	0.00
16 T	Acetone	250.000	263.440	-5.4	108	0.00
17 T	Carbon Disulfide	50.000	43.268	13.5	81	0.00
18 T	Methyl Acetate	50.000	56.043	-12.1	106	0.00
19 T	Methyl tert-butyl Ether	50.000	55.829	-11.7	103	0.00
20 T	Methylene Chloride	50.000	47.724	4.6	97	0.00
21 T	trans-1,2-Dichloroethene	50.000	46.621	6.8	89	0.00
22 T	Diisopropyl ether	50.000	59.773	-19.5	111	0.00
23 T	Vinyl Acetate	250.000	308.063	-23.2	109	0.00
24 P	1,1-Dichloroethane	50.000	52.204	-4.4	99	0.00
25 T	2-Butanone	250.000	275.650	-10.3	106	0.00
26 T	2,2-Dichloropropane	50.000	35.503	29.0#	63	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.631	0.7	94	0.00
28 T	Bromochloromethane	50.000	58.879	-17.8	109	0.00
29 T	Tetrahydrofuran	250.000	275.544	-10.2	105	0.00
30 C	Chloroform	50.000	55.709	-11.4#	104	0.00
31 T	Cyclohexane	50.000	49.105	1.8	92	0.00
32 T	1,1,1-Trichloroethane	50.000	53.083	-6.2	96	0.00
33 S	1,2-Dichloroethane-d4	50.000	61.432	-22.9	125	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	101	0.00
35 S	Dibromofluoromethane	50.000	52.059	-4.1	107	0.00
36 T	1,1-Dichloropropene	50.000	47.367	5.3	94	0.00
37 T	Ethyl Acetate	50.000	53.923	-7.8	107	0.00
38 T	Carbon Tetrachloride	50.000	50.602	-1.2	94	0.00
39 T	Methylcyclohexane	50.000	46.026	7.9	89	0.00
40 TM	Benzene	50.000	49.091	1.8	97	0.00
41 T	Methacrylonitrile	50.000	58.505	-17.0	113	0.00
42 TM	1,2-Dichloroethane	50.000	58.250	-16.5	115	0.00
43 T	Isopropyl Acetate	50.000	58.666	-17.3	111	0.00
44 TM	Trichloroethene	50.000	45.462	9.1	89	0.00
45 C	1,2-Dichloropropane	50.000	52.626	-5.3#	103	0.00
46 T	Dibromomethane	50.000	50.932	-1.9	100	0.00
47 T	Bromodichloromethane	50.000	58.087	-16.2	107	0.00
48 T	Methyl methacrylate	50.000	61.436	-22.9	112	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX101222\
 Data File : VX032073.D
 Acq On : 12 Oct 2022 10:09
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 13 09:09:21 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100622W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 06 14:28:46 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1052.785	-5.3	96	0.00
50 S	Toluene-d8	50.000	50.174	-0.3	101	0.00
51 T	4-Methyl-2-Pentanone	250.000	282.681	-13.1	108	0.00
52 CM	Toluene	50.000	48.595	2.8#	93	0.00
53 T	t-1,3-Dichloropropene	50.000	50.734	-1.5	98	0.00
54 T	cis-1,3-Dichloropropene	50.000	54.172	-8.3	94	0.00
55 T	1,1,2-Trichloroethane	50.000	50.545	-1.1	100	0.00
56 T	Ethyl methacrylate	50.000	57.793	-15.6	104	0.00
57 T	1,3-Dichloropropane	50.000	53.314	-6.6	105	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	269.462	-7.8	102	0.00
59 T	2-Hexanone	250.000	282.317	-12.9	108	0.00
60 T	Dibromochloromethane	50.000	58.017	-16.0	100	0.00
61 T	1,2-Dibromoethane	50.000	53.120	-6.2	100	0.00
62 S	4-Bromofluorobenzene	50.000	56.860	-13.7	110	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	102	0.00
64 T	Tetrachloroethene	50.000	45.745	8.5	89	0.00
65 PM	Chlorobenzene	50.000	46.091	7.8	94	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	50.593	-1.2	99	0.00
67 C	Ethyl Benzene	50.000	48.207	3.6#	96	0.00
68 T	m/p-Xylenes	100.000	93.721	6.3	92	0.00
69 T	o-Xylene	50.000	48.136	3.7	94	0.00
70 T	Styrene	50.000	51.044	-2.1	97	0.00
71 P	Bromoform	50.000	56.301	-12.6	96	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	103	0.00
73 T	Isopropylbenzene	50.000	47.550	4.9	97	0.00
74 T	N-ethyl acetate	50.000	60.777	-21.6	112	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	48.901	2.2	105	0.00
76 T	1,2,3-Trichloropropane	50.000	51.732	-3.5	107	0.00
77 T	Bromobenzene	50.000	45.432	9.1	93	0.00
78 T	n-propylbenzene	50.000	48.517	3.0	98	0.00
79 T	2-Chlorotoluene	50.000	48.463	3.1	101	0.00
80 T	1,3,5-Trimethylbenzene	50.000	49.420	1.2	98	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	43.595	12.8	90	0.00
82 T	4-Chlorotoluene	50.000	50.078	-0.2	102	0.00
83 T	tert-Butylbenzene	50.000	47.950	4.1	96	0.00
84 T	1,2,4-Trimethylbenzene	50.000	48.638	2.7	98	0.00
85 T	sec-Butylbenzene	50.000	49.552	0.9	99	0.00
86 T	p-Isopropyltoluene	50.000	50.231	-0.5	98	0.00
87 T	1,3-Dichlorobenzene	50.000	46.555	6.9	95	0.00
88 T	1,4-Dichlorobenzene	50.000	45.396	9.2	94	0.00
89 T	n-Butylbenzene	50.000	51.228	-2.5	100	0.00
90 T	Hexachloroethane	50.000	49.893	0.2	103	0.00
91 T	1,2-Dichlorobenzene	50.000	47.169	5.7	96	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	58.646	-17.3	110	0.00
93 T	1,2,4-Trichlorobenzene	50.000	48.926	2.1	94	0.00
94 T	Hexachlorobutadiene	50.000	47.833	4.3	95	0.00
95 T	Naphthalene	50.000	49.388	1.2	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX101222\
Data File : VX032073.D
Acq On : 12 Oct 2022 10:09
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Oct 13 09:09:21 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100622W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 06 14:28:46 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	48.700	2.6	96	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6