

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX101421\
 Data File : VX024818.D
 Acq On : 14 Oct 2021 17:06
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 15 00:03:39 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X101321W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 14 03:51:38 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	113	0.00
2 T	Dichlorodifluoromethane	50.000	45.736	8.5	99	0.00
3 P	Chloromethane	50.000	43.119	13.8	96	0.00
4 C	Vinyl Chloride	50.000	43.923	12.2#	95	0.00
5 T	Bromomethane	50.000	45.134	9.7	92	0.00
6 T	Chloroethane	50.000	44.091	11.8	94	0.00
7 T	Trichlorofluoromethane	50.000	43.463	13.1	94	0.00
8 T	Diethyl Ether	50.000	43.349	13.3	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	43.024	14.0	96	0.00
10 T	Methyl Iodide	50.000	44.277	11.4	97	0.00
11 T	Tert butyl alcohol	250.000	214.254	14.3	90	0.00
12 CM	1,1-Dichloroethene	50.000	43.774	12.5#	95	0.00
13 T	Acrolein	250.000	231.926	7.2	106	0.00
14 T	Allyl chloride	50.000	44.646	10.7	93	0.00
15 T	Acrylonitrile	250.000	219.459	12.2	92	0.00
16 T	Acetone	250.000	193.202	22.7	78	0.00
17 T	Carbon Disulfide	50.000	40.876	18.2	93	0.00
18 T	Methyl Acetate	50.000	44.223	11.6	94	0.00
19 T	Methyl tert-butyl Ether	50.000	44.842	10.3	95	0.00
20 T	Methylene Chloride	50.000	42.832	14.3	97	0.00
21 T	trans-1,2-Dichloroethene	50.000	42.695	14.6	94	0.00
22 T	Diisopropyl ether	50.000	45.115	9.8	95	0.00
23 T	Vinyl Acetate	250.000	227.909	8.8	93	0.00
24 P	1,1-Dichloroethane	50.000	43.612	12.8	95	0.00
25 T	2-Butanone	250.000	212.192	15.1	87	0.00
26 T	2,2-Dichloropropane	50.000	43.874	12.3	93	0.00
27 T	cis-1,2-Dichloroethene	50.000	43.957	12.1	95	0.00
28 T	Bromochloromethane	50.000	48.099	3.8	108	0.00
29 T	Tetrahydrofuran	250.000	217.787	12.9	91	0.00
30 C	Chloroform	50.000	43.639	12.7#	93	0.00
31 T	Cyclohexane	50.000	44.845	10.3	95	0.00
32 T	1,1,1-Trichloroethane	50.000	44.473	11.1	94	0.00
33 S	1,2-Dichloroethane-d4	50.000	45.590	8.8	103	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	110	0.00
35 S	Dibromofluoromethane	50.000	47.424	5.2	106	0.00
36 T	1,1-Dichloropropene	50.000	45.876	8.2	95	0.00
37 T	Ethyl Acetate	50.000	44.762	10.5	92	0.00
38 T	Carbon Tetrachloride	50.000	45.148	9.7	94	0.00
39 T	Methylcyclohexane	50.000	46.023	8.0	97	0.00
40 TM	Benzene	50.000	45.291	9.4	94	0.00
41 T	Methacrylonitrile	50.000	46.057	7.9	94	0.00
42 TM	1,2-Dichloroethane	50.000	43.655	12.7	91	0.00
43 T	Isopropyl Acetate	50.000	45.276	9.4	92	0.00
44 TM	Trichloroethene	50.000	44.502	11.0	96	0.00
45 C	1,2-Dichloropropane	50.000	45.656	8.7#	96	0.00
46 T	Dibromomethane	50.000	44.579	10.8	93	0.00
47 T	Bromodichloromethane	50.000	46.392	7.2	95	0.00
48 T	Methyl methacrylate	50.000	46.688	6.6	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX101421\
 Data File : VX024818.D
 Acq On : 14 Oct 2021 17:06
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 15 00:03:39 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X101321W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 14 03:51:38 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	909.602	9.0	91	0.00
50 S	Toluene-d8	50.000	47.920	4.2	107	0.00
51 T	4-Methyl-2-Pentanone	250.000	228.088	8.8	91	0.00
52 CM	Toluene	50.000	46.477	7.0#	96	0.00
53 T	t-1,3-Dichloropropene	50.000	47.246	5.5	94	0.00
54 T	cis-1,3-Dichloropropene	50.000	46.793	6.4	93	0.00
55 T	1,1,2-Trichloroethane	50.000	45.448	9.1	94	0.00
56 T	Ethyl methacrylate	50.000	43.140	13.7	94	0.00
57 T	1,3-Dichloropropane	50.000	46.024	8.0	94	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	252.161	-0.9	102	0.00
59 T	2-Hexanone	250.000	214.731	14.1	88	0.00
60 T	Dibromochloromethane	50.000	42.930	14.1	95	0.00
61 T	1,2-Dibromoethane	50.000	45.850	8.3	94	0.00
62 S	4-Bromofluorobenzene	50.000	47.925	4.2	107	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	110	0.00
64 T	Tetrachloroethene	50.000	45.023	10.0	98	0.00
65 PM	Chlorobenzene	50.000	45.063	9.9	95	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	45.416	9.2	95	0.00
67 C	Ethyl Benzene	50.000	46.193	7.6#	95	0.00
68 T	m/p-Xylenes	100.000	94.878	5.1	95	0.00
69 T	o-Xylene	50.000	47.110	5.8	95	0.00
70 T	Styrene	50.000	44.133	11.7	94	0.00
71 P	Bromoform	50.000	41.337	17.3	93	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	111	0.00
73 T	Isopropylbenzene	50.000	46.434	7.1	95	0.00
74 T	N-amyl acetate	50.000	45.132	9.7	91	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	44.524	11.0	94	0.00
76 T	1,2,3-Trichloropropane	50.000	44.393	11.2	92	0.00
77 T	Bromobenzene	50.000	43.254	13.5	93	0.00
78 T	n-propylbenzene	50.000	46.991	6.0	96	0.00
79 T	2-Chlorotoluene	50.000	45.972	8.1	95	0.00
80 T	1,3,5-Trimethylbenzene	50.000	48.172	3.7	96	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	41.678	16.6	90	0.00
82 T	4-Chlorotoluene	50.000	46.210	7.6	96	0.00
83 T	tert-Butylbenzene	50.000	47.688	4.6	96	0.00
84 T	1,2,4-Trimethylbenzene	50.000	47.742	4.5	96	0.00
85 T	sec-Butylbenzene	50.000	48.053	3.9	97	0.00
86 T	p-Isopropyltoluene	50.000	48.781	2.4	96	0.00
87 T	1,3-Dichlorobenzene	50.000	44.856	10.3	96	0.00
88 T	1,4-Dichlorobenzene	50.000	44.469	11.1	96	0.00
89 T	n-Butylbenzene	50.000	48.573	2.9	97	0.00
90 T	Hexachloroethane	50.000	47.325	5.3	96	0.00
91 T	1,2-Dichlorobenzene	50.000	45.289	9.4	96	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	44.820	10.4	91	0.00
93 T	1,2,4-Trichlorobenzene	50.000	47.280	5.4	96	0.00
94 T	Hexachlorobutadiene	50.000	44.729	10.5	96	0.00
95 T	Naphthalene	50.000	43.415	13.2	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX101421\
Data File : VX024818.D
Acq On : 14 Oct 2021 17:06
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Oct 15 00:03:39 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X101321W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 14 03:51:38 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	47.770	4.5	95	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6