

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX101624\
 Data File : VX043422.D
 Acq On : 16 Oct 2024 16:38
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 17 01:54:56 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100124W.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 02 16:50:57 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	50.000	52.092	-4.2	88	0.00
3 P	Chloromethane	50.000	49.436	1.1	86	0.00
4 C	Vinyl Chloride	50.000	52.318	-4.6#	90	0.00
5 T	Bromomethane	50.000	51.141	-2.3	91	0.00
6 T	Chloroethane	50.000	53.876	-7.8	93	0.00
7 T	Trichlorofluoromethane	50.000	51.554	-3.1	92	0.00
8 T	Diethyl Ether	50.000	53.048	-6.1	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	54.002	-8.0	94	0.00
10 T	Methyl Iodide	50.000	51.615	-3.2	88	0.00
11 T	Tert butyl alcohol	250.000	301.286	-20.5	102	0.00
12 CM	1,1-Dichloroethene	50.000	50.264	-0.5#	88	0.00
13 T	Acrolein	250.000	245.558	1.8	85	0.00
14 T	Allyl chloride	50.000	53.027	-6.1	92	0.00
15 T	Acrylonitrile	250.000	265.581	-6.2	92	0.00
16 T	Acetone	250.000	274.107	-9.6	102	0.00
17 T	Carbon Disulfide	50.000	43.644	12.7	78	0.00
18 T	Methyl Acetate	50.000	51.657	-3.3	86	0.00
19 T	Methyl tert-butyl Ether	50.000	54.167	-8.3	94	0.00
20 T	Methylene Chloride	50.000	50.294	-0.6	90	0.00
21 T	trans-1,2-Dichloroethene	50.000	51.870	-3.7	90	0.00
22 T	Diisopropyl ether	50.000	54.489	-9.0	95	0.00
23 T	Vinyl Acetate	250.000	216.720	13.3	70	0.00
24 P	1,1-Dichloroethane	50.000	53.992	-8.0	93	0.00
25 T	2-Butanone	250.000	274.554	-9.8	95	0.00
26 T	2,2-Dichloropropane	50.000	54.712	-9.4	96	0.00
27 T	cis-1,2-Dichloroethene	50.000	53.112	-6.2	93	0.00
28 T	Bromochloromethane	50.000	47.743	4.5	87	0.00
29 T	Tetrahydrofuran	250.000	263.902	-5.6	93	0.00
30 C	Chloroform	50.000	52.705	-5.4#	93	0.00
31 T	Cyclohexane	50.000	52.038	-4.1	93	0.00
32 T	1,1,1-Trichloroethane	50.000	52.814	-5.6	91	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.683	2.6	85	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	86	0.00
35 S	Dibromofluoromethane	50.000	49.284	1.4	86	0.00
36 T	1,1-Dichloropropene	50.000	53.747	-7.5	93	0.00
37 T	Ethyl Acetate	50.000	54.474	-8.9	94	0.00
38 T	Carbon Tetrachloride	50.000	53.712	-7.4	90	0.00
39 T	Methylcyclohexane	50.000	54.362	-8.7	93	0.00
40 TM	Benzene	50.000	53.823	-7.6	93	0.00
41 T	Methacrylonitrile	50.000	56.400	-12.8	91	0.00
42 TM	1,2-Dichloroethane	50.000	55.434	-10.9	94	0.00
43 T	Isopropyl Acetate	50.000	54.498	-9.0	91	0.00
44 TM	Trichloroethene	50.000	51.607	-3.2	91	0.00
45 C	1,2-Dichloropropane	50.000	53.650	-7.3#	91	0.00
46 T	Dibromomethane	50.000	53.777	-7.6	91	0.00
47 T	Bromodichloromethane	50.000	53.410	-6.8	89	0.00
48 T	Methyl methacrylate	50.000	54.323	-8.6	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX101624\
 Data File : VX043422.D
 Acq On : 16 Oct 2024 16:38
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 17 01:54:56 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100124W.M
 Quant Title : SW846 8260
 QLast Update : Wed Oct 02 16:50:57 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1085.505	-8.6	90	0.00
50 S	Toluene-d8	50.000	46.782	6.4	79	0.00
51 T	4-Methyl-2-Pentanone	250.000	269.206	-7.7	89	0.00
52 CM	Toluene	50.000	53.170	-6.3#	89	0.00
53 T	t-1,3-Dichloropropene	50.000	54.594	-9.2	88	0.00
54 T	cis-1,3-Dichloropropene	50.000	54.326	-8.7	91	0.00
55 T	1,1,2-Trichloroethane	50.000	53.497	-7.0	89	0.00
56 T	Ethyl methacrylate	50.000	55.512	-11.0	88	0.00
57 T	1,3-Dichloropropane	50.000	53.270	-6.5	89	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	277.213	-10.9	87	0.00
59 T	2-Hexanone	250.000	272.725	-9.1	90	0.00
60 T	Dibromochloromethane	50.000	52.604	-5.2	85	0.00
61 T	1,2-Dibromoethane	50.000	53.337	-6.7	89	0.00
62 S	4-Bromofluorobenzene	50.000	49.343	1.3	81	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	82	0.00
64 T	Tetrachloroethene	50.000	53.345	-6.7	89	0.00
65 PM	Chlorobenzene	50.000	52.000	-4.0	87	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	53.833	-7.7	87	0.00
67 C	Ethyl Benzene	50.000	53.807	-7.6#	87	0.00
68 T	m/p-Xylenes	100.000	105.667	-5.7	87	0.00
69 T	o-Xylene	50.000	52.528	-5.1	87	0.00
70 T	Styrene	50.000	54.493	-9.0	87	0.00
71 P	Bromoform	50.000	52.299	-4.6	82	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	83	0.00
73 T	Isopropylbenzene	50.000	52.501	-5.0	87	0.00
74 T	N-ethyl acetate	50.000	51.403	-2.8	86	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	52.404	-4.8	89	0.00
76 T	1,2,3-Trichloropropane	50.000	52.271	-4.5	90	0.00
77 T	Bromobenzene	50.000	50.889	-1.8	86	0.00
78 T	n-propylbenzene	50.000	54.722	-9.4	89	0.00
79 T	2-Chlorotoluene	50.000	51.545	-3.1	88	0.00
80 T	1,3,5-Trimethylbenzene	50.000	53.657	-7.3	90	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	52.135	-4.3	89	0.00
82 T	4-Chlorotoluene	50.000	53.038	-6.1	90	0.00
83 T	tert-Butylbenzene	50.000	51.861	-3.7	87	0.00
84 T	1,2,4-Trimethylbenzene	50.000	52.376	-4.8	87	0.00
85 T	sec-Butylbenzene	50.000	54.004	-8.0	89	0.00
86 T	p-Isopropyltoluene	50.000	54.496	-9.0	90	0.00
87 T	1,3-Dichlorobenzene	50.000	52.706	-5.4	90	0.00
88 T	1,4-Dichlorobenzene	50.000	50.548	-1.1	88	0.00
89 T	n-Butylbenzene	50.000	55.906	-11.8	90	0.00
90 T	Hexachloroethane	50.000	52.012	-4.0	84	0.00
91 T	1,2-Dichlorobenzene	50.000	51.752	-3.5	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	50.506	-1.0	83	0.00
93 T	1,2,4-Trichlorobenzene	50.000	53.715	-7.4	88	0.00
94 T	Hexachlorobutadiene	50.000	55.861	-11.7	90	0.00
95 T	Naphthalene	50.000	50.664	-1.3	85	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX101624\
Data File : VX043422.D
Acq On : 16 Oct 2024 16:38
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Oct 17 01:54:56 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X100124W.M
Quant Title : SW846 8260
QLast Update : Wed Oct 02 16:50:57 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.295	-6.6	88	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6