

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX102320\
 Data File : VX019090.D
 Acq On : 23 Oct 2020 20:37
 Operator : JC/SP
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC020

Quant Time: Oct 26 05:09:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X102320W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Mon Oct 26 03:21:29 2020
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	96	0.00
2 M	Dichlorodifluoromethane	1.508	1.334	11.5	99	0.00
3 M	Chloromethane	1.362	1.278	6.2	102	0.00
4 M	Vinyl Chloride	1.785	1.626	8.9	100	0.00
5 M	Bromomethane	1.373	1.338	2.5	94	0.00
6 M	Chloroethane	1.210	1.074	11.2	99	0.00
7 M	Trichlorofluoromethane	3.109	2.788	10.3	102	0.00
8 T	Diethyl Ether	1.165	1.063	8.8	101	0.00
9	1,1,2-Trichlorotrifluoroeth	1.485	1.327	10.6	100	0.00
10 M	1,1-Dichloroethene	1.510	1.322	12.5	98	0.00
11	Methyl Iodide	1.397	1.073	23.2	115	0.00
12	Methyl Acetate	1.495	1.427	4.5	107	0.00
13 M	Acrolein	0.138	0.136	1.4	143	-0.01
14 M	Acrylonitrile	0.702	0.647	7.8	104	0.00
15 M	Acetone	0.201	0.198	1.5	119	0.00
16 M	Carbon Disulfide	4.198	3.592	14.4	96	0.00
17	Allyl chloride	1.886	1.706	9.5	103	0.00
18 M	Methylene Chloride	1.722	1.554	9.8	101	0.00
19 M	trans-1,2-Dichloroethene	1.764	1.566	11.2	99	0.00
20 T	Diisopropyl ether	3.821	3.433	10.2	102	0.00
21 M	1,1-Dichloroethane	2.806	2.518	10.3	100	0.00
22 M	cis-1,2-Dichloroethene	2.043	1.807	11.6	99	0.00
23 M	tert-Butyl Alcohol	0.341	0.321	5.9	108	0.00
24 M	Methyl tert-Butyl Ether	4.775	4.290	10.2	101	0.00
25 M	Chloroform	3.109	2.808	9.7	102	0.00
26	Cyclohexane	2.180	1.920	11.9	100	0.00
27 s	1,2-Dichloroethane-d4	1.998	2.050	-2.6	95	0.00
28 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
29	1,1-Dichloropropene	0.423	0.369	12.8	99	0.00
30 M	2-Butanone	0.169	0.156	7.7	107	0.00
31	2,2-Dichloropropane	0.484	0.390	19.4	91	0.00
32 M	1,1,1-Trichloroethane	0.509	0.446	12.4	99	0.00
33 M	Carbon Tetrachloride	0.441	0.378	14.3	100	0.00
34 M	Benzene	1.245	1.114	10.5	102	0.00
35	Methacrylonitrile	0.183	0.161	12.0	96	0.00
36 M	1,2-Dichloroethane	0.427	0.386	9.6	102	0.00
37 M	Trichloroethene	0.358	0.311	13.1	100	0.00
38	Methylcyclohexane	0.474	0.401	15.4	97	0.00
39 M	1,2-Dichloropropane	0.289	0.265	8.3	107	0.00
40	Dibromomethane	0.224	0.201	10.3	103	0.00
41 M	Bromodichloromethane	0.444	0.387	12.8	102	0.00
42 M	Vinyl Acetate	0.656	0.576	12.2	99	0.00
43	Ethyl Acetate	0.354	0.310	12.4	101	0.00
44	Isopropyl Acetate	0.592	0.512	13.5	100	0.00
45 T	1,4-Dioxane	0.006	0.006#	0.0	102	-0.02

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX102320\
 Data File : VX019090.D
 Acq On : 23 Oct 2020 20:37
 Operator : JC/SP
 Sample : VSTDCCC020
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC020

Quant Time: Oct 26 05:09:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X102320W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Mon Oct 26 03:21:29 2020
 Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46	Methyl methacrylate	0.280	0.245	12.5	98	0.00
47	n-amyl Acetate	0.475	0.426	10.3	105	0.00
48 M	t-1,3-Dichloropropene	0.497	0.406	18.3	96	0.00
49 T	cis-1,3-Dichloropropene	0.528	0.453	14.2	100	0.00
50 M	1,1,2-Trichloroethane	0.325	0.291	10.5	105	0.00
51	Ethyl methacrylate	0.474	0.414	12.7	103	0.00
52	1,3-Dichloropropane	0.529	0.482	8.9	104	0.00
53 M	Dibromochloromethane	0.362	0.305	15.7	104	0.00
54 M	1,2-Dibromoethane	0.353	0.304	13.9	100	0.00
55 M	2-Chloroethyl vinyl ether	0.253	0.218	13.8	88	0.00
56 M	Bromoform	0.253	0.213	15.8	106	0.00
57 I	Chlorobenzene-d5	1.000	1.000	0.0	95	0.00
58 M	4-Methyl-2-Pentanone	0.378	0.353	6.6	104	0.00
59 M	2-Hexanone	0.282	0.264	6.4	102	0.00
60 S	4-Bromofluorobenzene	0.450	0.466	-3.6	100	0.00
61 M	Tetrachloroethene	0.356	0.328	7.9	103	0.00
62 M	Toluene	1.577	1.406	10.8	101	0.00
63 S	Toluene-d8	1.325	1.346	-1.6	96	0.00
64 M	Chlorobenzene	0.980	0.873	10.9	103	0.00
65	1,1,1,2-Tetrachloroethane	0.356	0.314	11.8	103	0.00
66 M	Ethyl Benzene	1.729	1.546	10.6	102	0.00
67 M	m/p-Xylenes	0.659	0.599	9.1	105	0.00
68 M	o-Xylene	0.629	0.566	10.0	106	0.00
69 M	Styrene	1.059	0.950	10.3	107	0.00
70	Isopropylbenzene	1.691	1.538	9.0	107	0.00
71 M	1,1,2,2-Tetrachloroethane	0.488	0.479	1.8	112	0.00
72	1,2,3-Trichloropropane	0.439	0.441	-0.5	111	0.00
73	Bromobenzene	0.413	0.383	7.3	109	0.00
74	n-propylbenzene	1.914	1.755	8.3	106	0.00
75	2-Chlorotoluene	1.083	1.032	4.7	111	0.00
76	1,3,5-Trimethylbenzene	1.372	1.278	6.9	110	0.00
77	t-1,4-Dichloro-2-butene	0.174	0.143	17.8	98	0.00
78	4-Chlorotoluene	1.272	1.186	6.8	109	0.00
79	tert-butylbenzene	1.351	1.236	8.5	108	0.00
80	1,2,4-Trimethylbenzene	1.364	1.274	6.6	108	0.00
81	sec-Butylbenzene	1.598	1.479	7.4	108	0.00
82	p-Isopropyltoluene	1.473	1.348	8.5	108	0.00
83 M	1,3-Dichlorobenzene	0.738	0.694	6.0	111	0.00
84 M	1,4-Dichlorobenzene	0.750	0.702	6.4	111	0.00
85	n-Butylbenzene	1.319	1.203	8.8	108	0.00
86 T	Hexachloroethane	0.226	0.197	12.8	109	0.00
87 M	1,2-Dichlorobenzene	0.707	0.684	3.3	114	0.00
88	1,2-Dibromo-3-Chloropropane	0.110	0.104	5.5	112	0.00
89	1,2,4-Trichlorobenzene	0.509	0.454	10.8	107	0.00
90	Hexachlorobutadiene	0.216	0.184	14.8	104	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX102320\
Data File : VX019090.D
Acq On : 23 Oct 2020 20:37
Operator : JC/SP
Sample : VSTDCCC020
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC020

Quant Time: Oct 26 05:09:41 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X102320W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Mon Oct 26 03:21:29 2020
Response via : Initial Calibration

Min. RRF : 0.050 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
91 M	Naphthalene	1.665	1.508	9.4	109	0.00
92	1,2,3-Trichlorobenzene	0.489	0.447	8.6	110	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0