

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX102521\
 Data File : VX024916.D
 Acq On : 25 Oct 2021 17:48
 Operator : JC/MD
 Sample : M4291-17
 Misc : 25.0mL/MSVOA_X/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 P045-TW001-01

Quant Time: Oct 26 01:25:30 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXTR102221WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 26 01:24:18 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	78635	5.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	73298	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	34295	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	9516	4.122	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	82.400%	
7) Chloroethane-d5	1.672	69	9431	4.534	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	90.600%	
11) 1,1-Dichloroethene-d2	2.313	63	25636	2.979	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	59.600%#	
20) 2-Butanone-d5	4.471	46	44247	52.423	ug/L	-0.01
Spiked Amount	50.000	Range 40 - 130	Recovery	=	104.840%	
24) Chloroform-d	5.062	84	51621	4.645	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.800%	
26) 1,2-Dichloroethane-d4	5.958	65	26918	4.432	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	88.600%	
32) Benzene-d6	5.983	84	81787	4.789	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.800%	
36) 1,2-Dichloropropane-d6	7.312	67	25708	4.718	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	94.400%	
41) Toluene-d8	8.653	98	76093	4.444	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	88.800%	
43) trans-1,3-Dichloroprop...	8.958	79	10745	4.296	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	86.000%	
46) 2-Hexanone-d5	9.391	63	41823	46.466	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	92.940%	
56) 1,1,2,2-Tetrachloroeth...	11.195	84	20882	5.014	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	100.200%	
66) 1,2-Dichlorobenzene-d4	12.323	152	27207	4.708	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	94.200%	
Target Compounds						
					Qvalue	
14) Carbon disulfide	2.514	76	1729	0.131	ug/L #	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX102521\
Data File : VX024916.D
Acq On : 25 Oct 2021 17:48
Operator : JC/MD
Sample : M4291-17
Misc : 25.0mL/MSVOA_X/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
P045-TW001-01

Quant Time: Oct 26 01:25:30 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 26 01:24:18 2021
Response via : Initial Calibration

