

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX102521\
 Data File : VX024930.D
 Acq On : 25 Oct 2021 23:21
 Operator : JC/MD
 Sample : M4318-08
 Misc : 25.0mL/MSVOA_X/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 P023-TW001-02

Quant Time: Oct 26 01:28:40 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXTR102221WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Oct 26 01:24:18 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	76066	5.000	ug/L	0.00
28) Chlorobenzene-d5	10.061	117	73001	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	33969	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.367	65	7915	3.544	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.800%
7) Chloroethane-d5	1.672	69	7891	3.922	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.400%
11) 1,1-Dichloroethene-d2	2.312	63	23018	2.765	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.400%#
20) 2-Butanone-d5	4.483	46	39856	48.816	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	97.640%
24) Chloroform-d	5.068	84	47662	4.433	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.600%
26) 1,2-Dichloroethane-d4	5.964	65	25353	4.315	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.200%
32) Benzene-d6	5.989	84	74534	4.382	ug/L	0.01
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.600%
36) 1,2-Dichloropropane-d6	7.318	67	22747	4.192	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	83.800%
41) Toluene-d8	8.653	98	68639	4.025	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.400%
43) trans-1,3-Dichloroprop...	8.958	79	9468	3.801	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.000%
46) 2-Hexanone-d5	9.390	63	39487	44.049	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	88.100%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	18100	4.364	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.200%
66) 1,2-Dichlorobenzene-d4	12.323	152	24237	4.234	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.600%
Target Compounds						Qvalue
34) Trichloroethene	7.129	95	7352	1.058	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX102521\
Data File : VX024930.D
Acq On : 25 Oct 2021 23:21
Operator : JC/MD
Sample : M4318-08
Misc : 25.0mL/MSVOA_X/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
P023-TW001-02

Quant Time: Oct 26 01:28:40 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXTR102221WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Oct 26 01:24:18 2021
Response via : Initial Calibration

