

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX102522\
 Data File : VX032379.D
 Acq On : 25 Oct 2022 21:03
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 27 14:19:27 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X101922W.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 22 04:56:40 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	50.000	45.872	8.3	92	0.00
3 P	Chloromethane	50.000	44.266	11.5	82	0.00
4 C	Vinyl Chloride	50.000	44.795	10.4#	84	0.00
5 T	Bromomethane	50.000	51.719	-3.4	98	0.00
6 T	Chloroethane	50.000	34.888	30.2#	70	0.00
7 T	Trichlorofluoromethane	50.000	50.330	-0.7	100	0.00
8 T	Diethyl Ether	50.000	50.927	-1.9	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.886	0.2	100	0.00
10 T	Methyl Iodide	50.000	34.944	30.1#	64	0.00
11 T	Tert butyl alcohol	250.000	264.540	-5.8	102	0.00
12 CM	1,1-Dichloroethene	50.000	47.900	4.2#	90	0.00
13 T	Acrolein	250.000	183.976	26.4#	72	0.00
14 T	Allyl chloride	50.000	51.248	-2.5	95	0.00
15 T	Acrylonitrile	250.000	258.088	-3.2	97	0.00
16 T	Acetone	250.000	263.462	-5.4	103	0.00
17 T	Carbon Disulfide	50.000	41.595	16.8	78	0.00
18 T	Methyl Acetate	50.000	53.969	-7.9	101	0.00
19 T	Methyl tert-butyl Ether	50.000	53.350	-6.7	101	0.00
20 T	Methylene Chloride	50.000	46.524	7.0	93	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.278	3.4	90	0.00
22 T	Diisopropyl ether	50.000	52.264	-4.5	99	0.00
23 T	Vinyl Acetate	250.000	259.650	-3.9	96	0.00
24 P	1,1-Dichloroethane	50.000	51.069	-2.1	98	0.00
25 T	2-Butanone	250.000	266.008	-6.4	101	0.00
26 T	2,2-Dichloropropane	50.000	49.256	1.5	90	0.00
27 T	cis-1,2-Dichloroethene	50.000	50.976	-2.0	95	0.00
28 T	Bromochloromethane	50.000	48.441	3.1	98	0.00
29 T	Tetrahydrofuran	250.000	263.217	-5.3	98	0.00
30 C	Chloroform	50.000	52.757	-5.5#	100	0.00
31 T	Cyclohexane	50.000	47.325	5.3	92	0.00
32 T	1,1,1-Trichloroethane	50.000	53.712	-7.4	99	0.00
33 S	1,2-Dichloroethane-d4	50.000	52.868	-5.7	100	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	101	0.00
35 S	Dibromofluoromethane	50.000	50.542	-1.1	97	0.00
36 T	1,1-Dichloropropene	50.000	48.106	3.8	94	0.00
37 T	Ethyl Acetate	50.000	49.946	0.1	98	0.00
38 T	Carbon Tetrachloride	50.000	52.431	-4.9	99	0.00
39 T	Methylcyclohexane	50.000	46.344	7.3	92	0.00
40 TM	Benzene	50.000	48.212	3.6	93	0.00
41 T	Methacrylonitrile	50.000	54.463	-8.9	98	0.00
42 TM	1,2-Dichloroethane	50.000	52.765	-5.5	101	0.00
43 T	Isopropyl Acetate	50.000	53.630	-7.3	100	0.00
44 TM	Trichloroethene	50.000	48.070	3.9	92	0.00
45 C	1,2-Dichloropropane	50.000	50.533	-1.1#	97	0.00
46 T	Dibromomethane	50.000	50.625	-1.3	96	0.00
47 T	Bromodichloromethane	50.000	54.056	-8.1	102	0.00
48 T	Methyl methacrylate	50.000	55.046	-10.1	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX102522\
 Data File : VX032379.D
 Acq On : 25 Oct 2022 21:03
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 27 14:19:27 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X101922W.M
 Quant Title : SW846 8260
 QLast Update : Sat Oct 22 04:56:40 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)

49 T	1,4-Dioxane	1000.000	1057.555	-5.8	98	-0.01
50 S	Toluene-d8	50.000	49.507	1.0	93	0.00
51 T	4-Methyl-2-Pentanone	250.000	271.220	-8.5	101	0.00
52 CM	Toluene	50.000	48.984	2.0#	94	0.00
53 T	t-1,3-Dichloropropene	50.000	48.574	2.9	99	0.00
54 T	cis-1,3-Dichloropropene	50.000	51.583	-3.2	95	0.00
55 T	1,1,2-Trichloroethane	50.000	51.769	-3.5	98	0.00
56 T	Ethyl methacrylate	50.000	53.771	-7.5	100	0.00
57 T	1,3-Dichloropropane	50.000	51.996	-4.0	99	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	238.585	4.6	92	0.00
59 T	2-Hexanone	250.000	272.150	-8.9	101	0.00
60 T	Dibromochloromethane	50.000	56.149	-12.3	102	0.00
61 T	1,2-Dibromoethane	50.000	52.121	-4.2	98	0.00
62 S	4-Bromofluorobenzene	50.000	53.117	-6.2	99	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	102	0.00
64 T	Tetrachloroethene	50.000	47.354	5.3	94	0.00
65 PM	Chlorobenzene	50.000	49.254	1.5	96	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	53.142	-6.3	100	0.00
67 C	Ethyl Benzene	50.000	49.576	0.8#	96	0.00
68 T	m/p-Xylenes	100.000	97.538	2.5	95	0.00
69 T	o-Xylene	50.000	50.351	-0.7	96	0.00
70 T	Styrene	50.000	50.486	-1.0	97	0.00
71 P	Bromoform	50.000	49.533	0.9	102	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	104	0.00
73 T	Isopropylbenzene	50.000	48.849	2.3	98	0.00
74 T	N-ethyl acetate	50.000	52.325	-4.7	99	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	49.600	0.8	100	0.00
76 T	1,2,3-Trichloropropane	50.000	50.543	-1.1	101	0.00
77 T	Bromobenzene	50.000	48.747	2.5	98	0.00
78 T	n-propylbenzene	50.000	49.200	1.6	97	0.00
79 T	2-Chlorotoluene	50.000	49.363	1.3	99	0.00
80 T	1,3,5-Trimethylbenzene	50.000	49.217	1.6	99	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	47.002	6.0	97	0.00
82 T	4-Chlorotoluene	50.000	49.895	0.2	99	0.00
83 T	tert-Butylbenzene	50.000	49.481	1.0	99	0.00
84 T	1,2,4-Trimethylbenzene	50.000	50.678	-1.4	99	0.00
85 T	sec-Butylbenzene	50.000	49.903	0.2	99	0.00
86 T	p-Isopropyltoluene	50.000	50.645	-1.3	100	0.00
87 T	1,3-Dichlorobenzene	50.000	48.455	3.1	98	0.00
88 T	1,4-Dichlorobenzene	50.000	47.608	4.8	97	0.00
89 T	n-Butylbenzene	50.000	49.543	0.9	97	0.00
90 T	Hexachloroethane	50.000	52.127	-4.3	102	0.00
91 T	1,2-Dichlorobenzene	50.000	49.363	1.3	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	57.393	-14.8	106	0.00
93 T	1,2,4-Trichlorobenzene	50.000	48.471	3.1	97	0.00
94 T	Hexachlorobutadiene	50.000	45.043	9.9	92	0.00
95 T	Naphthalene	50.000	50.827	-1.7	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX102522\
Data File : VX032379.D
Acq On : 25 Oct 2022 21:03
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Oct 27 14:19:27 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X101922W.M
Quant Title : SW846 8260
QLast Update : Sat Oct 22 04:56:40 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	47.822	4.4	96	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6