

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX102618\  
 Data File : VX005627.D  
 Acq On : 27 Oct 2018 02:01  
 Operator : JC/MD  
 Sample : VX1026WBL02  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 32 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX1026WBL02

Quant Time: Oct 27 06:33:02 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X102418W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Oct 25 02:52:45 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 227384   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 331989   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.12 | 117  | 298346   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 143274   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.07   | 65  | 141809   | 51.09 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 102.18% |      |
| 35) Dibromofluoromethane    | 5.50   | 113 | 113351   | 50.42 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 100.84% |      |
| 50) Toluene-d8              | 8.71   | 98  | 395584   | 48.97 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 97.94%  |      |
| 62) 4-Bromofluorobenzene    | 11.14  | 95  | 131573   | 43.13 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 86.26%  |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX102618\  
Data File : VX005627.D  
Acq On : 27 Oct 2018 02:01  
Operator : JC/MD  
Sample : VX1026WBL02  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 32 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampled :  
VX1026WBL02

Quant Time: Oct 27 06:33:02 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X102418W.M  
Quant Title : SW846 8260  
QLast Update : Thu Oct 25 02:52:45 2018  
Response via : Initial Calibration

