

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX102720\
 Data File : VX019144.D
 Acq On : 27 Oct 2020 18:18
 Operator : JC/MD
 Sample : L4532-02
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 TB-10-27-2020

Quant Time: Oct 28 02:43:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X102720W.M
 Quant Title : SW846 8260
 QLast Update : Tue Oct 27 13:55:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.63	168	323284	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.83	114	550837	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.10	117	526932	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.06	152	264514	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.03	65	204525	49.06	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.12%	
35) Dibromofluoromethane	5.46	113	168023	48.56	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.12%	
50) Toluene-d8	8.70	98	678045	51.99	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.98%	
62) 4-Bromofluorobenzene	11.12	95	260900	52.82	ug/l	0.00
Spiked Amount 50.000			Recovery	=	105.64%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX102720\
Data File : VX019144.D
Acq On : 27 Oct 2020 18:18
Operator : JC/MD
Sample : L4532-02
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
TB-10-27-2020

Quant Time: Oct 28 02:43:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X102720W.M
Quant Title : SW846 8260
QLast Update : Tue Oct 27 13:55:07 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.63 min Scan# 745

Delta R.T. -0.00 min

Lab File: VX019144.D

Acq: 27 Oct 2020 18:18

Instrument :

MSVOA_X

ClientSampleId :


TB-10-27-2020

Tot Ion:168 Resp: 323284

Ion Ratio Lower Upper

168 100

99 62.9 46.6 69.8



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.63

120000

100000

80000

60000



40000

20000

0

5.50 5.60 5.70 5.80

Time-->



#33

1,2-Dichloroethane-d4

Concen: 49.057 ug/l

RT: 6.03 min Scan# 811

Delta R.T. -0.00 min

Lab File: VX019144.D


Acq: 27 Oct 2020 18:18

Tgt Ion: 65 Resp: 204525

Ion Ratio Lower Upper

65 100

67 52.2 0.0 103.0



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.03

80000

60000


40000


20000

0

5.90 6.00 6.10

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.83 min Scan# 942

Delta R.T. -0.00 min

Lab File: VX019144.D

Acq: 27 Oct 2020 18:18

Instrument :

MSVOA_X

ClientSampleId :

TB-10-27-2020


Tot Ion:114 Resp: 550837

Ion Ratio Lower Upper

114 100

63 20.3 0.0 38.8




88 15.9 0.0 34.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 48.561 ug/l

RT: 5.46 min Scan# 718

Delta R.T. -0.00 min

Lab File: VX019144.D

Acq: 27 Oct 2020 18:18


Tgt Ion:113 Resp: 168023

Ion Ratio Lower Upper

113 100

111 101.9 82.3 123.5



192 19.9 16.2 24.2




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 51.985 ug/l
RT: 8.70 min Scan# 1248
Delta R.T. -0.00 min
Lab File: VX019144.D
Acq: 27 Oct 2020 18:18




Instrument :
MSVOA_X
ClientSampleId :
TB-10-27-2020


Tot Ion: 98 Resp: 678045
Ion Ratio Lower Upper
98 100
100 65.5 53.0 79.6



#62
4-Bromofluorobenzene
Concen: 52.819 ug/l
RT: 11.12 min Scan# 1646
Delta R.T. -0.00 min
Lab File: VX019144.D
Acq: 27 Oct 2020 18:18

Tgt Ion: 95 Resp: 260900
Ion Ratio Lower Upper
95 100
174 76.8 0.0 156.0
176 75.4 0.0 149.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.10 min Scan# 1478
Delta R.T. -0.00 min
Lab File: VX019144.D
Acq: 27 Oct 2020 18:18

Instrument :
MSVOA_X
ClientSampled :
TB-10-27-2020

Tot Ion:117 Resp: 526932
Ion Ratio Lower Upper
117 100
82 54.8 43.6 65.4
119 32.4 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.06 min Scan# 1800
Delta R.T. -0.00 min
Lab File: VX019144.D
Acq: 27 Oct 2020 18:18

Tgt Ion:152 Resp: 264514
Ion Ratio Lower Upper
152 100
115 61.3 41.9 125.7
150 157.8 0.0 347.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

