

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102723\  
 Data File : VX038607.D  
 Acq On : 27 Oct 2023 16:59  
 Operator : JC/MD  
 Sample : 05097-07  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 20 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 22-MW-2i

Quant Time: Oct 30 01:32:56 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X100523W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Oct 05 15:27:13 2023  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units | Dev(Min)     |
|-----------------------------|--------|-------|----------|----------|-------|--------------|
| -----                       |        |       |          |          |       |              |
| Internal Standards          |        |       |          |          |       |              |
| 1) Pentafluorobenzene       | 5.550  | 168   | 204494   | 50.000   | ug/l  | # 0.00       |
| 34) 1,4-Difluorobenzene     | 6.763  | 114   | 348442   | 50.000   | ug/l  | 0.00         |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 353962   | 50.000   | ug/l  | 0.00         |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 191408   | 50.000   | ug/l  | 0.00         |
| System Monitoring Compounds |        |       |          |          |       |              |
| 33) 1,2-Dichloroethane-d4   | 5.958  | 65    | 138150   | 42.002   | ug/l  | 0.00         |
| Spiked Amount               | 50.000 | Range | 78 - 117 | Recovery | =     | 84.000%      |
| 35) Dibromofluoromethane    | 5.391  | 113   | 124660   | 49.651   | ug/l  | 0.00         |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =     | 99.300%      |
| 50) Toluene-d8              | 8.647  | 98    | 448568   | 46.754   | ug/l  | 0.00         |
| Spiked Amount               | 50.000 | Range | 92 - 112 | Recovery | =     | 93.500%      |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 180405   | 49.599   | ug/l  | 0.00         |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =     | 99.200%      |
| Target Compounds            |        |       |          |          |       |              |
| 44) Trichloroethene         | 7.129  | 130   | 5704     | 2.252    | ug/l  | Qvalue<br>87 |
| -----                       |        |       |          |          |       |              |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX102723\  
Data File : VX038607.D  
Acq On : 27 Oct 2023 16:59  
Operator : JC/MD  
Sample : 05097-07  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 20 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
22-MW-2i

Quant Time: Oct 30 01:32:56 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X100523W.M  
Quant Title : SW846 8260  
QLast Update : Thu Oct 05 15:27:13 2023  
Response via : Initial Calibration

