

Data Path : \\74.0.250.170\terastorage\voasrv\HPCHEM1\MSVOA_X\Data\VX102919\
 Data File : VX013275.D
 Acq On : 29 Oct 2019 17:50
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 30 03:40:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X102419W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 24 03:56:38 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	75	0.00
2 T	Dichlorodifluoromethane	50.000	48.725	2.5	77	0.00
3 P	Chloromethane	50.000	46.186	7.6	72	0.00
4 C	Vinyl Chloride	50.000	44.864	10.3#	72	0.00
5 T	Bromomethane	50.000	44.862	10.3	76	0.00
6 T	Chloroethane	50.000	51.033	-2.1	75	0.00
7 T	Trichlorofluoromethane	50.000	53.464	-6.9	82	0.00
8 T	Diethyl Ether	50.000	49.258	1.5	79	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	50.433	-0.9	77	0.00
10 T	Methyl Iodide	50.000	47.115	5.8	72	0.00
11 T	Tert butyl alcohol	250.000	266.928	-6.8	83	0.00
12 CM	1,1-Dichloroethene	50.000	48.718	2.6#	77	0.00
13 T	Acrolein	250.000	237.270	5.1	75	0.00
14 T	Allyl chloride	50.000	46.232	7.5	74	0.00
15 T	Acrylonitrile	250.000	249.717	0.1	80	0.00
16 T	Acetone	250.000	242.020	3.2	74	0.00
17 T	Carbon Disulfide	50.000	43.598	12.8	70	0.00
18 T	Methyl Acetate	50.000	52.858	-5.7	82	0.00
19 T	Methyl tert-butyl Ether	50.000	50.838	-1.7	81	0.00
20 T	Methylene Chloride	50.000	51.482	-3.0	79	0.00
21 T	trans-1,2-Dichloroethene	50.000	51.626	-3.3	79	0.00
22 T	Diisopropyl ether	50.000	48.369	3.3	78	0.00
23 T	Vinyl Acetate	250.000	250.813	-0.3	77	0.00
24 P	1,1-Dichloroethane	50.000	49.872	0.3	80	0.00
25 T	2-Butanone	250.000	244.139	2.3	77	0.00
26 T	2,2-Dichloropropane	50.000	50.872	-1.7	79	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.791	0.4	80	0.00
28 T	Bromochloromethane	50.000	51.716	-3.4	77	0.00
29 T	Tetrahydrofuran	250.000	242.450	3.0	79	0.00
30 C	Chloroform	50.000	52.430	-4.9#	84	0.00
31 T	Cyclohexane	50.000	48.047	3.9	73	0.00
32 T	1,1,1-Trichloroethane	50.000	53.911	-7.8	83	0.00
33 S	1,2-Dichloroethane-d4	50.000	50.909	-1.8	80	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	75	0.00
35 S	Dibromofluoromethane	50.000	52.237	-4.5	79	0.00
36 T	1,1-Dichloropropene	50.000	52.532	-5.1	78	0.00
37 T	Ethyl Acetate	50.000	50.608	-1.2	81	0.00
38 T	Carbon Tetrachloride	50.000	54.202	-8.4	84	0.00
39 T	Methylcyclohexane	50.000	47.158	5.7	72	0.00
40 TM	Benzene	50.000	49.874	0.3	78	0.00
41 T	Methacrylonitrile	50.000	52.332	-4.7	80	0.00
42 TM	1,2-Dichloroethane	50.000	55.319	-10.6	85	0.00
43 T	Isopropyl Acetate	50.000	50.810	-1.6	78	0.00
44 TM	Trichloroethene	50.000	50.518	-1.0	79	0.00
45 C	1,2-Dichloropropane	50.000	49.474	1.1#	79	0.00

Data Path : \\74.0.250.170\terastorage\voasrv\HPCHEM1\MSVOA_X\Data\VX102919\
 Data File : VX013275.D
 Acq On : 29 Oct 2019 17:50
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Oct 30 03:40:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X102419W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 24 03:56:38 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
46 T	Dibromomethane	50.000	50.941	-1.9	80	0.00
47 T	Bromodichloromethane	50.000	54.922	-9.8	84	0.00
48 T	Methyl methacrylate	50.000	51.079	-2.2	80	0.00
49 T	1,4-Dioxane	1000.000	1087.353	-8.7	84	0.00
50 S	Toluene-d8	50.000	49.935	0.1	76	0.00
51 T	4-Methyl-2-Pentanone	250.000	257.087	-2.8	81	0.00
52 CM	Toluene	50.000	49.621	0.8#	79	0.00
53 T	t-1,3-Dichloropropene	50.000	56.545	-13.1	81	0.00
54 T	cis-1,3-Dichloropropene	50.000	54.054	-8.1	79	0.00
55 T	1,1,2-Trichloroethane	50.000	52.013	-4.0	82	0.00
56 T	Ethyl methacrylate	50.000	54.222	-8.4	82	0.00
57 T	1,3-Dichloropropane	50.000	52.104	-4.2	82	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	263.168	-5.3	76	0.00
59 T	2-Hexanone	250.000	262.031	-4.8	79	0.00
60 T	Dibromochloromethane	50.000	55.824	-11.6	83	0.00
61 T	1,2-Dibromoethane	50.000	52.652	-5.3	81	0.00
62 S	4-Bromofluorobenzene	50.000	50.983	-2.0	77	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	76	0.00
64 T	Tetrachloroethene	50.000	55.657	-11.3	79	0.00
65 PM	Chlorobenzene	50.000	50.776	-1.6	81	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	55.059	-10.1	86	0.00
67 C	Ethyl Benzene	50.000	50.940	-1.9#	79	0.00
68 T	m/p-Xylenes	100.000	101.751	-1.8	80	0.00
69 T	o-Xylene	50.000	50.357	-0.7	79	0.00
70 T	Styrene	50.000	51.992	-4.0	79	0.00
71 P	Bromoform	50.000	58.711	-17.4	87	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	79	0.00
73 T	Isopropylbenzene	50.000	46.910	6.2	78	0.00
74 T	N-amyl acetate	50.000	49.983	0.0	79	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	47.162	5.7	76	0.00
76 T	1,2,3-Trichloropropane	50.000	46.119	7.8	82	0.00
77 T	Bromobenzene	50.000	47.653	4.7	80	0.00
78 T	n-propylbenzene	50.000	48.359	3.3	78	0.00
79 T	2-Chlorotoluene	50.000	47.889	4.2	79	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.574	-1.1	80	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	50.599	-1.2	79	0.00
82 T	4-Chlorotoluene	50.000	49.610	0.8	82	0.00
83 T	tert-Butylbenzene	50.000	48.576	2.8	80	0.00
84 T	1,2,4-Trimethylbenzene	50.000	48.364	3.3	78	0.00
85 T	sec-Butylbenzene	50.000	49.482	1.0	80	0.00
86 T	p-Isopropyltoluene	50.000	51.207	-2.4	80	0.00
87 T	1,3-Dichlorobenzene	50.000	46.846	6.3	75	0.00
88 T	1,4-Dichlorobenzene	50.000	47.529	4.9	79	0.00
89 T	n-Butylbenzene	50.000	48.924	2.2	75	0.00

Data Path : \\74.0.250.170\terastorage\voasrv\HPCHEM1\MSVOA_X\Data\VX102919\
Data File : VX013275.D
Acq On : 29 Oct 2019 17:50
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Oct 30 03:40:20 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X102419W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 24 03:56:38 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	50.000	53.224	-6.4	82	0.00
91 T	1,2-Dichlorobenzene	50.000	47.892	4.2	78	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	52.740	-5.5	84	0.00
93 T	1,2,4-Trichlorobenzene	50.000	47.392	5.2	73	0.00
94 T	Hexachlorobutadiene	50.000	48.339	3.3	75	0.00
95 T	Naphthalene	50.000	49.409	1.2	76	0.00
96 T	1,2,3-Trichlorobenzene	50.000	49.143	1.7	78	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6