

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX103122\
 Data File : VX032499.D
 Acq On : 31 Oct 2022 19:36
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 01 05:17:25 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X102622W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 27 08:28:06 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	50.000	51.917	-3.8	91	0.00
3 P	Chloromethane	50.000	49.458	1.1	90	0.00
4 C	Vinyl Chloride	50.000	50.212	-0.4#	90	0.00
5 T	Bromomethane	50.000	58.324	-16.6	106	0.00
6 T	Chloroethane	50.000	48.587	2.8	96	0.00
7 T	Trichlorofluoromethane	50.000	50.128	-0.3	93	0.00
8 T	Diethyl Ether	50.000	49.701	0.6	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.885	0.2	95	0.00
10 T	Methyl Iodide	50.000	55.756	-11.5	104	0.00
11 T	Tert butyl alcohol	250.000	226.493	9.4	85	0.01
12 CM	1,1-Dichloroethene	50.000	49.361	1.3#	93	0.00
13 T	Acrolein	250.000	292.266	-16.9	114	0.00
14 T	Allyl chloride	50.000	49.889	0.2	93	0.00
15 T	Acrylonitrile	250.000	234.140	6.3	91	0.00
16 T	Acetone	250.000	224.886	10.0	91	0.00
17 T	Carbon Disulfide	50.000	48.103	3.8	87	0.00
18 T	Methyl Acetate	50.000	48.947	2.1	92	0.00
19 T	Methyl tert-butyl Ether	50.000	49.831	0.3	96	0.00
20 T	Methylene Chloride	50.000	47.660	4.7	96	0.00
21 T	trans-1,2-Dichloroethene	50.000	49.000	2.0	94	0.00
22 T	Diisopropyl ether	50.000	49.477	1.0	96	0.00
23 T	Vinyl Acetate	250.000	246.227	1.5	92	0.00
24 P	1,1-Dichloroethane	50.000	49.501	1.0	94	0.00
25 T	2-Butanone	250.000	229.350	8.3	89	0.00
26 T	2,2-Dichloropropane	50.000	48.723	2.6	91	0.00
27 T	cis-1,2-Dichloroethene	50.000	50.757	-1.5	95	0.00
28 T	Bromochloromethane	50.000	44.777	10.4	90	0.00
29 T	Tetrahydrofuran	250.000	232.072	7.2	89	0.00
30 C	Chloroform	50.000	50.798	-1.6#	98	0.00
31 T	Cyclohexane	50.000	49.935	0.1	92	0.00
32 T	1,1,1-Trichloroethane	50.000	51.627	-3.3	96	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.867	0.3	98	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	94	0.00
35 S	Dibromofluoromethane	50.000	48.728	2.5	94	0.00
36 T	1,1-Dichloropropene	50.000	50.520	-1.0	95	0.00
37 T	Ethyl Acetate	50.000	45.878	8.2	93	0.00
38 T	Carbon Tetrachloride	50.000	51.309	-2.6	95	0.00
39 T	Methylcyclohexane	50.000	49.496	1.0	90	0.00
40 TM	Benzene	50.000	50.035	-0.1	94	0.00
41 T	Methacrylonitrile	50.000	50.816	-1.6	96	0.00
42 TM	1,2-Dichloroethane	50.000	51.073	-2.1	96	0.00
43 T	Isopropyl Acetate	50.000	49.609	0.8	92	0.00
44 TM	Trichloroethene	50.000	50.272	-0.5	96	0.00
45 C	1,2-Dichloropropane	50.000	50.270	-0.5#	96	0.00
46 T	Dibromomethane	50.000	50.278	-0.6	96	0.00
47 T	Bromodichloromethane	50.000	51.617	-3.2	97	0.00
48 T	Methyl methacrylate	50.000	48.665	2.7	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX103122\
 Data File : VX032499.D
 Acq On : 31 Oct 2022 19:36
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 01 05:17:25 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X102622W.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 27 08:28:06 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	956.132	4.4	88	0.01
50 S	Toluene-d8	50.000	49.675	0.7	95	0.00
51 T	4-Methyl-2-Pentanone	250.000	244.509	2.2	91	0.00
52 CM	Toluene	50.000	50.715	-1.4#	95	0.00
53 T	t-1,3-Dichloropropene	50.000	52.231	-4.5	94	0.00
54 T	cis-1,3-Dichloropropene	50.000	51.914	-3.8	95	0.00
55 T	1,1,2-Trichloroethane	50.000	49.548	0.9	96	0.00
56 T	Ethyl methacrylate	50.000	51.146	-2.3	92	0.00
57 T	1,3-Dichloropropane	50.000	49.809	0.4	95	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	246.934	1.2	90	0.00
59 T	2-Hexanone	250.000	243.876	2.4	90	0.00
60 T	Dibromochloromethane	50.000	51.827	-3.7	97	0.00
61 T	1,2-Dibromoethane	50.000	51.176	-2.4	96	0.00
62 S	4-Bromofluorobenzene	50.000	50.949	-1.9	95	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	95	0.00
64 T	Tetrachloroethene	50.000	49.854	0.3	95	0.00
65 PM	Chlorobenzene	50.000	49.404	1.2	96	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	51.733	-3.5	99	0.00
67 C	Ethyl Benzene	50.000	50.514	-1.0#	95	0.00
68 T	m/p-Xylenes	100.000	100.900	-0.9	95	0.00
69 T	o-Xylene	50.000	50.737	-1.5	95	0.00
70 T	Styrene	50.000	51.371	-2.7	95	0.00
71 P	Bromoform	50.000	52.262	-4.5	96	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	94	0.00
73 T	Isopropylbenzene	50.000	48.273	3.5	95	0.00
74 T	N-amyl acetate	50.000	49.170	1.7	93	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	46.763	6.5	93	0.00
76 T	1,2,3-Trichloropropane	50.000	48.707	2.6	94	0.00
77 T	Bromobenzene	50.000	48.393	3.2	97	0.00
78 T	n-propylbenzene	50.000	48.348	3.3	94	0.00
79 T	2-Chlorotoluene	50.000	48.584	2.8	95	0.00
80 T	1,3,5-Trimethylbenzene	50.000	49.275	1.5	94	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	48.639	2.7	91	0.00
82 T	4-Chlorotoluene	50.000	48.998	2.0	95	0.00
83 T	tert-Butylbenzene	50.000	49.385	1.2	96	0.00
84 T	1,2,4-Trimethylbenzene	50.000	49.317	1.4	94	0.00
85 T	sec-Butylbenzene	50.000	49.524	1.0	94	0.00
86 T	p-Isopropyltoluene	50.000	49.927	0.1	93	0.00
87 T	1,3-Dichlorobenzene	50.000	48.961	2.1	96	0.00
88 T	1,4-Dichlorobenzene	50.000	47.595	4.8	95	0.00
89 T	n-Butylbenzene	50.000	49.331	1.3	92	0.00
90 T	Hexachloroethane	50.000	50.914	-1.8	96	0.00
91 T	1,2-Dichlorobenzene	50.000	48.939	2.1	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	48.052	3.9	91	0.00
93 T	1,2,4-Trichlorobenzene	50.000	46.835	6.3	94	0.00
94 T	Hexachlorobutadiene	50.000	46.116	7.8	93	0.00
95 T	Naphthalene	50.000	46.993	6.0	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX103122\
Data File : VX032499.D
Acq On : 31 Oct 2022 19:36
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Nov 01 05:17:25 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X102622W.M
Quant Title : SW846 8260
QLast Update : Thu Oct 27 08:28:06 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	45.793	8.4	91	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6