

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX110220\
 Data File : VX019213.D
 Acq On : 02 Nov 2020 15:49
 Operator : JC/MD
 Sample : VX1102MBL02
 Misc : 5.0µ/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VBLK407

Quant Time: Nov 03 07:51:13 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SFAMXLM110220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Nov 02 14:52:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	454220	50.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	423931	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.06	152	190725	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	181541	46.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.84%
7) Chloroethane-d5	1.70	69	142671	49.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.28%
11) 1,1-Dichloroethene-d2	2.34	63	239590	37.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.26%
21) 2-Butanone-d5	4.54	46	216559	108.55	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.55%
24) Chloroform-d	5.14	84	296033	46.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.96%
26) 1,2-Dichloroethane-d4	6.03	65	204006	45.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.18%
32) Benzene-d6	6.05	84	629215	47.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.62%
36) 1,2-Dichloropropane-d6	7.37	67	187398	48.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.46%
41) Toluene-d8	8.70	98	591053	44.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.48%
43) trans-1,3-Dichloropropene-	8.99	79	97574	47.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.68%
47) 2-Hexanone-d5	9.43	63	176859	110.19	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.19%
56) 1,1,2,2-Tetrachloroethane-	11.23	84	224826	49.04	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.08%
66) 1,2-Dichlorobenzene-d4	12.36	152	189025	49.36	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.72%

Target Compounds					Ovalue
42) Toluene	8.76	91	8770	0.662 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX110220\
Data File : VX019213.D
Acq On : 02 Nov 2020 15:49
Operator : JC/MD
Sample : VX1102MBL02
Misc : 5.0µ/5mL/100uL/5.00mL/MSVOA_X/MEOH
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampled :
VBLK407

Quant Time: Nov 03 07:51:13 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\SFAMXLM110220WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Nov 02 14:52:07 2020
Response via : Initial Calibration

