

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX110520\
 Data File : VX019266.D
 Acq On : 04 Nov 2020 12:04
 Operator : JC/MD
 Sample : VX1105MBL06
 Misc : 5.0µ/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VBLK416

Quant Time: Nov 04 12:56:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\SFAMXLM110220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 04 01:20:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.83	114	403482	50.00	ug/L	0.00
28) Chlorobenzene-d5	10.10	117	373319	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.06	152	177717	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	147754	42.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.08%
7) Chloroethane-d5	1.70	69	123146	47.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.50%
11) 1,1-Dichloroethene-d2	2.34	63	200631	35.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.02%
21) 2-Butanone-d5	4.53	46	202874	114.48	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	114.48%
24) Chloroform-d	5.14	84	265430	46.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.84%
26) 1,2-Dichloroethane-d4	6.03	65	184391	45.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.76%
32) Benzene-d6	6.05	84	549619	47.43	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.86%
36) 1,2-Dichloropropane-d6	7.37	67	168009	49.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.20%
41) Toluene-d8	8.70	98	491826	41.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.60%
43) trans-1,3-Dichloropropene-	8.99	79	84513	46.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.14%
47) 2-Hexanone-d5	9.43	63	159300	112.70	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	112.70%
56) 1,1,2,2-Tetrachloroethane-	11.23	84	221582	54.89	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	109.78%
66) 1,2-Dichlorobenzene-d4	12.36	152	176596	49.49	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.98%

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
42) Toluene	8.76	91	7528	0.646	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX110520\
Data File : VX019266.D
Acq On : 04 Nov 2020 12:04
Operator : JC/MD
Sample : VX1105MBL06
Misc : 5.0µL/5mL/100uL/5.00mL/MSVOA_X/MEOH
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VBLK416

Quant Time: Nov 04 12:56:18 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\SFAMXLM110220WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 04 01:20:42 2020
Response via : Initial Calibration

