

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX110818\
 Data File : VX005841.D
 Acq On : 08 Nov 2018 12:37
 Operator : JC/MD
 Sample : VX1108WBL01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX1108WBL01

Quant Time: Nov 08 13:10:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X110718W.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 07 14:40:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	114753	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	168470	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	150036	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.08	152	65161	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	72424	54.90	ug/l	0.00
Spiked Amount	50.000		Recovery	=	109.80%	
35) Dibromofluoromethane	5.50	113	56152	49.00	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.00%	
50) Toluene-d8	8.71	98	177499	46.59	ug/l	0.00
Spiked Amount	50.000		Recovery	=	93.18%	
62) 4-Bromofluorobenzene	11.14	95	60050	43.84	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.68%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX110818\
Data File : VX005841.D
Acq On : 08 Nov 2018 12:37
Operator : JC/MD
Sample : VX1108WBL01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX1108WBL01

Quant Time: Nov 08 13:10:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X110718W.M
Quant Title : SW846 8260
QLast Update : Wed Nov 07 14:40:53 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 740

Delta R.T. 0.01 min

Lab File: VX005841.D

Acq: 08 Nov 2018 12:37

Instrument :

MSVOA_X

ClientSampleId :


VX1108WBL01

Tot Ion:168 Resp: 114753

Ion Ratio Lower Upper

168 100

99 47.4 40.7 61.1



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

40000



30000

20000

10000

0

Time--> 5.50 5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 54.899 ug/l

RT: 6.07 min Scan# 807

Delta R.T. 0.01 min

Lab File: VX005841.D


Acq: 08 Nov 2018 12:37

Tgt Ion: 65 Resp: 72424

Ion Ratio Lower Upper

65 100

67 53.2 0.0 105.0



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.07

30000

25000

20000


15000


10000

5000

0

Time--> 5.90 6.00 6.10 6.20









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.87 min Scan# 937
 Delta R.T. 0.01 min
 Lab File: VX005841.D
 Acq: 08 Nov 2018 12:37

Instrument :
 MSVOA_X
 ClientSampleId :
 VX1108WBL01

Tot Ion:114 Resp: 168470
 Ion Ratio Lower Upper
 114 100
 63 16.3 0.0 42.8
 88 14.6 0.0 31.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VX0
 Ion 87.90 (87.60 to 88.60): VX0






#35
 Dibromofluoromethane
 Concen: 49.005 ug/l
 RT: 5.50 min Scan# 713
 Delta R.T. -0.01 min
 Lab File: VX005841.D
 Acq: 08 Nov 2018 12:37

Tgt Ion:113 Resp: 56152
 Ion Ratio Lower Upper
 113 100
 111 105.6 82.3 123.5
 192 24.0 17.9 26.9



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 46.594 ug/l

RT: 8.71 min Scan# 1240

Delta R.T. 0.00 min

Lab File: VX005841.D

Acq: 08 Nov 2018 12:37

Instrument :

MSVOA_X

ClientSampled :


VX1108WBL01

Tot Ion: 98 Resp: 177499

Ion Ratio Lower Upper




98 100

100 63.3 51.3 76.9



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): V



#62

4-Bromofluorobenzene

Concen: 43.844 ug/l

RT: 11.14 min Scan# 1638

Delta R.T. 0.00 min

Lab File: VX005841.D

Acq: 08 Nov 2018 12:37


Tgt Ion: 95 Resp: 60050

Ion Ratio Lower Upper

95 100

174 92.1 0.0 184.4



176 87.5 0.0 177.4




Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.12 min Scan# 1470
Delta R.T. 0.00 min
Lab File: VX005841.D
Acq: 08 Nov 2018 12:37

Instrument :
MSVOA_X
ClientSampled :
VX1108WBL01

Tot Ion:117 Resp: 150036
Ion Ratio Lower Upper
117 100
82 45.7 44.1 66.1
119 24.6 26.2 39.2#




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.08 min Scan# 1792
Delta R.T. 0.00 min
Lab File: VX005841.D
Acq: 08 Nov 2018 12:37

Tgt Ion:152 Resp: 65161
Ion Ratio Lower Upper
152 100
115 56.2 39.4 118.1
150 155.7 0.0 346.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

