

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX110823\
 Data File : VX038667.D
 Acq On : 08 Nov 2023 19:31
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 09 01:22:53 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X110723W.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 08 03:19:07 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	91	0.00
2 T	Dichlorodifluoromethane	50.000	49.976	0.0	88	0.00
3 P	Chloromethane	50.000	48.972	2.1	94	0.00
4 C	Vinyl Chloride	50.000	49.661	0.7#	91	0.00
5 T	Bromomethane	50.000	50.360	-0.7	88	0.00
6 T	Chloroethane	50.000	50.424	-0.8	94	0.00
7 T	Trichlorofluoromethane	50.000	51.115	-2.2	93	0.00
8 T	Diethyl Ether	50.000	51.260	-2.5	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.538	0.9	92	0.00
10 T	Methyl Iodide	50.000	58.404	-16.8	102	0.00
11 T	Tert butyl alcohol	250.000	244.945	2.0	98	0.00
12 CM	1,1-Dichloroethene	50.000	49.967	0.1#	92	0.00
13 T	Acrolein	250.000	244.680	2.1	95	0.00
14 T	Allyl chloride	50.000	49.787	0.4	93	0.00
15 T	Acrylonitrile	250.000	263.627	-5.5	97	0.00
16 T	Acetone	250.000	238.898	4.4	93	0.00
17 T	Carbon Disulfide	50.000	47.494	5.0	87	0.00
18 T	Methyl Acetate	50.000	52.339	-4.7	96	0.00
19 T	Methyl tert-butyl Ether	50.000	52.917	-5.8	96	0.00
20 T	Methylene Chloride	50.000	51.073	-2.1	97	0.00
21 T	trans-1,2-Dichloroethene	50.000	51.182	-2.4	95	0.00
22 T	Diisopropyl ether	50.000	52.421	-4.8	95	0.00
23 T	Vinyl Acetate	250.000	268.256	-7.3	95	0.00
24 P	1,1-Dichloroethane	50.000	50.929	-1.9	94	0.00
25 T	2-Butanone	250.000	255.656	-2.3	96	0.00
26 T	2,2-Dichloropropane	50.000	45.234	9.5	85	0.00
27 T	cis-1,2-Dichloroethene	50.000	51.746	-3.5	95	0.00
28 T	Bromochloromethane	50.000	52.550	-5.1	97	0.00
29 T	Tetrahydrofuran	250.000	263.289	-5.3	96	0.00
30 C	Chloroform	50.000	50.908	-1.8#	97	0.00
31 T	Cyclohexane	50.000	47.402	5.2	87	0.00
32 T	1,1,1-Trichloroethane	50.000	50.823	-1.6	93	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.636	0.7	95	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	91	0.00
35 S	Dibromofluoromethane	50.000	50.423	-0.8	94	0.00
36 T	1,1-Dichloropropene	50.000	49.059	1.9	91	0.00
37 T	Ethyl Acetate	50.000	51.482	-3.0	94	0.00
38 T	Carbon Tetrachloride	50.000	51.281	-2.6	93	0.00
39 T	Methylcyclohexane	50.000	47.807	4.4	89	0.00
40 TM	Benzene	50.000	51.030	-2.1	95	0.00
41 T	Methacrylonitrile	50.000	52.899	-5.8	96	0.00
42 TM	1,2-Dichloroethane	50.000	53.281	-6.6	96	0.00
43 T	Isopropyl Acetate	50.000	51.953	-3.9	94	0.00
44 TM	Trichloroethene	50.000	50.612	-1.2	93	0.00
45 C	1,2-Dichloropropane	50.000	51.872	-3.7#	95	0.00
46 T	Dibromomethane	50.000	53.173	-6.3	96	0.00
47 T	Bromodichloromethane	50.000	51.608	-3.2	96	0.00
48 T	Methyl methacrylate	50.000	53.612	-7.2	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX110823\
 Data File : VX038667.D
 Acq On : 08 Nov 2023 19:31
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 09 01:22:53 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X110723W.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 08 03:19:07 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1162.716	-16.3	107	0.00
50 S	Toluene-d8	50.000	49.267	1.5	92	0.00
51 T	4-Methyl-2-Pentanone	250.000	267.338	-6.9	96	0.00
52 CM	Toluene	50.000	51.627	-3.3#	93	0.00
53 T	t-1,3-Dichloropropene	50.000	51.707	-3.4	92	0.00
54 T	cis-1,3-Dichloropropene	50.000	52.121	-4.2	92	0.00
55 T	1,1,2-Trichloroethane	50.000	54.046	-8.1	97	0.00
56 T	Ethyl methacrylate	50.000	55.450	-10.9	96	0.00
57 T	1,3-Dichloropropane	50.000	53.232	-6.5	97	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	274.358	-9.7	95	0.00
59 T	2-Hexanone	250.000	265.098	-6.0	96	0.00
60 T	Dibromochloromethane	50.000	53.774	-7.5	97	0.00
61 T	1,2-Dibromoethane	50.000	54.149	-8.3	98	0.00
62 S	4-Bromofluorobenzene	50.000	50.127	-0.3	93	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	92	0.00
64 T	Tetrachloroethene	50.000	48.802	2.4	93	0.00
65 PM	Chlorobenzene	50.000	51.288	-2.6	95	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.535	-5.1	95	0.00
67 C	Ethyl Benzene	50.000	50.981	-2.0#	93	0.00
68 T	m/p-Xylenes	100.000	102.423	-2.4	93	0.00
69 T	o-Xylene	50.000	51.855	-3.7	94	0.00
70 T	Styrene	50.000	52.923	-5.8	95	0.00
71 P	Bromoform	50.000	53.995	-8.0	97	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	94	0.00
73 T	Isopropylbenzene	50.000	49.692	0.6	93	0.00
74 T	N-ethyl acetate	50.000	52.548	-5.1	95	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	51.658	-3.3	98	0.00
76 T	1,2,3-Trichloropropane	50.000	45.122	9.8	85	0.00
77 T	Bromobenzene	50.000	50.112	-0.2	95	0.00
78 T	n-propylbenzene	50.000	49.524	1.0	92	0.00
79 T	2-Chlorotoluene	50.000	49.542	0.9	93	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.476	-1.0	93	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	48.329	3.3	89	0.00
82 T	4-Chlorotoluene	50.000	50.384	-0.8	94	0.00
83 T	tert-Butylbenzene	50.000	49.879	0.2	91	0.00
84 T	1,2,4-Trimethylbenzene	50.000	50.901	-1.8	93	0.00
85 T	sec-Butylbenzene	50.000	49.256	1.5	91	0.00
86 T	p-Isopropyltoluene	50.000	50.389	-0.8	93	0.00
87 T	1,3-Dichlorobenzene	50.000	49.469	1.1	94	0.00
88 T	1,4-Dichlorobenzene	50.000	48.832	2.3	94	0.00
89 T	n-Butylbenzene	50.000	49.214	1.6	91	0.00
90 T	Hexachloroethane	50.000	50.758	-1.5	93	0.00
91 T	1,2-Dichlorobenzene	50.000	50.168	-0.3	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	52.675	-5.3	98	0.00
93 T	1,2,4-Trichlorobenzene	50.000	50.233	-0.5	95	0.00
94 T	Hexachlorobutadiene	50.000	47.666	4.7	93	0.00
95 T	Naphthalene	50.000	52.742	-5.5	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110823\
Data File : VX038667.D
Acq On : 08 Nov 2023 19:31
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Nov 09 01:22:53 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X110723W.M
Quant Title : SW846 8260
QLast Update : Wed Nov 08 03:19:07 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	49.833	0.3	95	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6