

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110921\
 Data File : VX025111.D
 Acq On : 09 Nov 2021 10:52
 Operator : JC/MD
 Sample : VX1109WBL01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Nov 10 02:51:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM110821WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Nov 10 02:50:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	133651	50.000	ug/L	# 0.00
28) Chlorobenzene-d5	10.055	117	120887	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	47795	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	53673	44.412	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	88.820%		
7) Chloroethane-d5	1.666	69	45060	59.474	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	118.940%		
11) 1,1-Dichloroethene-d2	2.306	63	84323	36.225	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	72.440%		
21) 2-Butanone-d5	4.458	46	94591	113.888	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	113.890%		
24) Chloroform-d	5.062	84	111215	46.810	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.620%		
26) 1,2-Dichloroethane-d4	5.958	65	82527	53.097	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	106.200%		
32) Benzene-d6	5.983	84	189332	43.988	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	87.980%		
36) 1,2-Dichloropropane-d6	7.312	67	63942	50.416	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	100.840%		
41) Toluene-d8	8.653	98	168123	46.466	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	92.940%		
43) trans-1,3-Dichloroprop...	8.952	79	32356	47.799	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	95.600%		
47) 2-Hexanone-d5	9.433	63	229	0.423	ug/L	0.05
Spiked Amount 100.000	Range 45 - 130		Recovery =	0.420%#		
56) 1,1,2,2-Tetrachloroeth...	11.195	84	83465	47.542	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	95.080%		
66) 1,2-Dichlorobenzene-d4	12.323	152	46724	49.875	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	99.760%		
Target Compounds						Qvalue
37) 1,2-Dichloropropane	7.306	63	8498	8.045	ug/L #	85
44) trans-1,3-Dichloropropene	8.952	75	2186	1.279	ug/L #	54


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX110921\
Data File : VX025111.D
Acq On : 09 Nov 2021 10:52
Operator : JC/MD
Sample : VX1109WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :

Quant Time: Nov 10 02:51:17 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML110821WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Nov 10 02:50:07 2021
Response via : Initial Calibration





#37

1,2-Dichloropropane

Concen: 8.045 ug/L

RT: 7.306 min Scan# 11

Delta R.T. -0.128 min

Lab File: VX025111.D

Acq: 09 Nov 2021 10:52

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 63 Resp: 8498

Ion Ratio Lower Upper

63 100

112 0.0 4.0 6.0#



#44

trans-1,3-Dichloropropene

Concen: 1.279 ug/L

RT: 8.952 min Scan# 1290

Delta R.T. -0.030 min

Lab File: VX025111.D

Acq: 09 Nov 2021 10:52

Tgt Ion: 75 Resp: 2186

Ion Ratio Lower Upper

75 100

77 59.8 23.4 43.6#

