

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX111224\
 Data File : VX043816.D
 Acq On : 12 Nov 2024 17:27
 Operator : JC/MD
 Sample : P4786-18
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E27P6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML110424WMA.M
 Title : VOC Analysis

Signal : TIC: VX043816.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.240	21	25	32	rBV2	9772	14712	1.94%	0.236%
2	1.368	42	46	56	rBV	62476	80981	10.70%	1.302%
3	1.642	88	91	105	rVB	57024	98459	13.01%	1.583%
4	2.294	191	198	208	rBV	150204	235836	31.16%	3.791%
5	2.575	242	244	245	rVB	632	301	0.04%	0.005%
6	2.697	262	264	268	rVB2	461	627	0.08%	0.010%
7	2.758	272	274	275	rBV	489	299	0.04%	0.005%
8	2.788	275	279	280	rBV3	684	848	0.11%	0.014%
9	2.892	294	296	299	rBV2	281	365	0.05%	0.006%
10	2.947	299	305	312	rVV5	2203	5597	0.74%	0.090%
11	3.105	330	331	334	rVB2	417	328	0.04%	0.005%
12	3.166	339	341	344	rBV2	310	360	0.05%	0.006%
13	3.252	354	355	358	rVB	539	319	0.04%	0.005%
14	3.441	380	386	392	rVB5	2418	5962	0.79%	0.096%
15	3.550	401	404	405	rBV	335	334	0.04%	0.005%
16	3.636	415	418	419	rBV	314	288	0.04%	0.005%
17	3.965	470	472	475	rBV2	335	412	0.05%	0.007%
18	4.001	475	478	479	rBV2	272	338	0.04%	0.005%
19	4.221	510	514	517	rVB2	277	358	0.05%	0.006%
20	4.264	517	521	524	rBV3	431	615	0.08%	0.010%
21	4.465	545	554	571	rBV	42279	136410	18.03%	2.193%
22	5.050	637	650	669	rBV2	99647	311544	41.17%	5.008%
23	5.202	673	675	676	rBV2	343	347	0.05%	0.006%
24	5.288	687	689	691	rVB2	453	355	0.05%	0.006%
25	5.367	700	702	704	rBV	350	318	0.04%	0.005%
26	5.544	727	731	733	rBV3	584	709	0.09%	0.011%
27	5.568	733	735	736	rBV2	500	387	0.05%	0.006%
28	5.666	749	751	752	rVV	452	314	0.04%	0.005%
29	5.696	755	756	759	rVV	369	290	0.04%	0.005%
30	5.964	785	800	815	rBV2	254855	756778	100.00%	12.164%
31	6.306	854	856	858	rVV	389	362	0.05%	0.006%
32	6.434	875	877	879	rVV2	410	300	0.04%	0.005%
33	6.458	879	881	885	rVV2	358	404	0.05%	0.006%
34	6.757	919	930	945	rBV	263307	643682	85.06%	10.347%
35	7.025	972	974	978	rVB2	602	567	0.07%	0.009%
36	7.123	984	990	1002	rBV4	9543	24438	3.23%	0.393%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX111224\
 Data File : VX043816.D
 Acq On : 12 Nov 2024 17:27
 Operator : JC/MD
 Sample : P4786-18
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E27P6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML110424WMA.M
 Title : VOC Analysis

37	7.306	1012	1020	1031	rBV	146812	335650	44.35%	5.395%
38	7.489	1046	1050	1052	rBV5	640	736	0.10%	0.012%
39	7.665	1077	1079	1081	rVV3	320	346	0.05%	0.006%
40	7.690	1081	1083	1085	rVV2	469	332	0.04%	0.005%
41	7.964	1124	1128	1129	rBV3	601	489	0.06%	0.008%
42	8.214	1164	1169	1171	rVV2	333	390	0.05%	0.006%
43	8.324	1181	1187	1200	rBV	96042	159279	21.05%	2.560%
44	8.519	1218	1219	1221	rBV2	726	432	0.06%	0.007%
45	8.647	1233	1240	1253	rBV	382504	607198	80.23%	9.760%
46	8.872	1275	1277	1279	rVB	631	351	0.05%	0.006%
47	8.891	1279	1280	1284	rVB2	452	323	0.04%	0.005%
48	8.952	1284	1290	1301	rBV	64232	103082	13.62%	1.657%
49	9.232	1335	1336	1338	rBV2	327	302	0.04%	0.005%
50	9.275	1338	1343	1350	rVB2	4228	7057	0.93%	0.113%
51	9.385	1356	1361	1379	rBV	215599	343228	45.35%	5.517%
52	9.775	1422	1425	1427	rBV2	492	402	0.05%	0.006%
53	9.805	1427	1430	1432	rVB2	525	465	0.06%	0.007%
54	10.049	1465	1470	1486	rBV	508812	738404	97.57%	11.869%
55	10.336	1515	1517	1521	rVV2	336	422	0.06%	0.007%
56	10.415	1528	1530	1533	rBV2	317	322	0.04%	0.005%
57	10.531	1547	1549	1551	rBV	332	342	0.05%	0.005%
58	10.750	1581	1585	1588	rBV	439	404	0.05%	0.006%
59	11.061	1633	1636	1638	rBV2	388	457	0.06%	0.007%
60	11.189	1652	1657	1666	rBV	302568	389062	51.41%	6.254%
61	11.311	1674	1677	1683	rBV4	4712	6249	0.83%	0.100%
62	11.433	1694	1697	1699	rBV2	371	323	0.04%	0.005%
63	11.652	1731	1733	1737	rBV2	301	389	0.05%	0.006%
64	11.689	1737	1739	1741	rBV	346	354	0.05%	0.006%
65	11.707	1741	1742	1746	rVB2	358	323	0.04%	0.005%
66	11.811	1758	1759	1763	rVB2	440	328	0.04%	0.005%
67	12.018	1788	1793	1802	rBV	502180	644370	85.15%	10.358%
68	12.207	1823	1824	1828	rBV3	276	384	0.05%	0.006%
69	12.317	1837	1842	1853	rBV	421593	537495	71.02%	8.640%
70	12.469	1865	1867	1868	rBV2	343	313	0.04%	0.005%
71	12.555	1879	1881	1883	rVB2	402	301	0.04%	0.005%
72	12.585	1883	1886	1890	rBV4	425	565	0.07%	0.009%
73	12.701	1903	1905	1906	rVB	480	303	0.04%	0.005%
74	12.725	1906	1909	1911	rVB2	318	302	0.04%	0.005%
75	12.762	1911	1915	1918	rBV3	1382	1979	0.26%	0.032%
76	12.847	1928	1929	1932	rBV2	322	379	0.05%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX111224\
 Data File : VX043816.D
 Acq On : 12 Nov 2024 17:27
 Operator : JC/MD
 Sample : P4786-18
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E27P6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML110424WMA.M
 Title : VOC Analysis

77	13.036	1959	1960	1962	rBV	390	360	0.05%	0.006%
78	13.256	1995	1996	2003	rVV2	329	499	0.07%	0.008%
79	13.341	2009	2010	2012	rVV2	412	302	0.04%	0.005%
80	13.439	2023	2026	2028	rBV2	292	304	0.04%	0.005%
81	13.591	2048	2051	2052	rBV2	421	343	0.05%	0.006%
82	13.744	2075	2076	2079	rBV2	401	407	0.05%	0.007%
83	13.902	2101	2102	2106	rBV2	369	379	0.05%	0.006%
84	14.128	2135	2139	2142	rBV2	1571	2091	0.28%	0.034%
85	14.158	2142	2144	2147	rVB3	292	288	0.04%	0.005%
86	14.189	2147	2149	2156	rBV	423	775	0.10%	0.012%
87	14.652	2222	2225	2227	rBV3	327	420	0.06%	0.007%
88	14.853	2256	2258	2261	rVB3	573	379	0.05%	0.006%
89	15.469	2357	2359	2362	rBV3	353	425	0.06%	0.007%
90	15.554	2371	2373	2374	rBV2	385	370	0.05%	0.006%
91	15.670	2390	2392	2395	rBV	573	527	0.07%	0.008%
92	15.780	2408	2410	2412	rVB2	599	371	0.05%	0.006%
93	15.835	2417	2419	2420	rBV	559	449	0.06%	0.007%
94	15.902	2428	2430	2434	rVB3	522	626	0.08%	0.010%
95	15.938	2434	2436	2439	rBV3	713	681	0.09%	0.011%
96	15.969	2439	2441	2443	rVB3	642	451	0.06%	0.007%
97	16.018	2448	2449	2452	rBV2	664	669	0.09%	0.011%
98	16.359	2501	2505	2507	rBV3	658	832	0.11%	0.013%
99	16.645	2550	2552	2554	rBV2	621	445	0.06%	0.007%
100	16.731	2564	2566	2568	rBV2	709	470	0.06%	0.008%

Sum of corrected areas: 6221239

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX111224\
Data File : VX043816.D
Acq On : 12 Nov 2024 17:27
Operator : JC/MD
Sample : P4786-18
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E27P6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML110424WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX111224\
Data File : VX043816.D
Acq On : 12 Nov 2024 17:27
Operator : JC/MD
Sample : P4786-18
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E27P6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML110424WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc