

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112024\
 Data File : VX043912.D
 Acq On : 20 Nov 2024 13:18
 Operator : JC/MD
 Sample : P4872-16ME
 Misc : 6.41g/5mL/100uL/5.00mL/MSVOA_X/MEOH
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E29Y3ME

Manual Integrations
 APPROVED

Reviewed By : John Carlone 11/21/2024
 Supervised By : Mahesh Dadoda 11/25/2024

Quant Time: Nov 21 00:41:29 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML111924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Nov 21 00:38:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.751	114	271385	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.049	117	222442	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	109833	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	101947m	47.086	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	94.180%		
7) Chloroethane-d5	1.715	69	42168m	46.184	ug/L	0.07
Spiked Amount 50.000	Range 70 - 130		Recovery =	92.360%		
11) 1,1-Dichloroethene-d2	2.270	65	33546	38.551	ug/L	-0.02
Spiked Amount 50.000	Range 60 - 125		Recovery =	77.100%		
21) 2-Butanone-d5	4.489	46	115369	88.671	ug/L	0.04
Spiked Amount 100.000	Range 40 - 130		Recovery =	88.670%		
24) Chloroform-d	5.044	84	174532	43.503	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	87.000%		
26) 1,2-Dichloroethane-d4	5.946	65	123985	46.552	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.100%		
32) Benzene-d6	5.958	84	368009	50.168	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	100.340%		
36) 1,2-Dichloropropane-d6	7.300	67	112856	50.904	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	101.800%		
41) Toluene-d8	8.641	98	310205	48.207	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.420%		
43) trans-1,3-Dichloroprop...	8.946	79	46556	46.404	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	92.800%		
47) 2-Hexanone-d5	9.391	63	75908	91.704	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	91.700%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	138626	49.591	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	99.180%		
66) 1,2-Dichlorobenzene-d4	12.317	152	120223	51.567	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	103.140%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112024\
Data File : VX043912.D
Acq On : 20 Nov 2024 13:18
Operator : JC/MD
Sample : P4872-16ME
Misc : 6.41g/5mL/100uL/5.00mL/MSVOA_X/MEOH
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E29Y3ME

Manual Integrations
APPROVED

Reviewed By :John Carlone 11/21/2024
Supervised By :Mahesh Dadoda 11/25/2024

Quant Time: Nov 21 00:41:29 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM111924WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Nov 21 00:38:46 2024
Response via : Initial Calibration

