

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX112120\
 Data File : VX019511.D
 Acq On : 20 Nov 2020 22:06
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 21 05:02:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112120W.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 21 01:57:45 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	0.486	0.506	-4.1	98	0.00
3 P	Chloromethane	0.558	0.548	1.8	95	0.00
4 C	Vinyl Chloride	0.601	0.630	-4.8#	102	0.00
5 T	Bromomethane	0.227	0.216	4.8	93	0.00
6 T	Chloroethane	0.166	0.150	9.6	92	0.00
7 T	Trichlorofluoromethane	0.867	0.902	-4.0	104	0.00
8 T	Diethyl Ether	0.347	0.379	-9.2	106	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.484	0.511	-5.6	103	0.00
10 T	Methyl Iodide	0.635	0.649	-2.2	95	0.00
11 T	Tert butyl alcohol	0.123	0.139	-13.0	113	0.00
12 CM	1,1-Dichloroethene	0.496	0.518	-4.4#	104	0.00
13 T	Acrolein	0.082	0.080	2.4	98	0.00
14 T	Allyl chloride	0.778	0.793	-1.9	103	0.00
15 T	Acrylonitrile	0.289	0.320	-10.7	106	0.00
16 T	Acetone	0.251	0.255	-1.6	102	0.00
17 T	Carbon Disulfide	1.334	1.307	2.0	99	0.00
18 T	Methyl Acetate	0.647	0.672	-3.9	108	0.00
19 T	Methyl tert-butyl Ether	1.713	1.880	-9.7	107	0.00
20 T	Methylene Chloride	0.627	0.623	0.6	102	0.00
21 T	trans-1,2-Dichloroethene	0.562	0.588	-4.6	104	0.00
22 T	Diisopropyl ether	1.609	1.745	-8.5	105	0.00
23 T	Vinyl Acetate	1.349	1.506	-11.6	105	0.00
24 P	1,1-Dichloroethane	0.984	1.051	-6.8	105	0.00
25 T	2-Butanone	0.377	0.405	-7.4	103	0.00
26 T	2,2-Dichloropropane	0.859	0.797	7.2	92	0.00
27 T	cis-1,2-Dichloroethene	0.646	0.689	-6.7	104	0.00
28 T	Bromochloromethane	0.470	0.448	4.7	104	0.00
29 T	Tetrahydrofuran	0.240	0.264	-10.0	108	0.00
30 C	Chloroform	1.029	1.093	-6.2#	103	0.00
31 T	Cyclohexane	0.843	0.882	-4.6	103	0.00
32 T	1,1,1-Trichloroethane	0.884	0.948	-7.2	104	0.00
33 S	1,2-Dichloroethane-d4	0.648	0.654	-0.9	103	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
35 S	Dibromofluoromethane	0.314	0.315	-0.3	102	0.00
36 T	1,1-Dichloropropene	0.469	0.477	-1.7	102	0.00
37 T	Ethyl Acetate	0.440	0.485	-10.2	108	0.00
38 T	Carbon Tetrachloride	0.454	0.475	-4.6	102	0.00
39 T	Methylcyclohexane	0.546	0.558	-2.2	100	0.00
40 TM	Benzene	1.440	1.490	-3.5	103	0.00
41 T	Methacrylonitrile	0.243	0.259	-6.6	105	0.00
42 TM	1,2-Dichloroethane	0.494	0.512	-3.6	103	0.00
43 T	Isopropyl Acetate	0.740	0.774	-4.6	104	0.00
44 TM	Trichloroethene	0.377	0.387	-2.7	103	0.00
45 C	1,2-Dichloropropane	0.355	0.373	-5.1#	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX112120\
 Data File : VX019511.D
 Acq On : 20 Nov 2020 22:06
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 21 05:02:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112120W.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 21 01:57:45 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.243	0.255	-4.9	103	0.00
47 T	Bromodichloromethane	0.471	0.496	-5.3	100	0.00
48 T	Methyl methacrylate	0.346	0.379	-9.5	103	0.00
49 T	1,4-Dioxane	0.008	0.009	-12.5	114	0.00
50 S	Toluene-d8	1.220	1.193	2.2	98	0.00
51 T	4-Methyl-2-Pentanone	0.431	0.477	-10.7	105	0.00
52 CM	Toluene	0.881	0.916	-4.0#	100	0.00
53 T	t-1,3-Dichloropropene	0.509	0.531	-4.3	96	0.00
54 T	cis-1,3-Dichloropropene	0.564	0.592	-5.0	99	0.00
55 T	1,1,2-Trichloroethane	0.359	0.375	-4.5	100	0.00
56 T	Ethyl methacrylate	0.508	0.557	-9.6	102	0.00
57 T	1,3-Dichloropropane	0.601	0.622	-3.5	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.298	0.301	-1.0	100	0.00
59 T	2-Hexanone	0.327	0.361	-10.4	104	0.00
60 T	Dibromochloromethane	0.351	0.376	-7.1	99	0.00
61 T	1,2-Dibromoethane	0.370	0.385	-4.1	98	0.00
62 S	4-Bromofluorobenzene	0.439	0.437	0.5	99	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.393	0.389	1.0	98	0.00
65 PM	Chlorobenzene	1.028	1.054	-2.5	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.374	0.398	-6.4	100	0.00
67 C	Ethyl Benzene	1.801	1.921	-6.7#	98	0.00
68 T	m/p-Xylenes	0.671	0.718	-7.0	97	0.00
69 T	o-Xylene	0.641	0.692	-8.0	98	0.00
70 T	Styrene	1.065	1.192	-11.9	99	0.00
71 P	Bromoform	0.273	0.298	-9.2	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
73 T	Isopropylbenzene	3.459	3.644	-5.3	97	0.00
74 T	N-amyl acetate	1.296	1.464	-13.0	104	0.00
75 P	1,1,2,2-Tetrachloroethane	1.237	1.307	-5.7	103	0.00
76 T	1,2,3-Trichloropropane	1.091	1.139	-4.4	100	0.00
77 T	Bromobenzene	0.883	0.923	-4.5	100	0.00
78 T	n-propylbenzene	3.968	4.178	-5.3	97	0.00
79 T	2-Chlorotoluene	2.406	2.544	-5.7	99	0.00
80 T	1,3,5-Trimethylbenzene	2.902	3.134	-8.0	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.371	0.391	-5.4	98	0.00
82 T	4-Chlorotoluene	2.833	2.993	-5.6	98	0.00
83 T	tert-Butylbenzene	2.807	3.031	-8.0	99	0.00
84 T	1,2,4-Trimethylbenzene	2.936	3.238	-10.3	99	0.00
85 T	sec-Butylbenzene	3.340	3.576	-7.1	97	0.00
86 T	p-Isopropyltoluene	3.032	3.293	-8.6	98	0.00
87 T	1,3-Dichlorobenzene	1.622	1.652	-1.8	96	0.00
88 T	1,4-Dichlorobenzene	1.670	1.676	-0.4	97	0.00
89 T	n-Butylbenzene	2.741	2.912	-6.2	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX112120\
Data File : VX019511.D
Acq On : 20 Nov 2020 22:06
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Nov 21 05:02:46 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112120W.M
Quant Title : SW846 8260
QLast Update : Sat Nov 21 01:57:45 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.507	0.546	-7.7	99	0.00
91 T	1,2-Dichlorobenzene	1.629	1.700	-4.4	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.252	0.283	-12.3	105	0.00
93 T	1,2,4-Trichlorobenzene	1.046	1.098	-5.0	98	0.00
94 T	Hexachlorobutadiene	0.476	0.466	2.1	97	0.00
95 T	Naphthalene	3.237	3.800	-17.4	102	0.00
96 T	1,2,3-Trichlorobenzene	1.046	1.124	-7.5	99	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6