

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX112120\
 Data File : VX019539.D
 Acq On : 21 Nov 2020 10:10
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 59 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 23 00:30:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112120W.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 21 01:57:45 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	110	0.00
2 T	Dichlorodifluoromethane	0.486	0.486	0.0	106	0.00
3 P	Chloromethane	0.558	0.492	11.8	96	0.00
4 C	Vinyl Chloride	0.601	0.580	3.5#	105	0.00
5 T	Bromomethane	0.227	0.177	22.0	85	0.00
6 T	Chloroethane	0.166	0.141	15.1	97	0.00
7 T	Trichlorofluoromethane	0.867	0.855	1.4	110	0.00
8 T	Diethyl Ether	0.347	0.353	-1.7	111	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.484	0.473	2.3	107	0.00
10 T	Methyl Iodide	0.635	0.598	5.8	98	0.00
11 T	Tert butyl alcohol	0.123	0.141	-14.6	128	0.00
12 CM	1,1-Dichloroethene	0.496	0.492	0.8#	111	0.00
13 T	Acrolein	0.082	0.062	24.4	86	0.00
14 T	Allyl chloride	0.778	0.726	6.7	106	0.00
15 T	Acrylonitrile	0.289	0.291	-0.7	108	0.00
16 T	Acetone	0.251	0.236	6.0	105	0.00
17 T	Carbon Disulfide	1.334	1.224	8.2	104	0.00
18 T	Methyl Acetate	0.647	0.633	2.2	114	0.00
19 T	Methyl tert-butyl Ether	1.713	1.828	-6.7	116	0.00
20 T	Methylene Chloride	0.627	0.582	7.2	107	0.00
21 T	trans-1,2-Dichloroethene	0.562	0.553	1.6	110	0.00
22 T	Diisopropyl ether	1.609	1.645	-2.2	111	0.00
23 T	Vinyl Acetate	1.349	1.399	-3.7	110	0.00
24 P	1,1-Dichloroethane	0.984	0.988	-0.4	111	0.00
25 T	2-Butanone	0.377	0.370	1.9	106	0.00
26 T	2,2-Dichloropropane	0.859	0.570	33.6#	73	0.00
27 T	cis-1,2-Dichloroethene	0.646	0.661	-2.3	112	0.00
28 T	Bromochloromethane	0.470	0.416	11.5	108	0.00
29 T	Tetrahydrofuran	0.240	0.239	0.4	109	0.00
30 C	Chloroform	1.029	1.044	-1.5#	110	0.00
31 T	Cyclohexane	0.843	0.821	2.6	107	0.00
32 T	1,1,1-Trichloroethane	0.884	0.916	-3.6	113	0.00
33 S	1,2-Dichloroethane-d4	0.648	0.644	0.6	114	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	114	0.00
35 S	Dibromofluoromethane	0.314	0.309	1.6	114	0.00
36 T	1,1-Dichloropropene	0.469	0.447	4.7	109	0.00
37 T	Ethyl Acetate	0.440	0.442	-0.5	111	0.00
38 T	Carbon Tetrachloride	0.454	0.450	0.9	110	0.00
39 T	Methylcyclohexane	0.546	0.506	7.3	103	0.00
40 TM	Benzene	1.440	1.397	3.0	109	0.00
41 T	Methacrylonitrile	0.243	0.238	2.1	109	0.00
42 TM	1,2-Dichloroethane	0.494	0.488	1.2	111	0.00
43 T	Isopropyl Acetate	0.740	0.735	0.7	112	0.00
44 TM	Trichloroethene	0.377	0.365	3.2	110	0.00
45 C	1,2-Dichloropropane	0.355	0.347	2.3#	109	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX112120\
 Data File : VX019539.D
 Acq On : 21 Nov 2020 10:10
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 59 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 23 00:30:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112120W.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 21 01:57:45 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.243	0.239	1.6	109	0.00
47 T	Bromodichloromethane	0.471	0.470	0.2	107	0.00
48 T	Methyl methacrylate	0.346	0.354	-2.3	110	0.00
49 T	1,4-Dioxane	0.008	0.008	0.0	120	0.00
50 S	Toluene-d8	1.220	1.149	5.8	107	0.00
51 T	4-Methyl-2-Pentanone	0.431	0.431	0.0	108	0.00
52 CM	Toluene	0.881	0.850	3.5#	105	0.00
53 T	t-1,3-Dichloropropene	0.509	0.488	4.1	100	0.00
54 T	cis-1,3-Dichloropropene	0.564	0.536	5.0	101	0.00
55 T	1,1,2-Trichloroethane	0.359	0.352	1.9	106	0.00
56 T	Ethyl methacrylate	0.508	0.534	-5.1	111	0.00
57 T	1,3-Dichloropropane	0.601	0.586	2.5	106	0.00
58 T	2-Chloroethyl Vinyl ether	0.298	0.282	5.4	106	0.00
59 T	2-Hexanone	0.327	0.330	-0.9	108	0.00
60 T	Dibromochloromethane	0.351	0.355	-1.1	106	0.00
61 T	1,2-Dibromoethane	0.370	0.369	0.3	107	0.00
62 S	4-Bromofluorobenzene	0.439	0.420	4.3	108	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	105	0.00
64 T	Tetrachloroethene	0.393	0.353	10.2	98	0.00
65 PM	Chlorobenzene	1.028	1.004	2.3	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.374	0.386	-3.2	106	0.00
67 C	Ethyl Benzene	1.801	1.821	-1.1#	102	0.00
68 T	m/p-Xylenes	0.671	0.681	-1.5	101	0.00
69 T	o-Xylene	0.641	0.668	-4.2	104	0.00
70 T	Styrene	1.065	1.139	-6.9	104	0.00
71 P	Bromoform	0.273	0.295	-8.1	109	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	101	0.00
73 T	Isopropylbenzene	3.459	3.601	-4.1	101	0.00
74 T	N-amyl acetate	1.296	1.486	-14.7	112	0.00
75 P	1,1,2,2-Tetrachloroethane	1.237	1.282	-3.6	107	0.00
76 T	1,2,3-Trichloropropane	1.091	1.134	-3.9	105	0.00
77 T	Bromobenzene	0.883	0.912	-3.3	105	0.00
78 T	n-propylbenzene	3.968	4.018	-1.3	98	0.00
79 T	2-Chlorotoluene	2.406	2.483	-3.2	102	0.00
80 T	1,3,5-Trimethylbenzene	2.902	3.043	-4.9	100	0.00
81 T	trans-1,4-Dichloro-2-butene	0.371	0.357	3.8	94	0.00
82 T	4-Chlorotoluene	2.833	2.896	-2.2	101	0.00
83 T	tert-Butylbenzene	2.807	2.972	-5.9	103	0.00
84 T	1,2,4-Trimethylbenzene	2.936	3.077	-4.8	100	0.00
85 T	sec-Butylbenzene	3.340	3.371	-0.9	97	0.00
86 T	p-Isopropyltoluene	3.032	3.067	-1.2	97	0.00
87 T	1,3-Dichlorobenzene	1.622	1.610	0.7	100	0.00
88 T	1,4-Dichlorobenzene	1.670	1.628	2.5	100	0.00
89 T	n-Butylbenzene	2.741	2.609	4.8	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX112120\
Data File : VX019539.D
Acq On : 21 Nov 2020 10:10
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 59 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Nov 23 00:30:46 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112120W.M
Quant Title : SW846 8260
QLast Update : Sat Nov 21 01:57:45 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.507	0.529	-4.3	102	0.00
91 T	1,2-Dichlorobenzene	1.629	1.653	-1.5	103	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.252	0.276	-9.5	109	0.00
93 T	1,2,4-Trichlorobenzene	1.046	1.070	-2.3	101	0.00
94 T	Hexachlorobutadiene	0.476	0.416	12.6	91	0.00
95 T	Naphthalene	3.237	3.725	-15.1	106	0.00
96 T	1,2,3-Trichlorobenzene	1.046	1.087	-3.9	102	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6