

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\WX112219\
 Data File : VX013520.D
 Acq On : 22 Nov 2019 09:27
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 22 14:09:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X103119W.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 02 07:06:38 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2 T	Dichlorodifluoromethane	0.576	0.476	17.4	75	0.00
3 P	Chloromethane	0.625	0.511	18.2	75	0.00
4 C	Vinyl Chloride	0.711	0.630	11.4#	79	0.00
5 T	Bromomethane	0.496	0.395	20.4#	76	0.00
6 T	Chloroethane	0.454	0.352	22.5#	81	0.00
7 T	Trichlorofluoromethane	0.840	0.722	14.0	83	0.00
8 T	Diethyl Ether	0.372	0.336	9.7	85	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.468	0.456	2.6	94	0.00
10 T	Methyl Iodide	0.580	0.489	15.7	76	0.00
11 T	Tert butyl alcohol	0.156	0.125	19.9	81	0.00
12 CM	1,1-Dichloroethene	0.459	0.434	5.4#	88	0.00
13 T	Acrolein	0.085	0.071	16.5	77	0.00
14 T	Allyl chloride	0.833	0.797	4.3	90	0.00
15 T	Acrylonitrile	0.292	0.286	2.1	89	0.00
16 T	Acetone	0.295	0.273	7.5	86	0.00
17 T	Carbon Disulfide	1.228	1.005	18.2	76	0.00
18 T	Methyl Acetate	0.816	0.814	0.2	91	0.00
19 T	Methyl tert-butyl Ether	1.530	1.549	-1.2	92	0.00
20 T	Methylene Chloride	0.546	0.506	7.3	91	0.00
21 T	trans-1,2-Dichloroethene	0.499	0.458	8.2	86	0.00
22 T	Diisopropyl ether	1.609	1.638	-1.8	92	0.00
23 T	Vinyl Acetate	1.377	1.348	2.1	89	0.00
24 P	1,1-Dichloroethane	0.900	0.877	2.6	92	0.00
25 T	2-Butanone	0.433	0.416	3.9	86	0.00
26 T	2,2-Dichloropropane	0.716	0.734	-2.5	96	0.00
27 T	cis-1,2-Dichloroethene	0.559	0.566	-1.3	93	0.00
28 T	Bromochloromethane	0.256	0.256	0.0	93	0.00
29 T	Tetrahydrofuran	0.267	0.253	5.2	84	0.00
30 C	Chloroform	0.889	0.874	1.7#	92	0.00
31 T	Cyclohexane	0.810	0.757	6.5	89	0.00
32 T	1,1,1-Trichloroethane	0.765	0.728	4.8	89	0.00
33 S	1,2-Dichloroethane-d4	0.592	0.560	5.4	91	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	93	0.00
35 S	Dibromofluoromethane	0.314	0.312	0.6	93	0.00
36 T	1,1-Dichloropropene	0.429	0.427	0.5	89	0.00
37 T	Ethyl Acetate	0.530	0.498	6.0	84	0.00
38 T	Carbon Tetrachloride	0.419	0.418	0.2	89	0.00
39 T	Methylcyclohexane	0.534	0.524	1.9	91	0.00
40 TM	Benzene	1.336	1.314	1.6	91	0.00
41 T	Methacrylonitrile	0.297	0.296	0.3	90	0.00
42 TM	1,2-Dichloroethane	0.482	0.470	2.5	87	0.00
43 T	Isopropyl Acetate	0.825	0.840	-1.8	90	0.00
44 TM	Trichloroethene	0.368	0.362	1.6	92	0.00
45 C	1,2-Dichloropropane	0.340	0.348	-2.4#	93	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\WX112219\
 Data File : VX013520.D
 Acq On : 22 Nov 2019 09:27
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 22 14:09:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X103119W.M
 Quant Title : SW846 8260
 QLast Update : Sat Nov 02 07:06:38 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.232	0.227	2.2	89	0.00
47 T	Bromodichloromethane	0.438	0.459	-4.8	93	0.00
48 T	Methyl methacrylate	0.412	0.417	-1.2	87	0.00
49 T	1,4-Dioxane	0.009	0.008	11.1	75	0.00
50 S	Toluene-d8	1.182	1.189	-0.6	93	0.00
51 T	4-Methyl-2-Pentanone	0.541	0.536	0.9	87	0.00
52 CM	Toluene	0.828	0.837	-1.1#	92	0.00
53 T	t-1,3-Dichloropropene	0.479	0.512	-6.9	92	0.00
54 T	cis-1,3-Dichloropropene	0.536	0.566	-5.6	94	0.00
55 T	1,1,2-Trichloroethane	0.343	0.354	-3.2	94	0.00
56 T	Ethyl methacrylate	0.530	0.573	-8.1	94	0.00
57 T	1,3-Dichloropropane	0.583	0.591	-1.4	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.235	0.234	0.4	85	0.00
59 T	2-Hexanone	0.418	0.415	0.7	86	0.00
60 T	Dibromochloromethane	0.351	0.374	-6.6	93	0.00
61 T	1,2-Dibromoethane	0.364	0.362	0.5	89	0.00
62 S	4-Bromofluorobenzene	0.427	0.433	-1.4	95	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	90	0.00
64 T	Tetrachloroethene	0.358	0.354	1.1	90	0.00
65 PM	Chlorobenzene	1.012	1.027	-1.5	92	0.00
66 T	1,1,1,2-Tetrachloroethane	0.372	0.390	-4.8	92	0.00
67 C	Ethyl Benzene	1.747	1.805	-3.3#	91	0.00
68 T	m/p-Xylenes	0.661	0.690	-4.4	90	0.00
69 T	o-Xylene	0.647	0.674	-4.2	92	0.00
70 T	Styrene	1.081	1.178	-9.0	93	0.00
71 P	Bromoform	0.300	0.333	-11.0	94	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
73 T	Isopropylbenzene	3.315	3.552	-7.1	93	0.00
74 T	N-amyl acetate	1.537	1.664	-8.3	89	0.00
75 P	1,1,2,2-Tetrachloroethane	1.209	1.259	-4.1	92	0.00
76 T	1,2,3-Trichloropropane	1.016	1.010	0.6	92	0.00
77 T	Bromobenzene	0.884	0.927	-4.9	92	0.00
78 T	n-propylbenzene	3.693	4.063	-10.0	93	0.00
79 T	2-Chlorotoluene	2.225	2.361	-6.1	92	0.00
80 T	1,3,5-Trimethylbenzene	2.761	2.969	-7.5	92	0.00
81 T	trans-1,4-Dichloro-2-butene	0.395	0.424	-7.3	91	0.00
82 T	4-Chlorotoluene	2.604	2.722	-4.5	91	0.00
83 T	tert-Butylbenzene	2.780	3.070	-10.4	93	0.00
84 T	1,2,4-Trimethylbenzene	2.770	3.010	-8.7	92	0.00
85 T	sec-Butylbenzene	3.195	3.524	-10.3	95	0.00
86 T	p-Isopropyltoluene	2.942	3.249	-10.4	93	0.00
87 T	1,3-Dichlorobenzene	1.575	1.646	-4.5	92	0.00
88 T	1,4-Dichlorobenzene	1.605	1.656	-3.2	93	0.00
89 T	n-Butylbenzene	2.567	2.845	-10.8	93	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX112219\
Data File : VX013520.D
Acq On : 22 Nov 2019 09:27
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Nov 22 14:09:18 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X103119W.M
Quant Title : SW846 8260
QLast Update : Sat Nov 02 07:06:38 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.524	0.579	-10.5	95	0.00
91 T	1,2-Dichlorobenzene	1.575	1.671	-6.1	94	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.295	0.271	8.1	83	0.00
93 T	1,2,4-Trichlorobenzene	1.098	1.180	-7.5	93	0.00
94 T	Hexachlorobutadiene	0.537	0.553	-3.0	92	0.00
95 T	Naphthalene	3.446	3.694	-7.2	87	0.00
96 T	1,2,3-Trichlorobenzene	1.102	1.187	-7.7	93	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6