

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX112223\  
 Data File : VX039008.D  
 Acq On : 22 Nov 2023 17:18  
 Operator : JC/MD  
 Sample : 05407-01  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 11 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 MH-117N-20231114

Quant Time: Nov 23 01:35:55 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X111623W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Nov 16 22:59:22 2023  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units      | Dev(Min)  |
|-----------------------------|--------|-------|----------|----------|------------|-----------|
| -----                       |        |       |          |          |            |           |
| Internal Standards          |        |       |          |          |            |           |
| 1) Pentafluorobenzene       | 5.556  | 168   | 86339    | 50.000   | ug/l       | 0.00      |
| 34) 1,4-Difluorobenzene     | 6.763  | 114   | 184981   | 50.000   | ug/l       | 0.00      |
| 63) Chlorobenzene-d5        | 10.055 | 117   | 193535   | 50.000   | ug/l       | 0.00      |
| 72) 1,4-Dichlorobenzene-d4  | 12.024 | 152   | 96579    | 50.000   | ug/l       | 0.00      |
| System Monitoring Compounds |        |       |          |          |            |           |
| 33) 1,2-Dichloroethane-d4   | 5.958  | 65    | 76367    | 54.892   | ug/l       | 0.00      |
| Spiked Amount               | 50.000 | Range | 78 - 117 | Recovery | = 109.780% |           |
| 35) Dibromofluoromethane    | 5.385  | 113   | 59442    | 44.493   | ug/l       | 0.00      |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | = 88.980%  |           |
| 50) Toluene-d8              | 8.647  | 98    | 236368   | 46.242   | ug/l       | 0.00      |
| Spiked Amount               | 50.000 | Range | 92 - 112 | Recovery | = 92.480%  |           |
| 62) 4-Bromofluorobenzene    | 11.079 | 95    | 102597   | 50.141   | ug/l       | 0.00      |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | = 100.280% |           |
| Target Compounds            |        |       |          |          |            |           |
| 16) Acetone                 | 2.380  | 43    | 1860     | 2.511    | ug/l       | Qvalue 97 |
| -----                       |        |       |          |          |            |           |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX112223\  
Data File : VX039008.D  
Acq On : 22 Nov 2023 17:18  
Operator : JC/MD  
Sample : 05407-01  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
MH-117N-20231114

Quant Time: Nov 23 01:35:55 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X111623W.M  
Quant Title : SW846 8260  
QLast Update : Thu Nov 16 22:59:22 2023  
Response via : Initial Calibration

